Office	State of New Mex		Form C-103	
District I - (575) 393-6161	Energy, Minerals and Natural Resources		Revised August 1, 2011	
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
District II - (575) 748-1283 <sup>1</sup> 811 S. First St., Artesia, NM,88210	OIL CONSERVATION DIVISION		30-015-36246	
<u>District III</u> – (505) 334-6178	1220 South St. Franc	cis Dr.	5. Indicate Type of Lease  STATE ⊠ FEE □	
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 875	505	6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM	,		o. State on a das Boase No.	
87505			and the second s	
	ICES AND REPORTS ON WELLS	C D KOV TO A	7. Lease Name or Unit Agreement Name	
DIFFERENT RESERVOIR. USE "APPLI	SALS TO DRILL OR TO DEEPEN OR PLUC CATION FOR PERMIT" (FORM C-101) FOR	S SUCH	A ID 24 CT A TT	
PROPOSALS.)			AID 24 STATE  8. Well Number #5	
1. Type of Well: Oil Well	Gas Well Other			
2. Name of Operator		,	9. OGRID Number 281994	
3. Address of Operator	perating, LLC		10. Pool name or Wildcat	
	gby Street Suite 4600 Houston, Tx 77	7002	Empire; Glorieta-Yeso (96210)	
	gby Street Stitle 4000 Houston, 1x //	002	Empire, Gioricia- Leso (20210)	
4. Well Location				
4.000	feet from the South			
Section 24		inge 28E	NMPM Eddy County	
A supplied to the supplied of the supplied to	11. Elevation (Show whether DR, I	RKB, RT, GR, etc.)	A company of the problem.	
5 (1915)	3674' GL		. The state of the	
·				
12. Check A	Appropriate Box to Indicate Na	ture of Notice, I	Report or Other Data	
NOTIOE OF IN	TENTION TO	OUD	SEALIERE DEDOOT OF	
	ITENTION TO:		SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK		REMEDIAL WORK	<del>_</del>	
TEMPORARILY ABANDON	1	COMMENCE DRIL		
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	JOB 🗆	
DOWNHOLE COMMINGLE		•		
OTHER: Flaring Gas	(ixi	OTHER:	Γ.	
			ے ہے۔ I give pertinent dates, including estimated date	
of starting any proposed w	ork) SEE RIII F 19 15 7 14 NMAC	For Multiple Con	appletions: Attach wellbore diagram of	
proposed completion or rec		roi manipie con	ipictions. Attach wendore diagram of	
proposed completion of tec				
	ompletion.		٠,	
:	ompletion.	;	•	
Requesting an extension to flare gas	due to Frontier's inability to take gas	; <b>s.</b>	<b>.</b>	
#	•	; <b>s.</b>	•	
Requesting an extension to flare gas Estimated Volume – 1000 MCFPD	•	: <b>3.</b>	•	
Estimated Volume – 1000 MCFPD	•	; <b>3.</b>	•	
#	•	; <b>5.</b>	•	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days	due to Frontier's inability to take gas	; <b>S.</b>		
Estimated Volume – 1000 MCFPD	due to Frontier's inability to take gas	; S		
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days	due to Frontier's inability to take gas	: S		
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days	due to Frontier's inability to take gas	; 5.	•,	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I	due to Frontier's inability to take gas  Randy Dade with OCD.		•	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days	due to Frontier's inability to take gas		•.	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I	due to Frontier's inability to take gas  Randy Dade with OCD.			
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I  Spud Date:	due to Frontier's inability to take gas  Randy Dade with OCD.  Rig Release Date	e:	and helief	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I  Spud Date:	due to Frontier's inability to take gas  Randy Dade with OCD.	e:	e and belief.	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I  Spud Date:	due to Frontier's inability to take gas  Randy Dade with OCD.  Rig Release Date	e:	e and belief.	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I  Spud Date:	due to Frontier's inability to take gas  Randy Dade with OCD.  Rig Release Date  above is true and complete to the bes	e: st of my knowledge	e and belief.  DATE 6-18-13	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I  Spud Date:  I hereby certify that the information  SIGNATURE	due to Frontier's inability to take gas  Randy Dade with OCD.  Rig Release Date  above is true and complete to the bes  TITLE_Produc	e: st of my knowledge	DATE <u>6-18-13</u>	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I  Spud Date:  I hereby certify that the information  SIGNATURE	due to Frontier's inability to take gas  Randy Dade with OCD.  Rig Release Date  above is true and complete to the bes  TITLE_Produc	e: st of my knowledge		
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I  Spud Date:  I hereby certify that the information  SIGNATURE	due to Frontier's inability to take gas  Randy Dade with OCD.  Rig Release Date  above is true and complete to the bes  TITLE_Produc	e: st of my knowledge	DATE6-18-13 PHONE: _575-623-8424	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I  Spud Date:  I hereby certify that the information  SIGNATURE Michael Barry  For State Use Only	Randy Dade with OCD.  Rig Release Date  above is true and complete to the bes  TITLE Product  E-mail address: mbarre	e: st of my knowledge	DATE6-18-13 PHONE: _575-623-8424	
Estimated Volume – 1000 MCFPD  Estimated Time – 120 Days  Verbal approval has been given by I  Spud Date:  I hereby certify that the information  SIGNATURE	due to Frontier's inability to take gas  Randy Dade with OCD.  Rig Release Date  above is true and complete to the bes  TITLE_Produc	e: st of my knowledge	DATE <u>6-18-13</u>	

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District 1V 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

(For Division Use Only)

NFO Permit No. \_

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

	(See Rule 19.15.18.12 NMAC	C and Rule 19.15.7.37 NMAC)			
Α.	Applicant <u>LRE Operating, LLC</u>				
	whose address is 1111 Bagby Street Suite 4600 Houston, TX 77002 ,				
	hereby requests an exception to Rule 19.15.18.12 for 120 days or un				
	, Yr,	for the following described tank battery (or	LACT):		
	Name of Lease AID 24 State #5 Name of Pool Empire; Glorieta-Yeso				
	Location of Battery: Unit Letter P Section 24 Township 17S Range 28E				
	Number of wells producing into battery10				
В.	Based upon oil production of N/A	barrels per day, the estimated *	volume		
	of gas to be flared is 1000	MCF, Value N/A	_per day.		
C.	Name and location of nearest gas gathering facility:				
	Frontier Field Services				
D.	Distance N/A Estimated co	•			
E.	This exception is requested for the following reasons:				
	•	ability to take gas.			
		:			
	30-015-36246	:			
	W 010 - 2004 10				
OPERATOR		OIL CONSERVATION DIVISION			
hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above		Approved Until Sept 15 - 20	1/3		
s true and comp	lete to the best of my knowledge and belief	Approved Onth Sept 75 Sec			
Signature	viving DW	By Readl	•		
Printed Name & Title Michael Barrett / Production Supervisor		Title DIST # Spew 13	50		
E-mail Address mbarrett@limerockresources.com		Date June 20 - 2013			
Date 6/18/13	3 Telephone:No. 575-623-8424				

Gas-Oil ratio test may be required to verify estimated gas volume.

\* SEE AHACHED COA'S

# NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

#### CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- **6.** No flaring operations to be conducted during red-flag days. <a href="http://www.gacc.nifc.gov/swcc">http://www.gacc.nifc.gov/swcc</a> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- $1\,1.1$ . The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here \$2000le

/ / 6/20/2013

## State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

John Bemis
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

Jami Bailey
Division Director
Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

#### Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <a href="www.nmforestry.com">www.nmforestry.com</a> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet.(or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <a href="http://activefiremaps.fs.fed.us/current.php">http://activefiremaps.fs.fed.us/current.php</a>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.