




PHOENIX
TECHNOLOGY SERVICES

June 27, 2013

Oil Conservation Division
State of New Mexico
811 S. First St.
Artesia, New Mexico 88210



Dear District 2 - Artesia

Re: Chesapeake Operating Inc.
West Shugart 2-19-30 #2H
Eddy Co., NM
API #30-015-40953
Job No. 1310588

CherRon

Enclosed please find the Survey Data Certification, and the original Plat and one copy of the Survey Report performed on the above referenced Well by Phoenix Technology Services, Inc. (P-5 No. 606018). Other information required by your office is as follows:

Name & Title of Surveyor	Drainhole Number	Surveyed Depths		Dates Performed		Type of Survey
		From	To	Start	End	
Derek Webster	2H	743	12,867	06/08/13	06/22/13	MWD

A certified plat on which the bottom hole location is oriented both to the surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Best Regards,

Kia Foster

Kia Foster
Operations Administrator

Certified mail receipt number: 7011 1570 0001 4364 9100

Phoenix Technology Services
SURVEY DATA CERTIFICATION

RECEIVED

JUL 08 2013

NMOCD ARTESIA



PHOENIX
TECHNOLOGY SERVICES

PHOENIX JOB NUMBER

1310588

OPERATOR

Chesapeake Energy

WELL NAME

West Shugart 2-19-30 #2H

COUNTY & STATE

Eddy Co. NM

API WELL NUMBER

30:015-40953

PROPOSED DIRECTION

269.89

TIE-IN DATA						
MEASURED	VERTICAL			N-S	E-W	DATA
DEPTH	DEPTH	INCLIN	AZIMUTH	COORD	COORD	SOURCE
600 ft	599.99 ft	.03 ft	222.9 ft	-1.65 ft	-2.68 ft	Gyro

FIRST	FIRST		
SURVEY	SURVEY		
DATE	DEPTH	INCLIN	AZIMUTH
8-Jun-13	743 ft	0.2	44.0

SURVEY INSTRUMENT
TYPE
Phoenix MWD

LAST	LAST		
SURVEY	SURVEY		
DATE	DEPTH	INCLIN	AZIMUTH
22-Jun-13	12,867 ft	93.6	267.1

TO THE BEST OF MY KNOWLEDGE I
CERTIFY THIS SURVEY DATA TO BE
TRUE AND CORRECT.

PROJECTED	PROJECTED		
TD SURVEY	TD SURVEY		
DATE	DEPTH	INCLIN	AZIMUTH
22-Jun-13	12,935 ft	93.6	267.1

Derek Webster

PRINT YOUR NAME ABOVE

Derek Webster

SIGN YOUR NAME ABOVE

MAGNETIC DECLINATION OR TOTAL GRID

TOTAL CORRECTION USED	
	7.34
DECLINATION OR GRID	GRID

6/23/13

TODAY'S DATE

MWD SUPERVISOR 1

Derek Webster

DIRECTIONAL DRILLER 1

Kieth Scheppler

MWD SUPERVISOR 2

Zak Dawson


DIRECTIONAL DRILLER 2

Craig Cannon

1805 Brittmore Road

Houston, Texas 77043

(713)3370609 (Voice); (713)337-0599 (Fax)



Chesapeake Operating Inc.

Eddy County, New Mexico (NAD27 NME)

West Shugart 2-19-30 State

#2H

OH / Job #1310588

Survey: Phoenix MWD Surveys

Phoenix Final Survey Report

24 June, 2013





Phoenix Technology Services

Phoenix Final Survey Report



Company:	Chesapeake Operating Inc.	Local Co-ordinate Reference:	Well #2H
Project:	Eddy County, New Mexico (NAD27 NME)	TVD Reference:	KB @ 3541.50usft (Ensign 153)
Site:	West Shugart 2-19-30 State	MD Reference:	KB @ 3541.50usft (Ensign 153)
Well:	#2H	North Reference:	Grid
Wellbore:	OH / Job #1310588	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (Ensign 153)	Database:	GCR DB

Project:	Eddy County, New Mexico (NAD27 NME)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site:	West Shugart 2-19-30 State		
Site Position:		Northing:	616,927.00 usft
From:	Map	Easting:	617,854.00 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16"
		Latitude:	32° 41' 43.604497 N
		Longitude:	103° 57' 0.842992 W
		Grid Convergence:	0.21 °

Well:	#2H		
Well Position	+N/-S	0.00 usft	Northing:
	+E/-W	0.00 usft	Easting:
Position Uncertainty	0.00 usft	Wellhead Elevation:	usft
		Latitude:	32° 41' 14.139513 N
		Longitude:	103° 56' 4.943929 W
		Ground Level:	3,517.00 usft

Wellbore:	OH / Job #1310588		
Magnetics	Model Name	Sample Date	Declination
	IGRF2010_14	06/16/13	(°)
			7.54
			Dip Angle
			(°)
			60.50
			Field Strength
			(nT)
			48,654

Design:	Surveys (Ensign 153)		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.00
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W
	(usft)	(usft)	(usft)
	0.00	0.00	0.00
		Direction	(°)
		269.89	

Survey Program	Date: 06/24/13		
From	To	Survey (Wellbore)	Tool Name
(usft)	(usft)		
100.00	600.00	MS Gyro (OH / Job #1310588)	NS-GYRO-MS
600.00	12,935.00	Phoenix MWD Surveys (OH / Job #131058)	MWD
			Description
			North sensing gyrocompassing m/s
			MWD - Standard

Survey	MD	Inc	Azi (azimuth)	TVD	N/S	E/W	V. Sec	DLeg
	(usft)	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(°/100usft)
	600.00	0.33	222.87	599.99	-1.65	-2.68	2.68	0.00
Tie-on to MS Gyro								
	743.00	0.20	44.00	742.99	-1.77	-2.78	2.79	0.37
First Phoenix MWD Survey								
	922.00	0.40	57.30	921.99	-1.21	-2.04	2.04	0.12
	1,101.00	0.70	69.60	1,100.98	-0.49	-0.49	0.49	0.18
	1,280.00	1.10	62.90	1,279.96	0.68	2.06	-2.06	0.23
	1,459.00	1.70	62.60	1,458.90	2.68	5.95	-5.96	0.34
	1,638.00	2.20	58.90	1,637.80	5.68	11.25	-11.26	0.29
	1,817.00	3.00	71.90	1,816.61	8.91	18.64	-18.66	0.55
	1,996.00	2.80	73.40	1,995.38	11.61	27.29	-27.31	0.12



Phoenix Technology Services
Phoenix Final Survey Report



Company:	Chesapeake Operating Inc.	Local Co-ordinate Reference:	Well #2H
Project:	Eddy County, New Mexico (NAD27 NME)	TVD Reference:	KB @ 3541.50usft (Ensign 153)
Site:	West Shugart 2-19-30 State	MD Reference:	KB @ 3541.50usft (Ensign 153)
Well:	#2H	North Reference:	Grid
Wellbore:	OH / Job #1310588	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (Ensign 153)	Database:	GCR DB

Survey								
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)	
2,175.00	1.50	59.30	2,174.26	14.06	33.49	-33.52	0.78	
2,354.00	0.30	88.40	2,353.23	15.27	35.97	-36.00	0.70	
2,533.00	0.30	167.70	2,532.23	14.82	36.54	-36.57	0.21	
2,712.00	0.90	189.50	2,711.22	12.98	36.41	-36.43	0.35	
2,891.00	1.10	196.30	2,890.19	9.94	35.70	-35.71	0.13	
3,070.00	1.00	209.90	3,069.16	6.94	34.43	-34.45	0.15	
3,249.00	1.10	208.30	3,248.13	4.07	32.84	-32.85	0.06	
3,428.00	0.80	216.30	3,427.11	1.55	31.29	-31.29	0.18	
3,470.00	0.80	225.80	3,469.10	1.11	30.90	-30.91	0.32	
3,630.00	0.90	215.40	3,629.08	-0.69	29.37	-29.37	0.11	
3,719.00	0.80	211.90	3,718.08	-1.79	28.64	-28.64	0.13	
3,809.00	0.60	215.80	3,808.07	-2.70	28.03	-28.03	0.23	
3,898.00	0.60	216.70	3,897.06	-3.46	27.48	-27.48	0.01	
4,077.00	0.60	225.90	4,076.05	-4.86	26.25	-26.24	0.05	
4,255.00	0.90	239.70	4,254.04	-6.21	24.37	-24.36	0.20	
4,434.00	1.00	246.10	4,433.01	-7.56	21.73	-21.72	0.08	
4,613.00	1.00	235.50	4,611.99	-9.07	19.02	-19.00	0.10	
4,792.00	0.90	229.40	4,790.96	-10.87	16.66	-16.64	0.08	
4,971.00	1.10	206.30	4,969.94	-13.33	14.83	-14.81	0.25	
5,150.00	1.00	195.10	5,148.91	-16.38	13.66	-13.63	0.13	
5,329.00	1.20	213.10	5,327.87	-19.45	12.23	-12.20	0.22	
5,507.00	1.40	213.80	5,505.83	-22.82	10.01	-9.96	0.11	
5,686.00	1.40	244.20	5,684.78	-25.59	6.82	-6.77	0.41	
5,865.00	1.10	334.80	5,863.75	-24.99	4.12	-4.07	1.00	
6,043.00	1.60	332.40	6,041.70	-21.24	2.24	-2.20	0.28	
6,222.00	1.60	331.00	6,220.63	-16.84	-0.13	0.16	0.02	
6,401.00	2.10	332.40	6,399.53	-11.75	-2.86	2.88	0.28	
6,580.00	2.50	316.30	6,578.39	-6.02	-7.07	7.09	0.42	
6,758.00	2.10	319.80	6,756.25	-0.72	-11.86	11.86	0.24	
6,937.00	2.30	307.00	6,935.12	3.95	-16.85	16.84	0.30	
7,116.00	1.30	302.00	7,114.03	7.18	-21.44	21.42	0.56	
7,294.00	0.70	5.70	7,292.00	9.34	-23.04	23.02	0.66	
7,473.00	0.70	42.20	7,470.99	11.23	-22.20	22.18	0.24	
7,652.00	0.80	274.60	7,649.98	12.14	-22.71	22.69	0.75	
7,830.00	1.10	269.90	7,827.96	12.24	-25.66	25.63	0.17	
8,009.00	2.00	284.10	8,006.89	13.00	-30.41	30.38	0.54	
8,059.00	2.20	298.50	8,056.86	13.67	-32.09	32.07	1.12	
8,128.00	3.20	294.00	8,125.78	15.08	-35.02	34.99	1.48	
8,173.00	8.00	276.50	8,170.56	15.95	-39.28	39.25	11.20	
8,218.00	13.70	269.30	8,214.74	16.24	-47.73	47.70	13.00	
8,262.00	19.10	267.70	8,256.93	15.89	-60.14	60.11	12.31	
8,307.00	25.30	267.30	8,298.57	15.14	-77.12	77.09	13.78	
8,352.00	30.50	265.00	8,338.33	13.69	-98.11	98.09	11.80	
8,397.00	35.10	265.10	8,376.15	11.59	-122.39	122.37	10.22	



Phoenix Technology Services
Phoenix Final Survey Report



Company:	Chesapeake Operating, Inc.	Local Co-ordinate Reference:	Well #2H
Project:	Eddy County New Mexico (NAD27 NME)	TVD Reference:	KB @ 3541.50usft (Ensign 153)
Site:	West Shugart 2-19-30 State	MD Reference:	KB @ 3541.50usft (Ensign 153)
Well:	#2H	North Reference:	Grid
Wellbore:	OH / Job #1310588	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (Ensign 153)	Database:	GCRIDB

Survey							
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)
8,441.00	38.30	267.70	8,411.42	9.96	-148.63	148.61	8.08
8,486.00	40.80	269.30	8,446.12	9.22	-177.27	177.25	6.00
8,531.00	43.10	270.40	8,479.58	9.15	-207.35	207.33	5.37
8,575.00	45.00	270.10	8,511.21	9.28	-237.94	237.92	4.34
8,620.00	48.70	269.00	8,541.98	9.01	-270.76	270.74	8.41
8,665.00	52.50	268.90	8,570.54	8.37	-305.52	305.51	8.45
8,710.00	55.80	270.10	8,596.89	8.06	-341.99	341.97	7.65
8,754.00	60.50	268.70	8,620.10	7.66	-379.35	379.33	11.02
8,799.00	65.30	268.30	8,640.59	6.61	-419.38	419.37	10.70
8,844.00	72.00	268.00	8,656.97	5.25	-461.25	461.24	14.90
8,889.00	77.20	268.10	8,668.91	3.78	-504.59	504.59	11.56
8,933.00	78.20	268.30	8,678.29	2.43	-547.56	547.56	2.32
8,978.00	80.60	268.10	8,686.56	1.04	-591.77	591.77	5.35
9,023.00	83.60	268.50	8,692.75	-0.28	-636.32	636.32	6.72
9,067.00	87.00	269.10	8,696.35	-1.20	-680.15	680.15	7.85
9,157.00	89.50	269.50	8,699.10	-2.30	-770.10	770.10	2.81
9,246.00	89.90	268.60	8,699.57	-3.77	-859.08	859.09	1.11
9,336.00	90.20	268.20	8,699.49	-6.29	-949.05	949.06	0.56
9,425.00	91.30	268.60	8,698.32	-8.77	-1,038.00	1,038.02	1.32
9,515.00	92.30	270.20	8,695.50	-9.71	-1,127.95	1,127.97	2.10
9,604.00	93.60	272.00	8,690.92	-8.01	-1,216.81	1,216.82	2.49
9,693.00	93.20	272.30	8,685.64	-4.68	-1,305.59	1,305.60	0.56
9,783.00	93.30	271.80	8,680.54	-1.46	-1,395.39	1,395.39	0.57
9,872.00	91.30	271.90	8,676.96	1.41	-1,484.27	1,484.26	2.25
9,962.00	90.10	271.70	8,675.86	4.24	-1,574.21	1,574.20	1.35
10,051.00	89.20	271.50	8,676.41	6.72	-1,663.18	1,663.16	1.04
10,140.00	89.50	270.70	8,677.42	8.43	-1,752.15	1,752.13	0.96
10,230.00	90.70	270.70	8,677.26	9.53	-1,842.14	1,842.12	1.33
10,319.00	88.30	271.20	8,678.04	11.00	-1,931.12	1,931.10	2.75
10,408.00	87.30	270.70	8,681.45	12.48	-2,020.04	2,020.01	1.26
10,498.00	87.90	270.10	8,685.22	13.11	-2,109.96	2,109.93	0.94
10,587.00	88.80	269.60	8,687.79	12.87	-2,198.92	2,198.89	1.16
10,677.00	89.50	268.90	8,689.12	11.70	-2,288.90	2,288.88	1.10
10,766.00	89.90	268.70	8,689.59	9.83	-2,377.88	2,377.86	0.50
10,855.00	90.20	268.60	8,689.51	7.73	-2,466.86	2,466.84	0.36
10,945.00	90.50	268.80	8,688.96	5.69	-2,556.83	2,556.82	0.40
11,034.00	91.50	270.10	8,687.41	4.84	-2,645.81	2,645.80	1.84
11,124.00	89.90	270.60	8,686.31	5.39	-2,735.80	2,735.78	1.86
11,213.00	90.10	271.70	8,686.31	7.17	-2,824.78	2,824.76	1.26
11,303.00	91.30	273.00	8,685.21	10.86	-2,914.70	2,914.67	1.97
11,392.00	90.50	272.70	8,683.81	15.29	-3,003.57	3,003.54	0.96
11,482.00	89.30	271.50	8,683.97	18.59	-3,093.51	3,093.47	1.89
11,571.00	89.60	270.80	8,684.82	20.37	-3,182.49	3,182.44	0.86
11,661.00	89.10	269.20	8,685.84	20.37	-3,272.48	3,272.43	1.86



Phoenix Technology Services
Phoenix Final Survey Report



Company:	Chesapeake Operating, Inc.	Local Co-ordinate Reference:	Well #2H
Project:	Eddy County, New Mexico (NAD27 NME)	TVD Reference:	KB @ 3541.50usft (Ensign 153)
Site:	West Shugart 2-19-30 State	MD Reference:	KB @ 3541.50usft (Ensign 153)
Well:	#2H	North Reference:	Grid
Wellbore:	OH// Job #1310588	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (Ensign 153)	Database:	GCR DB

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	V. Sec (usft)	DLeg (°/100usft)
11,750.00	89.30	268.60	8,687.08	18.66	-3,361.45	3,361.41	0.71
11,840.00	90.20	268.00	8,687.48	15.99	-3,451.41	3,451.37	1.20
11,930.00	90.90	267.20	8,686.61	12.23	-3,541.33	3,541.30	1.18
12,020.00	92.00	267.20	8,684.34	7.83	-3,631.19	3,631.17	1.22
12,109.00	92.70	267.00	8,680.69	3.33	-3,720.00	3,719.99	0.82
12,199.00	91.60	268.80	8,677.31	0.04	-3,809.87	3,809.86	2.34
12,288.00	91.60	269.00	8,674.82	-1.67	-3,898.82	3,898.82	0.22
12,378.00	89.10	269.40	8,674.27	-2.93	-3,988.80	3,988.80	2.81
12,467.00	89.10	268.90	8,675.67	-4.25	-4,077.78	4,077.78	0.56
12,557.00	90.20	268.50	8,676.22	-6.29	-4,167.75	4,167.76	1.30
12,646.00	91.00	268.30	8,675.29	-8.77	-4,256.71	4,256.72	0.93
12,735.00	91.80	267.60	8,673.12	-11.96	-4,345.63	4,345.64	1.19
12,825.00	92.90	267.40	8,669.43	-15.88	-4,435.47	4,435.49	1.24
12,867.00	93.73	267.25	8,667.00	-17.84	-4,477.35	4,477.38	2.01
Last Phoenix MWD Survey							
12,935.00	93.73	267.25	8,662.57	-21.09	-4,545.13	4,545.16	0.00
Projection to TD							

Survey Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
600.00				Tie-on to MS Gyro
743.00	742.99	-1.77	-2.78	First Phoenix MWD Survey
12,867.00	8,667.00	-17.84	-4,477.35	Last Phoenix MWD Survey
12,935.00	8,662.57	-21.09	-4,545.13	Projection to TD

Checked By: _____ Approved By: _____ Date: _____

District I
 1675 N. French Dr., Hobbs, NM 88240
 Phone: (505) 393-6161 Fax: (505) 393-0720
 District II
 811 S. First St., Artesia, NM 88210
 Phone: (505) 743-1283 Fax: (505) 743-9720
 District III
 1009 160th Street, Artesia, NM 87410
 Phone: (505) 331-6178 Fax: (505) 331-6170
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3469 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
 OIL CONSERVATION DIVISION
 1220 South St. Francis
 Santa Fe, NM 87505

RECEIVED

JUL 08 2013

MOCD ARTESIA

Form C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number		2. Pool Code (5200)		3. Pool Name BENSON; BONE SPRING	
4. Property Code		5. Property Name WEST SHUGART 2 19 30 STATE			6. Well Number 2H
7. OORID No. 4323		8. Operator Name CHEVRON U.S.A. INC.			9. Elevation 3517'

10. Surface Location:

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	2	19S	30E, N.M.P.M.		1920'	SOUTH	350'	EAST	EDDY


11. Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	2	19S	30E, N.M.P.M.		1920'	SOUTH	350'	WEST	EDDY

12. Dedicated Acres 160.	13. Joint or Infill	14. Consolidation Code	15. Order No.
-----------------------------	---------------------	------------------------	---------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16. PROPOSED BOTTOM HOLE LOCATION: X= 618,084 NAD 27 Y= 613,958 LAT. 32.687282 LONG. 103.949586 X= 659,244 NAD83 Y= 614,021 LAT. 32.687401 LONG. 103.950091		17. WEST SHUGART 2 19 30 STATE NO 2H WELL X= 622,642 NAD 27 Y= 613,967 LAT. 32.687281 LONG. 103.934705 X= 663,822 NAD83 Y= 614,030 LAT. 32.687380 LONG. 103.935210 ELEVATION 3517' NAVD 83		18. OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and correct to the best of my knowledge and belief, and that this information either owns a working interest or undivided mineral interest in the land including the proposed bottom hole location or is a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or is a voluntary pooling agreement or a company pooling order heretofore entered by the district. <i>Bryan Arrant</i> 12/21/2012 Signature Date Bryan Arrant (Agent for Chevron) Printed Name bryan.arrant@chk.com Email Address	
19. SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys, made by me or under my supervision, and that the same is true and correct to the best of my belief. 12-19-12 Date of Survey Signature and Seal of Professional Surveyor J. DANIEL III NEW MEXICO 15078 REGISTERED PROFESSIONAL SURVEYOR		20. Certificate Number #15078			





VICINITY MAP

2000' 0 1000' 2000'
Scale: 1" = 2000'

CHEVRON U.S.A. INC.
WEST SHUGART 2-19-30 STATE NO. 2H WELL
LOCATED 1920' FSL AND 350' FEL
SECTION 2, T19S-R30E
EDDY COUNTY, NEW MEXICO



Lafayette New Orleans Houston
135 Regency Sq. Lafayette, LA 70508
Ph. 337-237-2200 Fax. 337-232-3299
www.fenstermaker.com

DRAWN BY: BMO


REVISED: 12/17/2012 BMO

DATE: 11/09/2012


PROJ. MGR: DBM

SHEET 1 OF 3 SHEETS

FILENAME: T:\2012\12127766\DWG\CUI_West.Shugart 2-19-30 State 2H APD.dwg



VICINITY MAP



CHEVRON U.S.A. INC.

WEST SHUGART 2-19-30 STATE NO. 2H WELL

LOCATED 1920' FSL AND 350' FEL

SECTION 2, T19S-R30E

EDDY COUNTY, NEW MEXICO



Lafayette, New Orleans, Houston
135 Regency Sq. Lafayette, LA 70508
Ph: 337-237-2200 Fax: 337-232-3299
www.fenstermaker.com

DRAWN BY: BMO


REVISED: 12/17/2012 BMO

DATE: 11/09/2012


PROJ. MGR.: DBM

SHEET 2 OF 3 SHEETS

FILENAME: T:\2012\2127768\DWG\CUI_West Shugart 2-19-30 State 2H-APD.dwg



VICINITY MAP



-  = FEDERAL LAND
-  = FEE LAND
-  = STATE LAND

CHEVRON U.S.A. INC.
WEST SHUGART 2-19-30 STATE NO. 2H WELL
 LOCATED 1920' FSL AND 350' FEL
 SECTION 2, T19S-R30E
 EDDY COUNTY, NEW MEXICO



Lafayette New Orleans Houston
 135 Regency Sq. Lafayette, LA 70508
 Ph. 337-237-2200 Fax. 337-232-3299
www.fenstermaker.com

DRAWN BY: BMO

REVISED: 12/17/2012 BMO

DATE: 11/09/2012

PROJ. MGR.: DBM

SHEET 3 OF 3 SHEETS

FILENAME: T:\2012\12127766\DWG\CUI_West.Shugart 2-19-30 State 2H APD.dwg