

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised August 1, 2011

WELL API NO. 30-015-05665
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name MONTEREY B STATE
8. Well Number 004
9. OGRID Number 62683
10. Pool name or Wildcat NORTH SHUGART
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,653' - GR

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator CIMAREX ENERGY CO. OF COLORADO	
3. Address of Operator 600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701	
4. Well Location Unit Letter <u>F</u> : 1980 feet from the <u>NORTH</u> line and 1980 feet from the <u>WEST</u> line Section <u>10</u> Township <u>18S</u> Range <u>31E</u> NMPM County <u>LEA</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,653' - GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) SET 5-1/2" CIBP @ +/-2,600'; PUMP 25 SXS. CMT. @ 2,600'-2,450' (T/YATES); CIRC. WELL W/ PXA MUD.
- 2) PERF. X ATTEMPT TO SQZ. 45 SXS. CMT. @ 2,040'-1,920' (B/SALT); WOC X TAG CMT. PLUG.
- 3) PERF. X ATTEMPT TO SQZ. 130 SXS. CMT. @ 905'-520' (T/SALT, 8-5/8" CSG. SHOE. T/ANHY.); WOC X TAG.
- 4) PERF. X ATTEMPT TO CIRC. TO SURF., FILLING ALL ANNULI, 50 SXS. CMT. @ 100'-3'.
- 5) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

DURING THIS PROCEDURE WE PLAN TO USE THE CLOSED-LOOP SYSTEM WITH A STEEL TANK AND HAUL CONTENTS TO THE REQUIRED DISPOSAL, PER OCD RULE 19.15.17.

CONDITIONS OF APPROVAL ATTACHED

Spud Date:

Rig Release Date:

Approval Granted providing work is  
Completed by

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE: AGENT

DATE: 07/31/13

Type or print name: DAVID A. EYLER

E-mail address: [deyler@milagro-res.com](mailto:deyler@milagro-res.com)

PHONE: 432.687.3033

For State Use Only

APPROVED BY: David A. Eyler  
Conditions of Approval (if any):

TITLE District Supervisor

DATE July 31, 2013

Verbal Approval given on July 25, 2013

Approved for plugging of well bore only.  
Liability under bond is retained pending receipt  
of C-103 (Subsequent Report of Well Plugging)  
which may be found at OCD Web Page under  
Forms. [www.emnrd.state.nm.us/oed](http://www.emnrd.state.nm.us/oed).

**CIMAREX****Cimarex Energy Co. of Colorado**

Monterey B State #4

Surface Location: 1980' FNL &amp; 1980' FWL

Sec 32 - T18S - R31E, Eddy Co NM

API # 30-015-05665

Ground Level Elevation: 3564'

DF Elevation: 3566' (2' DF)

D. Tally 3/23/12

11" Hole

8-5/8" 24# J-55 STC csg @ 653'

Cmnt'd w/50 sxs TOC??

Quantity	Description	Length	Setting Depth
	KB	2.00	2.00
	2 3/8" J-55 Tubing	2642.00	2644.00

8" Hole

Quantity	Description	Length	Total Depth

Yates

2622-2636

PBTD: 2759

TD: 3681

5-1/2" 15.5# csg @ 2,788

Cmnt'd w/200 sxs; TOC (Est) 2000'



Cimarex Energy Co. of Colorado

Monterey B State #4

Surface Location: 1980' FNL & 1980' FWL

Sec 32 - T18S - R31E, Eddy Co NM


API # 30-015-05665

Ground Level Elevation: 3564'

DF Elevation: 3566' (2' DF)

D. Tally 3/23/12

11" Hole




PERF. X CIRC. 50 SXS. CMT. @ 100' - 3'

8-5/8" 24# J-55 STC csg @ 653'

Cmnt'd w/50 sxs TOC-??

8" Hole



PERF. X SQZ. 130 SXS. CMT. @ 905' - 520' - TAG

PERF. X SQZ. 45 SXS. CMT. @ 2040' - 1920' - TAG

Pump 25 SXS. CMT. @ 2600' - 2450'

Yates SET 5 1/2" OJB P @ 2600'

2622-2636

5-1/2" 15.5# csg @ 2,788

Cmnt'd w/200 sxs; TOC (Est) 2000'

PBTD: 2759

TD: 3681

DAE 04/23/13