

Submit To Appropriate District Office
 Two Copies
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 811 S. First St., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Oil Conservation Division
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-105
 Revised August 1, 2011

1. WELL API NO.
30-015-27047
2. Type of Lease
 STATE FEE FED/INDIAN
3. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:
 COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
 C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)
7. Type of Completion:
 NEW WELL WORKOVER DEEPENING PLUGBACK DIFFERENT RESERVOIR OTHER

5. Lease Name or Unit Agreement Name
Julie

6. Well Number:
2

RECEIVED
SEP 13 2013

8. Name of Operator
Yates Petroleum Corporation

9. OGRID
025575

10. Address of Operator
105 South Fourth Street, Artesia, NM 88210

11. Pool name or Wildcat
N. Seven Rivers; Glorieta-Yeso (Oil)

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	B	17	19S	25E		660	North	1980	East	Eddy
BH:										

13. Date Spudded
RC 6/24/13
14. Date T.D. Reached
8/6/92
15. Date Rig Released
NA
16. Date Completed (Ready to Produce)
9/5/13
17. Elevations (DF and RKB, RT, GR, etc.)
3538' GR 3556' KB
18. Total Measured Depth of Well
8000'
19. Plug Back Measured Depth
3647'
20. Was Directional Survey Made?
No
21. Type Electric and Other Logs Run
CBL/GR/CCL

22. Producing Interval(s), of this completion - Top, Bottom, Name
2348'-2620' Yeso

23. **CASING RECORD** (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED

REFER TO ORIGINAL COMPLETION

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	2720'	

26. Perforation record (interval, size, and number)
2348'-2620' (59)
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
2348'-2620'	Acidized with 4000g 15% HCL and 2000g 20% HCL frac with a total of 302,720# 100 mesh, 16/30 and 30/70 Brady sand

28. **PRODUCTION**

Date First Production 9/6/13		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Pumping			Well Status (<i>Prod. or Shut-in</i>) Producing		
Date of Test 9/7/13	Hours Tested 24	Choke Size NA	Prod'n For Test Period	Oil - Bbl 33	Gas - MCF 5	Water - Bbl. 595	Gas - Oil Ratio NA
Flow Tubing Press. 220 psi	Casing Pressure 100 psi	Calculated 24-Hour Rate	Oil - Bbl. 33	Gas - MCF 5	Water - Bbl. 595	Oil Gravity - API - (<i>Corr.</i>) NA	

29. Disposition of Gas (*Sold, used for fuel, vented, etc.*)
Sold

30. Test Witnessed By
D. Lopez

31. List Attachments
Log

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude Longitude NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature  Printed Name Tina Huerta Title Regulatory Reporting Supervisor Date September 11, 2013

E-mail Address: tinah@yatespetroleum.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T	T. Entrada	
T. Wolfcamp	T	T. Wingate	
T. Penn	T	T. Chinle	
T. Cisco	T	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....
 No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
			REFER TO ORIGINAL COMPLETION				