Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No. NMLC028731B

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an

abandoned well. Use form 3160-3 (APD) for such proposals.					If Indian, Allottee o	r Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				7.	7. If Unit or CA/Agreement, Name and/or No. NMNM111789X	
1. Type of Well					Well Name and No. DODD FEDERAL	UNIT 580
2. Name of Operator Contact: KANICIA CASTILLO COG OPERATING LLC E-Mail: kcastillo@conchoresources.com				9.	API Well No. 30-015-39278	<u> </u>
3a. Address ONE CONCHO CENTER 600 W. ILLINOIS AVENUE MIDLAND, TX 79701 3b. Phone No. (include area code) Ph: 432-685-4332) 10	10. Field and Pool, or Exploratory GRAYBURG JACKSON		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11	11. County or Parish, and State		
Sec 10 T17S R29E Mer NMP	330FSL 330FEL				EDDY COUNTY	′, NM
12. СНЕСК АРРГ	ROPRIATE BOX(ES) TO	INDICATE N	IATURE OF N	NOTICE, REPO	ORT, OR OTHE	R DATA
TYPE OF SUBMISSION			TYPE OF	FACTION		
Notice of Intent	☐ Acidize	☐ Acidize ☐ Deepen		☐ Production	(Start/Resume)	■ Water Shut-Off
	☐ Alter Casing	☐ Alter Casing ☐ Fracture Treat		☐ Reclamation	n	■ Well Integrity
☐ Subsequent Report	□ Casing Repair	■ New C	Construction	☐ Recomplete	2	Other
☐ Final Abandonment Notice	Change Plans	Plug ar	nd Abandon	☐ Temporarily	y Abandon	Venting and/or Flari
	☐ Convert to Injection	🗖 Plug B	ack	■ Water Disp	osal	, and the second
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fit COG Operating LLC, respectful Flare located at The Dodd Fed Number of wells to flare: (22) API #'s attached. 220 Oil/Day 600 MCF/Day	rk will be performed or provide in operations. If the operation responded many conditions are sold on the condition of the co	The Bond No. on fi ults in a multiple cold only after all required by the cold of the cold	le with BLM/BIA completion or recognirements, including B Battery. B Battery. Complete Signature of the complete signatu	A. Required subsequinpletion in a new ling reclamation, had	uent reports shall be interval, a Form 316 ave been completed, a	filed within 30 days 0-4 shall be filed once
	om 6/14/13 to 9/14/13. A l	SUBJECT T		CONDI	TIONS OF A	APPROVAL
14. I hereby certify that the foregoing is Name(Printed/Typed) KANICIA (true and correct. Electronic Submission #2 For COG OF Committed to AFMSS for	PPROVAL E	BY STATE by the BLM Wells sent to the Ca	II Information Sy arlsbad NS on 06/20/201	stem	TO PAGE
14. I hereby certify that the foregoing is	true and correct. Electronic Submission #2 For COG OF Committed to AFMSS fo CASTILLO	PPROVAL B 111075 verified b PERATING LLC, or processing by T	by the BLM Well, sent to the Cay KURT SIMMOI	II Information Sy arlsbad NS on 06/20/201 RER	stem	TO PAGE
14. I hereby certify that the foregoing is Name(Printed/Typed) KANICIA (true and correct. Electronic Submission #2 For COG OF Committed to AFMSS fo	PPROVAL B 111075 verified b PERATING LLC, or processing by T	by the BLM Well, sent to the Cay KURT SIMMOI	II Information Sy arlsbad NS on 06/20/201 RER	stem	TO PAGE
14. I hereby certify that the foregoing is Name(Printed/Typed) KANICIA (true and correct. Electronic Submission #2 For COG OF Committed to AFMSS for CASTILLO Submission) THIS SPACE FO Approval of his notice does in the coperations thereon.	PPROVAL E	by the BLM Well sent to the Cay KURT SIMMOl Citle PREPAIR OR STATE CORRECT	II Information Sy arlsbad NS on 06/20/201 RER 013 OPFICE USE AUG 1	7 2013	Date

Additional data for EC transaction #211075 that would not fit on the form

32. Additional remarks, continued

Due to: DCP Linam Plant down.

Schematic attached.

Flare Request Form

	Battery-	Dodd Fed 10B Battery				
Flare Start Date- UL. Sec-T-R- Unit P, Sec. 10-T175-R29E # of wells in bty- Reason For Flare- DCP Linam Plant Down Site Diagram Well Signary Signar	Production-					
Flare Start Date- UL Sec-T-R Unit P, Sec. 10-T175-R29E	Total BTU of Htrs-					
UL Sec-T-R- # of wells in bty- Reason For Flare- DCP Linam Plant Down	14 .					
# of wells in bty- Reason For Flare- 22						
Reason For Flare- DCP Linam Plant Down Site Diagram Well API Numbers 595 - 30-015-39277 506 - 30-015-39281 606 - 30-015-39281 606 - 30-015-39280 506 - 30-015-3965 594 - 30-015-3965 597 - 30-015-3966 600 - 30-015-3966 600 - 30-015-3960 600 - 30-015-3960 600 - 30-015-3960 600 - 30-015-3960 600 - 30-015-3960 600 - 30-015-3960 601 - 30-015-3960	li .					
N Site Diagram	<u> </u>					
Note	incuson rot riare	Del Elliam Manc Down				
Road Well SPS 30-015-39277 S80 7 30-015-39598 577 30-015-39597 S87 30-015-39598 S77 30-015-39578 S77 30-015-39578 S77 30-015-39578						
Nead	N	Site Diagram				
Nead	W € E					
Nead	s					
Nead						
Neal	36	8x20				
Neal	×10	$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
Nell	Ī					
Well API Numbers 595 - 30-015-39281 607 / 30-015-39281 606 / 30-015-39280 605 / 30-015-39665 916H / 30-015-40634 599 / 30-015-40453 566 / 30-015-39695 594 / 30-015-40001 583 / 30-015-39602 585 / 30-015-39564 659 // 30-015-39664 659 // 30-015-39320 611 // 30-015-39566 600 // 30-015-39566 600 // 30-015-39597 601 // 30-015-39597 601 // 30-015-39598 579 // 30-015-39278 580 // 30-015-39278 587 // 30-015-39278 587 // 30-015-39278		8x15				
Well API Numbers 595 - 30-015-39281 607 / 30-015-39281 606 / 30-015-39280 605 / 30-015-39665 916H / 30-015-40634 599 / 30-015-40453 566 / 30-015-39695 594 / 30-015-40001 583 / 30-015-39602 585 / 30-015-39564 659 // 30-015-39664 659 // 30-015-39320 611 // 30-015-39566 600 // 30-015-39566 600 // 30-015-39597 601 // 30-015-39597 601 // 30-015-39598 579 // 30-015-39278 580 // 30-015-39278 587 // 30-015-39278 587 // 30-015-39278						
Well API Numbers 595 - 30-015-39281 607 / 30-015-39281 606 / 30-015-39280 605 / 30-015-39665 916H / 30-015-40634 599 / 30-015-40453 566 / 30-015-39695 594 / 30-015-40001 583 / 30-015-39602 585 / 30-015-39564 659 // 30-015-39664 659 // 30-015-39320 611 // 30-015-39566 600 // 30-015-39566 600 // 30-015-39597 601 // 30-015-39597 601 // 30-015-39598 579 // 30-015-39278 580 // 30-015-39278 587 // 30-015-39278 587 // 30-015-39278						
Well API Numbers 595 - 30-015-39281 607 / 30-015-39281 606 / 30-015-39280 605 / 30-015-39665 916H / 30-015-40634 599 / 30-015-40453 566 / 30-015-39695 594 / 30-015-40001 583 / 30-015-39602 585 / 30-015-39564 659 // 30-015-39664 659 // 30-015-39320 611 // 30-015-39566 600 // 30-015-39566 600 // 30-015-39597 601 // 30-015-39597 601 // 30-015-39598 579 // 30-015-39278 580 // 30-015-39278 587 // 30-015-39278 587 // 30-015-39278						
595 — 30-015-39279 607 / 30-015-39281 606 / 30-015-39280 605 / 30-015-3965 916H / 30-015-40634 599 / 30-015-40453 566 / 30-015-39695 594 / 30-015-39602 585 / 30-015-39602 585 / 30-015-39664 659 / 30-015-39666 659 / 30-015-39666 650 / 30-015-39666 600 / 30-015-39600 560 / 30-015-39597 601 / 30-015-39600 561 / 30-015-39598 579 / 30-015-39598 579 / 30-015-39278 580 / 30-015-39278 587 / 30-015-40597	Road					
595 — 30-015-39279 607 / 30-015-39281 606 / 30-015-39280 605 / 30-015-3965 916H / 30-015-40634 599 / 30-015-40453 566 / 30-015-39695 594 / 30-015-39602 585 / 30-015-39602 585 / 30-015-39664 659 / 30-015-39666 659 / 30-015-39666 650 / 30-015-39666 600 / 30-015-39600 560 / 30-015-39597 601 / 30-015-39600 561 / 30-015-39598 579 / 30-015-39598 579 / 30-015-39278 580 / 30-015-39278 587 / 30-015-40597						
607	Ti					
606 / 30-015-39280 605 / 30-015-39665 916H / 30-015-40634 599 / 30-015-39695 594 / 30-015-39695 594 / 30-015-39602 585 / 30-015-39664 659 / 30-015-39666 600 / 30-015-39666 600 / 30-015-40454 577 / 30-015-39605 566 / 30-015-39605 565 / 30-015-39600 561 / 30-015-39598 579 - 30-015-39277 580 / 30-015-39278 557 / 30-015-39278 557 / 30-015-40597						
916H						
916H	1					
599	<u>u</u>					
594 / 30-015-40001 583	3					
\$83	566 🖍 30-015-39	9695				
585		0001				
597						
659 30-015-39320 611 30-015-39666 Dodd 580 600 30-015-40454 577 30-015-40000 Pumping Unit 560 30-015-39597 601 30-015-39605 565 30-015-39600 561 30-015-39598 579 30-015-39277 580 30-015-39278 557 30-015-40597	K	,				
611 / 30-015-39666	i .					
600 / 30-015-40454 577 / 30-015-40000 560 / 30-015-39597 601 / 30-015-39605 565 / 30-015-39600 561 / 30-015-39598 579 - 30-015-39277 580 / 30-015-39278 557 / 30-015-40597		· · · · · · · · · · · · · · · · · · ·				
577 30-015-40000 560 30-015-39597 601 30-015-39605 565 30-015-39600 561 30-015-39598 579 30-015-39277 580 30-015-39278 557 30-015-40597						
560						
565 / 30-015-39600 561 / 30-015-39598 579 / 30-015-39277 580 / 30-015-39278 557 / 30-015-40597	•	9597				
561 / 30-015-39598 579 - 30-015-39277 580 / 30-015-39278 557 / 30-015-40597		9605				
579 ~ 30-015-39277 580 : 30-015-39278 557 ~ 30-015-40597						
580 · 30-015-39278 557 · 30-015-40597						
557 ~ 30-015-40597						
		9				
Flare	33, 30,013-40					
	Flare					
, ,						

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

7/2/2013 Condition of Approval to Flare Gas

- 1. Report all volumes on OGOR reports.
- 2. Comply with NTL-4A requirements
- 3. Subject to like approval from NMOCD
- 4. Flared volumes will still require payment of royalties
- 5. Install gas meter on vent/flare line to measure gas prior to venting/flaring operations if it is not equipped as such at this time. Gas meter to meet all requirements for sale meter as Federal Regulations and Onshore Order #5.
- 6. This approval does not authorize any additional surface disturbance.
- 7. Submit updated facility diagram as per Onshore Order #3.
- 8. Approval not to exceed 90 days for date of approval.
- 9. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared.
- 10. If flaring is still required past 90 days submit new request for approval.
- 11. If a portable unit is used to flare gas it must be monitored at all times.
- 12. Comply with any restrictions or regulations when on State or Fee surface.

JDB722013