

Submit To Appropriate District Office  
Two Copies  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505


Form C-105  
Revised August 1, 2011

1. WELL API NO.  
30-015-40777  
2. Type of Lease  
 STATE  FEE  FED/INDIAN  
3. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:  
 COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)  
 C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name  
Peridot 13 State  
6. Well Number:  
2H



7. Type of Completion:  
 NEW WELL  WORKOVER  DEEPENING  PLUGBACK  DIFFERENT RESERVOIR  OTHER

8. Name of Operator  
DEVON ENERGY PRODUCTION COMPANY, L.P.

9. OGRID  
6137

10. Address of Operator  
333 W. SHERIDAN AVE. OKLAHOMA CITY, OK 73102

11. Pool name or Wildcat  
Turkey Track; Bone Spring

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	K	12	19S	29E		2260	South	1520	West	Eddy
BH:	N	13	19S	29E		358	South	1981	West	Eddy

13. Date Spudded 8/12/2013  
14. Date T.D. Reached 9/5/2013  
15. Date Rig Released 9/8/2013  
16. Date Completed (Ready to Produce) 11/7/2013  
17. Elevations (DF and RKB, RT, GR, etc.) 3387.9' GR  
18. Total Measured Depth of Well 15208' MD 8201' TVD  
19. Plug Back Measured Depth 15204'  
20. Was Directional Survey Made? yes  
21. Type Electric and Other Logs Run GR/CCL

22. Producing Interval(s), of this completion - Top, Bottom, Name  
10621 - 15196' (Bone Spring)

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	48#	320'	17 1/2"	350 sx C C	Top off w/ 284 sx,
9 5/8"	40#	3730'	12 1/4"	1470 sx C I C	
5 1/2"	17#	15208'	8 3/4"	3250 sx C I H	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD SIZE	DEPTH SET	PACKER SET
					2 7/8"	7976.6'	

26. Perforation record (interval, size, and number)  
10621 - 15196' (360 holes)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.  
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED  
10621 - 15196' 30K gals 10.1-15% HCL, 236K # 100 Mesh  
10 stages White sd, 883K # 40/70 white sd, 482K #  
20/40 Super LC prop

28. PRODUCTION

Date First Production 11/7/2013  
Production Method (Flowing, gas lift, pumping - Size and type pump) pumping  
Well Status (Prod. or Shut-in) producing

Date of Test 11/16/2013  
Hours Tested 24  
Choke Size  
Prod'n For Test Period  
Oil - Bbl 486  
Gas - MCF 638  
Water - Bbl. 907  
Gas - Oil Ratio 1312.7572

Flow Tubing Press. 320 psi  
Casing Pressure 180 psu  
Calculated 24-Hour Rate  
Oil - Bbl.  
Gas - MCF  
Water - Bbl.  
Oil Gravity - API - (Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.) sold  
30. Test Witnessed By

31. List Attachments

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.  
33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude Longitude NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature: Patti Riechers Printed Name: Patti Riechers Title: Regulatory Specialist Date: 12/06/2013

E-mail Address: patti.riechers@dvn.com





Perforation Summary

District PERMIAN BASIN	County EDDY	Field Name PARKWAY WEST	Project Group DELAWARE BASIN	State/Province NM
---------------------------	----------------	----------------------------	---------------------------------	----------------------

Surface Legal Location SEC12 T19S R29E	API/UWI 3001540777	Latitude (°) 32° 40' 26.443" N	Longitude (°) 104° 1' 55.18" W	Ground Elev MSL (ft) 3,387.90	KB - Ground Level (ft) 25.00	Orig KB Elevation (ft) 3,412.90	Tubing Head Elevation (ft)
---	-----------------------	-----------------------------------	-----------------------------------	----------------------------------	---------------------------------	------------------------------------	----------------------------

Date	Zone	Top (ftKB)	Top (TVD) (ftKB)	Btm (ftKB)	Btm (TVD) (ftKB)	Current Status	Carrier Des	Gun Size (in)	Charge Type	Chg Sz (g)	Shot Dens (shots/ft)	Phasing (°)	Conveyance Method
10/23/2013	BONE SPRING 2ND, OH	10,621.0	8,167.8	10,623.0	8,167.8			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	10,779.0	8,169.7	10,781.0	8,169.7			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	10,904.0	8,169.2	10,906.0	8,169.2			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	11,094.0	8,171.9	11,096.0	8,171.9			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	11,252.0	8,172.4	11,254.0	8,172.4			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	11,409.0	8,170.9	11,411.0	8,170.9			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	11,567.0	8,169.2	11,569.0	8,169.1			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	11,725.0	8,167.5	11,727.0	8,167.5			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	11,882.0	8,166.5	11,884.0	8,166.5			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	12,040.0	8,166.5	12,042.0	8,166.5			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	12,218.0	8,166.0	12,220.0	8,166.0			3 3/8	SHAPED		6.0		WIRELINE
10/23/2013	BONE SPRING 2ND, OH	12,355.0	8,167.8	12,357.0	8,167.8			3 3/8	SHAPED		6.0		WIRELINE
10/22/2013	BONE SPRING 2ND, OH	12,513.0	8,171.6	12,515.0	8,171.7			3 3/8	SHAPED		6.0		WIRELINE
10/22/2013	BONE SPRING 2ND, OH	12,700.0	8,175.5	12,702.0	8,175.5			3 3/8	SHAPED		6.0		WIRELINE
10/22/2013	BONE SPRING 2ND, OH	12,829.0	8,178.3	12,831.0	8,178.4			3 3/8	SHAPED		6.0		WIRELINE
10/22/2013	BONE SPRING 2ND, OH	12,986.0	8,178.5	12,988.0	8,178.5			3 3/8	SHAPED		6.0		WIRELINE
10/22/2013	BONE SPRING 2ND, OH	13,144.0	8,179.6	13,146.0	8,179.6			3 3/8	SHAPED		6.0		WIRELINE
10/22/2013	BONE SPRING 2ND, OH	13,265.0	8,180.7	13,267.0	8,180.7			3 3/8	SHAPED		6.0		WIRELINE
10/22/2013	BONE SPRING 2ND, OH	13,376.0	8,182.3	13,378.0	8,182.4			3 3/8	SHAPED		6.0		WIRELINE
10/22/2013	BONE SPRING 2ND, OH	13,580.0	8,186.0	13,582.0	8,186.0			3 3/8	SHAPED		6.0		WIRELINE
10/22/2013	BONE SPRING 2ND, OH	13,800.0	8,185.8	13,802.0	8,185.8			3 3/8	SHAPED		6.0		WIRELINE
10/21/2013	BONE SPRING 2ND, OH	13,932.0	8,185.1	13,934.0	8,185.1			3 3/8	SHAPED		6.0		WIRELINE
10/21/2013	BONE SPRING 2ND, OH	14,090.0	8,185.3	14,092.0	8,185.3			3 3/8	SHAPED		6.0		WIRELINE
10/21/2013	BONE SPRING 2ND, OH	14,228.0	8,186.3	14,230.0	8,186.3			3 3/8	SHAPED		6.0		WIRELINE
10/21/2013	BONE SPRING 2ND, OH	14,406.0	8,189.4	14,408.0	8,189.4			3 3/8	SHAPED		6.0		WIRELINE
10/21/2013	BONE SPRING 2ND, OH	14,563.0	8,190.4	14,565.0	8,190.5			3 3/8	SHAPED		6.0		WIRELINE
10/21/2013	BONE SPRING 2ND, OH	14,721.0	8,193.8	14,723.0	8,193.8			3 3/8	SHAPED		6.0		WIRELINE
10/15/2013	BONE SPRING 2ND, OH	14,879.0	8,199.6	14,881.0	8,199.7			3 3/8	SHAPED		6.0		WIRELINE
10/15/2013	BONE SPRING 2ND, OH	15,036.0	8,202.6	15,038.0	8,202.6			3 3/8	SHAPED		6.0		WIRELINE
10/15/2013	BONE SPRING 2ND, OH	15,194.0	8,201.1	15,196.0	8,201.0			3 3/8	SHAPED		6.0		WIRELINE

**RECEIVED**  
 DEC 10 2013  
 MOOD ARTESIA