

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-015-25602
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. V-492
7. Lease Name or Unit Agreement Name State V-492
8. Well Number 1
9. OGRID Number 16696
10. Pool name or Wildcat Salt Draw Atoka

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator  
OXY USA Inc.

3. Address of Operator  
P.O. Box 50250 Midland, TX 79710

4. Well Location  
Unit Letter A : 760 feet from the north line and 810 feet from the east line  
Section 27 Township 24S Range 28E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
2962

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: MIT ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-13095' PBDT-12455' Perfs-11796-11806'

OXY USA Inc. respectfully requests to temporarily abandon this well. It is currently being evaluated for possible future recompletion.

1. RIH & set CIBP @ +/-11746'
2. Notify NMOCD of casing integrity test 24hrs in advance.
3. RU pump truck, circulate well with treated water, pressure test casing to 500# for 30 min.

Spud Date  
TA status may be granted after a successful MIT test is performed.  
Contact the OCD to schedule the test so it may be witnessed.

Rig Release Date:

LAST PROD 11/1/12



I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE [Signature] TITLE Sr. Regulatory Advisor DATE 3/4/14

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: [Signature] TITLE COMPLAINTS OFFICER DATE 3/6/14  
Conditions of Approval (if any):

OXY USA Inc. - Proposed  
State V-492 #1  
API No. 30-015-25602



26" hole @ 606'  
20" csg @ 606'  
w/ 1330sx-TOC-Surf-Circ

17-1/2" hole @ 2590'  
13-3/8" csg @ 2590'  
w/ 2250sx-TOC-Surf-Circ

12-1/4" hole @ 9760'  
9-5/8" csg @ 9760'  
DVT @ 5854'  
w/ 2625 sx-TOC-2692'-Calc

8-1/2" hole @ 12044'  
7" liner @ 9373-12044'  
w/ 790sx-TOC-9373'-Circ

Perfs @ 11796-11806'

6-1/8" hole @ 12515'  
5" liner @ 11840-12515'  
w/ 105sx-TOC-11840'-Circ


OH @ 12515-13095'

CIBP @ 11746'

PB-12455'

TD-13095'

OXY USA Inc. - Current  
State V-492 #1  
API No. 30-015-25602



26" hole @ 606'  
20" csg @ 606'  
w/ 1330sx-TOC-Surf-Circ

17-1/2" hole @ 2590'  
13-3/8" csg @ 2590'  
w/ 2250sx-TOC-Surf-Circ

12-1/4" hole @ 9760'  
9-5/8" csg @ 9760'  
DVT @ 5854'  
w/ 2625 sx-TOC-2692'-Calc

8-1/2" hole @ 12044'  
7" liner @ 9373-12044'  
w/ 790sx-TOC-9373'-Circ

Perfs @ 11796-11806'

6-1/8" hole @ 12515'  
5" liner @ 11840-12515'  
w/ 105sx-TOC-11840'-Circ

OH @ 12515-13095'

2-3/8" & pkr @ 11735'

PB-12455'

TD-13095'