Form 3160-5

Carlsbad Fie d Off ce


	UNITED STATES DEPARTMENT OF THE II BUREAU OF LAND MANA	NTERIOR:	OCD	Artes	ĬA (FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010		
SUNDR Do not use	Y NOTICES AND REPO this form for proposals to yell. Use form 3160-3 (API	RTS ON WE	enter an	•	5. Lease Seria NMNM056. If Indian, A			
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No. NMNM71016X			
Type of Well Gas Well □ Other					8. Well Name and No. POKER LAKE UNIT 421H			
2. Name of Operator BOPCO, L.P.	Contact:	Contact: CASEY SOWERS E-Mail: csowers@basspet.com				9. API Well No. 30-015-41033		
3a. Address 3b. Phone No. (include area code) 522 W MERMOD, #704 Ph: 575-887-7329 CARLSBAD, NM 88220				,	10. Field and Pool, or Exploratory DELAWARE			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, and State			
Sec 27 T25S R30E Mer NMP 600FSL 950FEL					EDDY COUNTY, NM			
			4.**				·	
12. CHECK AF	PPROPRIATE BOX(ES) TO) INDICATE	NATURE OF N	NOTICE, RI	EPORT, OR (OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION							
Notice of Intent	☐ Acidize ☐ Alter Casing	☐ Deep	en ure Treat •	☐ Product	ion (Start/Resu	ime) 🔲 Water		
☐ Subsequent Report	Casing Repair	_	Construction	□ Recomp		Other	ntegrity	
☐ Final Abandonment Notice			and Abandon		arily Abandon	_		
- I mai reamdonnicht retice	Convert to Injection			☐ Water D	·			
Attach the Bond under which the following completion of the involusting has been completed. Final determined that the site is ready for BOPCO, L.P. respectfully	ionally or recomplete horizontally, work will be performed or provide ved operations. If the operation re Abandonment Notices shall be fill or final inspection.) equests approval to construe well to an existing power system in section 27, T. 25S., Repower line will utilize the existing power line will line total disturbance will line will be approximately serviced by the provided provided by the provided provided by the provided provided by the	give subsurface lethe Bond No. on sults in a multiple ed only after all rect a 12470 voltstem. The line B. 30E., NMPM sting lease road a 30 ft. width be 8.780 acres	ocations and measurable with BLM/BIA completion or recognizements. include to overhead electer will start in section at the PLU #42 and for the entire is requested for	tried and true very recovered and true very recovered sulported true power life tries power	ertical depths of a sequent reports new interval, a Fn, have been con	all pertinent markers a shall be filed within 3 orm 3160-4 shall be fi	ond zones. So days illed once tor has Of record D / & D / & A	
14. I hereby certify that the foregoin	g is true and correct. Electronic Submission #	234740 verifier	liby the BLM We	Information	System			
•	For B Committed to AFMSS for	OPCO, L.P., se	ent to the Carlsb	ad	•			
Name(Printed/Typed) DAVID				JCTION FOI		:		
Signature (Electron	ic Submission)	,	Date 02/06/2	014	e e			
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE	. ,		
Approved By	Lebr- 2 Calm		FOR Title FIE	LD MANAGI	ER	Date		
Conditions of approval, if any, are atta certify that the applicant holds legal or				•		MAR 2	6 2014	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

which would entitle the applicant to conduct operations thereon.

Office CARLSBAD FIELD OFFICE

SECTION 25, T25S, R30E, N.M.P.M., EDDY CO., NM.




DESCRIPTION

A STRIP OF LAND 30 FEET IN WIDTH AND 2929.4 FEET, 0.55 MILE, OR 177.54 RODS IN LENGTH, SITUATED IN SECTION 25, TOWNSHIP 25 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO, AND BEING 15 FEET LEFT AND 15 FEET RIGHT OF THE SURVEY OF CENTERLINE AS SHOWN HEREON.



0

- PROP. POLE OR ANGLE POINT
- FND. USGLO BRASS CAP



BASIS OF BEARING IS A TRANSVERSE MERCATOR PROJECTION OF THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE, NAD 83.

1000


1000

BOPCO, L.P. A PROPOSED ELECTRIC LINE IN

SECTION 25, T25S, R30E, N.M.P.M.,

EDDY COUNTY, NEW MEXICO

2000 FEET



I, JAMES E. TOMPKINS, NEW MEXICO PROFESSIONAL SURVEYOR NO. 14729, DO HEREBY CERTIFY THAT THIS PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE RESPONSIBLE FOR THIS SURVEY; THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO; AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND

IES E. TOMPKINS, N.M. F.L.S.

SURVEY DATE: 01/13/2014

JOB NO.: 49619

1/27/2014


No.14729

DRAFT: CMR SHEET: 1 OF 3




WTC, INC. 405 S.W. 1st. STREET ANDREWS, TEXAS 79714 (432) 523-2181

SECTION 26, T25S, R30E, N.M.P.M., EDDY CO., NM.



DESCRIPTION

A STRIP OF LAND 30 FEET IN WIDTH AND 6849.2 FEET, 1.30 MILE, OR 415:10 RODS IN LENGTH, SITUATED IN SECTION 26, TOWNSHIP 25 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO, AND BEING 15 FEET LEFT AND 15 FEET RIGHT OF THE SURVEY OF CENTERLINE AS SHOWN HEREON,



NOTE:


1. BASIS OF BEARING IS A TRANSVERSE MERCATOR PROJECTION OF THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE, NAD 83.

1000

0

1000

2000 FEET



I, JAMES E. TOMPKINS, NEW MEXICO PROFESSIONAL SURVEYOR NO.
14729, DO HEREBY CERTIFY THAT THIS PLAT AND THE ACTUAL
SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE
PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM
RESPONSIBLE FOR THIS SURVEY; THAT THIS SURVEY MEETS THE
MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO; AND THAT IT
IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND

SAMES E. TOMPKINS, N.M. P.L.S.

SURVEY DATE: 01/13/2014

JOB NO.: 49619

j


1/27/2014 No.14729

DRAFT: CMR SHEET: 2 OF 3





WTC, INC. 405 S.W. 1st. STREET ANDREWS, TEXAS 79714 (432) 523-2181



Company Reference: BOPCO, L.P. Well No. & Name: Poker Lake Unit #421H

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.
- 5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert

approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

- 6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.
- 8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.
- 9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.
- 10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.

<u>Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken</u>: Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.