

30 015 41953

Mewbourne Oil Company .

Eddy County, New Mexico

Section 3/10-20S-25E Long Draw 10 DM Fed Com

Long Draw 10 DM Federal Com #1H

Original Hole

Design: Original Hole

Survey Report - Geographic

11 February, 2014





Stryker Directional Survey Report - Geographic



Company:	Mewbourne Oil Company	Local Co-ordinate Reference:	Well Long Draw 10 DM Federal Com #1H
Project:	Eddy County New Mexico	TVD Reference:	GL 3456 + 20 @ 3476.0usft (Patterson #41)
Site:	Section 3/10-20S-25E Long Draw 10 DM Fed Com	MD Reference:	GL 3456 + 20 @ 3476.0usft (Patterson #41)
Well:	Long Draw 10 DM Federal Com #1H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDM 5000.1 Single User Db

Project	Eddy County New Mexico		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	Section 3/10-20S-25E Long Draw 10 DM Fed Com		
------	--	--	--

Site Position:		Northing:	580,387.42 usft	Latitude:	32° 35' 43.827 N
From:	Map	Easting:	455,539.09 usft	Longitude:	104° 28' 39.716 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	-0.08 °

Well	Long Draw 10 DM Federal Com #1H					
Well Position	+N/-S	0.0 usft	Northing:	580,387.42 usft	Latitude:	32° 35' 43.827 N
	+E/-W	0.0 usft	Easting:	455,539.09 usft	Longitude:	104° 28' 39.716 W
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,456.0 usft	

Wellbore	Original Hole				
----------	---------------	--	--	--	--

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2010	2/5/2014	7.71	60.31	48,475

Design	Original Hole				
--------	---------------	--	--	--	--

Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0

Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	180.81

Survey/Program	Date	From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
	2/11/2014	100.0	2,088.0	VES Gyro Survey #1 (Original Hole)	GyroFlex	
		2,209.0	7,450.0	Survey #2 (Original Hole)	MWD	MWD - Standard

Survey	Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
	0.0	0.00	0.00	0.0	0.0	0.0	580,387.42	455,539.09	32° 35' 43.827 N	104° 28' 39.716 W
	100.0	0.49	87.18	100.0	0.0	0.4	580,387.44	455,539.52	32° 35' 43.827 N	104° 28' 39.711 W
	200.0	0.43	85.75	200.0	0.1	1.2	580,387.49	455,540.32	32° 35' 43.827 N	104° 28' 39.701 W
	300.0	0.38	54.08	300.0	0.3	1.9	580,387.71	455,540.96	32° 35' 43.830 N	104° 28' 39.694 W
	400.0	0.36	6.94	400.0	0.8	2.2	580,388.22	455,541.27	32° 35' 43.835 N	104° 28' 39.690 W
	500.0	0.52	1.41	500.0	1.6	2.2	580,388.98	455,541.32	32° 35' 43.842 N	104° 28' 39.690 W
	600.0	0.61	348.26	600.0	2.5	2.1	580,389.96	455,541.22	32° 35' 43.852 N	104° 28' 39.691 W
	700.0	0.38	355.58	700.0	3.4	2.0	580,390.81	455,541.09	32° 35' 43.860 N	104° 28' 39.693 W
	800.0	0.21	333.58	800.0	3.9	1.9	580,391.30	455,540.98	32° 35' 43.865 N	104° 28' 39.694 W
	900.0	0.26	348.75	900.0	4.3	1.8	580,391.69	455,540.85	32° 35' 43.869 N	104° 28' 39.695 W



Stryker Directional Survey Report - Geographic



Company:	Mewbourne Oil Company	Local Co-ordinate Reference:	Well Long Draw 10 DM Federal Com #1H
Project:	Eddy County, New Mexico	TVD Reference:	GL 3456 + 20 @ 3476.0usft (Patterson #41)
Site:	Section 3/10-20S-25E Long Draw 10 DM Fed Com	MD Reference:	GL 3456 + 20 @ 3476.0usft (Patterson #41)
Well:	Long Draw 10 DM Federal Com #1H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,000.0	0.44	341.29	1,000.0	4.9	1.6	580,392.28	455,540.69	32° 35' 43.875 N	104° 28' 39.697 W
1,100.0	0.72	325.39	1,100.0	5.7	1.1	580,393.16	455,540.21	32° 35' 43.884 N	104° 28' 39.703 W
1,200.0	0.77	322.16	1,200.0	6.8	0.3	580,394.20	455,539.44	32° 35' 43.894 N	104° 28' 39.712 W
1,300.0	0.71	339.22	1,300.0	7.9	-0.3	580,395.31	455,538.80	32° 35' 43.905 N	104° 28' 39.719 W
1,400.0	0.89	320.28	1,399.9	9.1	-1.0	580,396.49	455,538.09	32° 35' 43.917 N	104° 28' 39.728 W
1,500.0	0.58	314.54	1,499.9	10.0	-1.9	580,397.44	455,537.23	32° 35' 43.926 N	104° 28' 39.738 W
1,600.0	0.45	342.67	1,599.9	10.8	-2.3	580,398.17	455,536.75	32° 35' 43.933 N	104° 28' 39.743 W
1,700.0	0.31	349.03	1,699.9	11.4	-2.5	580,398.81	455,536.59	32° 35' 43.940 N	104° 28' 39.745 W
1,800.0	0.61	332.32	1,799.9	12.1	-2.8	580,399.55	455,536.29	32° 35' 43.947 N	104° 28' 39.749 W
1,900.0	0.25	6.95	1,899.9	12.8	-3.0	580,400.24	455,536.07	32° 35' 43.954 N	104° 28' 39.751 W
2,000.0	0.19	8.69	1,999.9	13.2	-3.0	580,400.62	455,536.12	32° 35' 43.957 N	104° 28' 39.751 W
2,088.0	0.42	13.77	2,087.9	13.7	-2.9	580,401.08	455,536.22	32° 35' 43.962 N	104° 28' 39.750 W
2088.0 MD VES Gyro Survey									
2,209.0	0.40	149.90	2,208.9	13.7	-2.6	580,401.14	455,536.53	32° 35' 43.963 N	104° 28' 39.746 W
2,241.0	3.40	182.50	2,240.9	12.7	-2.5	580,400.10	455,536.55	32° 35' 43.952 N	104° 28' 39.746 W
2,272.0	8.60	185.20	2,271.7	9.5	-2.8	580,396.87	455,536.30	32° 35' 43.920 N	104° 28' 39.749 W
2,303.0	14.30	186.10	2,302.1	3.3	-3.4	580,390.75	455,535.68	32° 35' 43.860 N	104° 28' 39.756 W
2,335.0	18.60	186.20	2,332.8	-5.7	-4.4	580,381.74	455,534.71	32° 35' 43.771 N	104° 28' 39.767 W
2,366.0	22.00	184.50	2,361.8	-16.4	-5.4	580,371.03	455,533.72	32° 35' 43.665 N	104° 28' 39.778 W
2,398.0	24.70	183.20	2,391.2	-29.0	-6.2	580,358.38	455,532.88	32° 35' 43.539 N	104° 28' 39.788 W
2,430.0	26.60	181.80	2,420.1	-42.9	-6.8	580,344.54	455,532.28	32° 35' 43.402 N	104° 28' 39.795 W
2,461.0	28.40	181.70	2,447.6	-57.2	-7.3	580,330.24	455,531.84	32° 35' 43.261 N	104° 28' 39.800 W
2,493.0	31.00	181.50	2,475.4	-73.0	-7.7	580,314.39	455,531.40	32° 35' 43.104 N	104° 28' 39.805 W
2,525.0	33.50	181.00	2,502.4	-90.1	-8.1	580,297.32	455,531.03	32° 35' 42.935 N	104° 28' 39.809 W
2,556.0	36.10	179.90	2,527.9	-107.8	-8.2	580,279.63	455,530.90	32° 35' 42.760 N	104° 28' 39.810 W
2,588.0	38.80	178.70	2,553.3	-127.2	-8.0	580,260.18	455,531.14	32° 35' 42.568 N	104° 28' 39.807 W
2,620.0	41.20	178.90	2,577.8	-147.8	-7.5	580,239.61	455,531.57	32° 35' 42.364 N	104° 28' 39.801 W
2,651.0	43.90	179.60	2,600.6	-168.8	-7.3	580,218.65	455,531.84	32° 35' 42.157 N	104° 28' 39.798 W
2,683.0	46.30	179.90	2,623.2	-191.4	-7.2	580,195.99	455,531.94	32° 35' 41.932 N	104° 28' 39.796 W
2,714.0	48.40	180.10	2,644.2	-214.2	-7.2	580,173.19	455,531.94	32° 35' 41.707 N	104° 28' 39.796 W
2,746.0	51.40	180.10	2,664.8	-238.7	-7.2	580,148.71	455,531.89	32° 35' 41.465 N	104° 28' 39.796 W
2,777.0	54.90	180.60	2,683.4	-263.5	-7.3	580,123.91	455,531.74	32° 35' 41.219 N	104° 28' 39.798 W
2,809.0	58.00	181.00	2,701.1	-290.2	-7.7	580,097.25	455,531.37	32° 35' 40.955 N	104° 28' 39.801 W
2,841.0	60.60	182.40	2,717.4	-317.7	-8.5	580,069.75	455,530.55	32° 35' 40.683 N	104° 28' 39.811 W
2,872.0	63.60	182.50	2,731.9	-345.0	-9.7	580,042.38	455,529.37	32° 35' 40.412 N	104° 28' 39.824 W
2,904.0	66.10	182.40	2,745.5	-374.0	-11.0	580,013.44	455,528.14	32° 35' 40.126 N	104° 28' 39.838 W
2,936.0	69.00	181.80	2,757.7	-403.5	-12.0	579,983.89	455,527.05	32° 35' 39.833 N	104° 28' 39.850 W
2,967.0	72.70	181.30	2,767.9	-432.8	-12.8	579,954.62	455,526.26	32° 35' 39.544 N	104° 28' 39.859 W
3,000.0	77.30	181.70	2,776.5	-464.7	-13.7	579,922.77	455,525.43	32° 35' 39.229 N	104° 28' 39.868 W
3,016.7	80.20	181.70	2,779.7	-481.0	-14.1	579,906.43	455,524.94	32° 35' 39.067 N	104° 28' 39.874 W
LP Long Draw 10 DM Fed Com #1H									
3,031.0	82.70	181.70	2,781.8	-495.2	-14.6	579,892.26	455,524.52	32° 35' 38.927 N	104° 28' 39.878 W
3,044.0	84.40	181.80	2,783.3	-508.1	-15.0	579,879.35	455,524.13	32° 35' 38.799 N	104° 28' 39.883 W
3,103.0	89.60	182.00	2,786.4	-566.9	-16.9	579,820.48	455,522.18	32° 35' 38.216 N	104° 28' 39.905 W
3,134.0	89.30	182.00	2,786.7	-597.9	-18.0	579,789.51	455,521.09	32° 35' 37.910 N	104° 28' 39.917 W
3,198.0	90.40	181.70	2,786.8	-661.9	-20.1	579,725.54	455,519.03	32° 35' 37.277 N	104° 28' 39.940 W
3,261.0	89.90	182.00	2,786.7	-724.8	-22.1	579,662.57	455,516.99	32° 35' 36.654 N	104° 28' 39.963 W
3,324.0	90.70	181.00	2,786.4	-787.8	-23.7	579,599.60	455,515.35	32° 35' 36.030 N	104° 28' 39.981 W
3,419.0	90.30	180.40	2,785.5	-882.8	-24.9	579,504.61	455,514.18	32° 35' 35.090 N	104° 28' 39.993 W
3,514.0	89.30	180.60	2,785.9	-977.8	-25.7	579,409.61	455,513.36	32° 35' 34.150 N	104° 28' 40.001 W
3,609.0	89.10	180.30	2,787.2	-1,072.8	-26.5	579,314.63	455,512.61	32° 35' 33.210 N	104° 28' 40.008 W
3,703.0	89.60	179.60	2,788.2	-1,166.8	-26.4	579,220.63	455,512.69	32° 35' 32.280 N	104° 28' 40.006 W
3,798.0	90.50	179.70	2,788.2	-1,261.8	-25.8	579,125.64	455,513.27	32° 35' 31.340 N	104° 28' 39.998 W
3,893.0	90.30	179.60	2,787.5	-1,356.8	-25.2	579,030.64	455,513.85	32° 35' 30.400 N	104° 28' 39.989 W



Stryker Directional Survey Report - Geographic



Company:	Mewbourne Oil Company	Local Co-ordinate Reference:	Well Long Draw 10 DM Federal Com #1H
Project:	Eddy County, New Mexico	TVD Reference:	GL 3456 +20 @ 3476.0usft (Patterson #41)
Site:	Section 3/10-20S-25E Long Draw 10 DM Fed Com	MD Reference:	GL 3456 +20 @ 3476.0usft (Patterson #41)
Well:	Long Draw 10 DM Federal Com #1H	North Reference:	Grid
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	EDM:5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
3,988.0	90.20	179.40	2,787.1	-1,451.8	-24.4	578,935.64	455,514.68	32° 35' 29.460 N	104° 28' 39.978 W
4,082.0	89.50	180.10	2,787.3	-1,545.8	-24.0	578,841.65	455,515.09	32° 35' 28.530 N	104° 28' 39.972 W
4,177.0	89.20	180.10	2,788.4	-1,640.8	-24.2	578,746.65	455,514.93	32° 35' 27.590 N	104° 28' 39.972 W
4,272.0	89.30	180.80	2,789.7	-1,735.8	-24.9	578,651.67	455,514.18	32° 35' 26.650 N	104° 28' 39.979 W
4,367.0	89.40	181.00	2,790.7	-1,830.7	-26.4	578,556.68	455,512.69	32° 35' 25.710 N	104° 28' 39.995 W
4,462.0	88.50	180.30	2,792.5	-1,925.7	-27.5	578,461.71	455,511.61	32° 35' 24.770 N	104° 28' 40.006 W
4,557.0	88.70	181.00	2,794.8	-2,020.7	-28.6	578,366.74	455,510.53	32° 35' 23.830 N	104° 28' 40.018 W
4,652.0	89.20	180.80	2,796.5	-2,115.6	-30.1	578,271.77	455,509.04	32° 35' 22.890 N	104° 28' 40.033 W
4,746.0	89.20	181.00	2,797.8	-2,209.6	-31.5	578,177.79	455,507.56	32° 35' 21.960 N	104° 28' 40.049 W
4,842.0	89.30	181.80	2,799.1	-2,305.6	-33.9	578,081.83	455,505.22	32° 35' 21.011 N	104° 28' 40.075 W
4,937.0	89.90	181.10	2,799.8	-2,400.6	-36.3	577,986.86	455,502.81	32° 35' 20.071 N	104° 28' 40.102 W
5,031.0	89.80	181.00	2,800.0	-2,494.5	-38.0	577,892.88	455,501.09	32° 35' 19.141 N	104° 28' 40.120 W
5,126.0	89.80	181.00	2,800.3	-2,589.5	-39.7	577,797.89	455,499.43	32° 35' 18.201 N	104° 28' 40.138 W
5,221.0	89.50	181.10	2,800.9	-2,684.5	-41.4	577,702.91	455,497.69	32° 35' 17.261 N	104° 28' 40.157 W
5,316.0	90.20	180.60	2,801.2	-2,779.5	-42.8	577,607.92	455,496.28	32° 35' 16.321 N	104° 28' 40.172 W
5,411.0	90.00	181.00	2,801.0	-2,874.5	-44.1	577,512.93	455,494.96	32° 35' 15.381 N	104° 28' 40.186 W
5,506.0	90.40	180.40	2,800.7	-2,969.5	-45.3	577,417.94	455,493.80	32° 35' 14.441 N	104° 28' 40.198 W
5,601.0	89.00	181.00	2,801.2	-3,064.5	-46.5	577,322.95	455,492.64	32° 35' 13.501 N	104° 28' 40.210 W
5,696.0	89.20	180.60	2,802.7	-3,159.4	-47.8	577,227.97	455,491.31	32° 35' 12.561 N	104° 28' 40.224 W
5,789.0	89.20	180.80	2,804.0	-3,252.4	-48.9	577,134.99	455,490.17	32° 35' 11.641 N	104° 28' 40.236 W
5,883.0	89.80	180.40	2,804.8	-3,346.4	-49.9	577,041.00	455,489.19	32° 35' 10.711 N	104° 28' 40.246 W
5,976.0	89.30	181.00	2,805.5	-3,439.4	-51.0	576,948.01	455,488.05	32° 35' 9.791 N	104° 28' 40.258 W
6,069.0	89.60	180.80	2,806.4	-3,532.4	-52.5	576,855.02	455,486.59	32° 35' 8.870 N	104° 28' 40.273 W
6,161.0	89.60	181.30	2,807.0	-3,624.4	-54.2	576,763.04	455,484.91	32° 35' 7.960 N	104° 28' 40.292 W
6,255.0	89.70	181.30	2,807.6	-3,718.3	-56.3	576,669.07	455,482.77	32° 35' 7.030 N	104° 28' 40.315 W
6,347.0	89.80	181.10	2,808.0	-3,810.3	-58.2	576,577.09	455,480.85	32° 35' 6.120 N	104° 28' 40.336 W
6,439.0	89.80	181.80	2,808.3	-3,902.3	-60.6	576,485.12	455,478.52	32° 35' 5.210 N	104° 28' 40.362 W
6,532.0	90.10	181.50	2,808.4	-3,995.3	-63.2	576,392.16	455,475.84	32° 35' 4.290 N	104° 28' 40.392 W
6,625.0	90.20	182.40	2,808.2	-4,088.2	-66.4	576,299.21	455,472.68	32° 35' 3.370 N	104° 28' 40.427 W
6,718.0	89.90	180.80	2,808.1	-4,181.2	-69.0	576,206.25	455,470.08	32° 35' 2.450 N	104° 28' 40.456 W
6,811.0	89.40	181.00	2,808.7	-4,274.1	-70.5	576,113.27	455,468.62	32° 35' 1.530 N	104° 28' 40.472 W
6,904.0	89.10	181.00	2,809.9	-4,367.1	-72.1	576,020.29	455,467.00	32° 35' 0.610 N	104° 28' 40.489 W
6,997.0	89.40	180.30	2,811.1	-4,460.1	-73.1	575,927.30	455,465.94	32° 34' 59.690 N	104° 28' 40.500 W
7,092.0	89.30	179.70	2,812.2	-4,555.1	-73.1	575,832.31	455,465.94	32° 34' 58.750 N	104° 28' 40.498 W
7,187.0	89.60	179.70	2,813.1	-4,650.1	-72.7	575,737.32	455,466.44	32° 34' 57.809 N	104° 28' 40.491 W
7,280.0	88.90	179.70	2,814.3	-4,743.1	-72.2	575,644.33	455,466.93	32° 34' 56.889 N	104° 28' 40.484 W
7,406.0	89.60	179.40	2,816.0	-4,869.1	-71.2	575,518.34	455,467.92	32° 34' 55.643 N	104° 28' 40.470 W
7,450.0	89.60	179.40	2,816.3	-4,913.1	-70.7	575,474.35	455,468.38	32° 34' 55.207 N	104° 28' 40.464 W

7450' MD projected to Bit PBHL Long Draw 10 DM Fed Com #1H

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
2,088.0	2,087.9	13.7	-2.9	2088.0' MD VES Gyro Survey
7,450.0	2,816.3	-4,913.1	-70.7	7450' MD projected to Bit



March 25, 2014

New Mexico Energy, Minerals and Natural Resources Department
Attn: Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Attn: Jackie Lathan

Re: Mewbourne Oil Company
Long Draw 10 DM Federal Com #001H
N. Seven Rivers; Glorieta-Yeso
Eddy County, New Mexico
API# 30-015-41953

Enclosed please find the original and one (1) copy of the survey performed on the reference well by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C. Other information required by your office is as follows:

<u>Name & Title</u>	<u>Drainhole No.</u>	<u>Survey Depths</u>	<u>Dates Performed</u>	<u>Type Survey</u>
Noah Townsend	Original Hole	2,209 ft. to 7,406 ft.	02-05-14 to 02-11-14	MWD Survey

A certified plat on which the bottom-hole location is oriented to both surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.


Todd Estes

Enclosures

CC: Mewbourne Oil Company
Attn: Frosty Lathan
P.O. Box 5720
Hobbs, NM 88241

NMEMaNRD\Mewbourne Oil Company\Long Draw 10 DM Federal Com #1H\M141030

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.


P.O. Box 1250

Montgomery, TX 77356

Office (936) 582-7296 * Fax (936)-588-4163



March 25, 2014




Survey Certification Report

STATE OF TEXAS

COUNTY OF Montgomery

I, Todd Estes, certify that I am employed by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C., and that I did on the day(s) of February 05, 2014 thru February 11, 2014, conduct or supervise the taking of a SEDS MWD Survey from a depth of 2,209 feet to 7,406 feet; that I am authorized and qualified to make this report; that this survey was conducted at the request of Mewbourne Oil Company, for the Long Draw 10 DM Federal Com #001H well, API # **30-015-41953** in Eddy County, New Mexico; and that I have reviewed this report and find that it conforms to the principles as set forth by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.


Todd Estes

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.
P.O. Box 1250
Montgomery, TX 77356
Office (936) 582-7296 * Fax (936)-588-4163



COMPANY: Mewbourne Oil Company
 WELL: Long Draw 10 DM Federal Com #1H
 COUNTY: Eddy County, New Mexico
 DATUM: NAD 1927 (NADCON CONUS)
 RIG: Patterson #41



GRID CORRECTION: To convert a Magnetic Direction to a Grid Direction, Add 7.78°

OFFICE: 936.582.7294

GEODETTIC ZONE: New Mexico East 3001
 GL 3456 + 20 @ 3476.0usft (Patterson #41)
 GROUND ELEVATION: 3456.0

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
0.0	0.0	580387.41	455539.05	32° 35' 43.827 N	104° 28' 39.716 W	

PLAN SECTIONS

Sec	MD	Inc	Azi	TVD	+N-S	+E-W	Dleg	TFace	VSec	Target
1	2088.0	0.42	13.77	2087.9	13.7	-2.9	0.00	0.00	-13.6	
2	2284.3	0.42	13.77	2284.2	15.1	-2.5	0.00	0.00	-15.0	
3	3067.5	89.65	180.78	2786.0	-480.1	-8.5	11.50	167.01	480.2	
4	7705.7	89.65	180.78	2814.0	-5117.8	-72.0	0.00	0.00	5118.3	PBHL Long Draw 10 DM Fed Com #1H

