Submit I Copy To Appropriate District Office	State of New Mexico	Form C-103	
District 1 - (575) 393-6161	Energy, Minerals and Natural Re	sources Revised August 1, 201	1
1625 N. French:Dr., Hobbs, NM 88240		WELL API NO.	
District II - (575) 748-1283 811 S. First St.; Artesia, NM 88210	OIL CONSERVATION DIV	ISION 5. Indicate Type of Lease	
<u>District III</u> - (505) 334-6178	1220 South St. Francis D	r. STATE V FEE	
1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.	\dashv
1220 S. St. Francis Dr., Santa Fe, NM	· · · · · · · · · · · · · · · · · · ·	o, State Off & Gus Douso 10.	
87505			_
SUNDRY NOTI	CES AND REPORTS ON WELLS SALS TO DRILL OR TO DEEPEN OR PLUG BAC	7. Lease Name or Unit Agreement Name	
DIFFERENT RESERVOIR, USE "APPLIC	CATION FOR PERMIT" (FORM C-101) FOR SUC	D State Battery	
PROPOSALS.)	o avi ii 🖂 od	8. Well Number	
1. Type of Well: Oil Well 2. Name of Operator	Gas Well Other	9. OGRID Number.	
Apache Corporation		.873	
3. Address of Operator	· · · · · · · · · · · · · · · · · · ·	10. Pool name or Wildcat	
303 Veterans Airpark Lane, Suite 30	000 Midland, TX 79705	Yeso	
4. Well Location	<u></u>		_
Unit Letter	feet from the	line and; feet from the line	ا د
Section 36	Township 17S Range 2		1
Section 50	11. Elevation (Show whether DR, RKB,		
是15mm, 27 10mm。	11. Die varion (one), memer 213 1923,		0.7
		Province of the second	
T2 Check: A	Appropriate Box to Indicate Nature	of Notice Report or Other Data	
12, Checky	Appropriate Dox to indicate Nature	or a totion, report of outer sound	
NOTICE OF IN	ITENTION TO:	SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK	<u> </u>	IEDIAL WORK ☐ ALTERING CASING ☐]
TEMPORARILY ABANDON	CHANGE PLANS: CON	ÍMENCE DRILLING OPNS.□ PAND À □].
PULL OR ALTER CASING	MULTIPLE COMPL CAS	ÎNG/CEMENT JOB □	
DOWNHOLE COMMINGLE		· ·	
STUDE Flare/Gas		ren:	٦.
OTHER: Flare Gas	OTH]
13. Describe proposed or comp	leted operations. (Clearly state all pertine	nt details, and give pertinent dates, including estimated d] late
13. Describe proposed or composed wo	leted operations. (Clearly state all pertine ork). SEE RULE 19.15.7.14 NMAC. For] late
13. Describe proposed or comp of starting any proposed we proposed completion or rec	pleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion.	nt details, and give pertinent dates, including estimated d Multiple Completions: Attach wellbore diagram of] late
13. Describe proposed or comp of starting any proposed we proposed completion or rec	leted operations. (Clearly state all pertine ork). SEE RULE 19.15.7.14 NMAC. For	nt details, and give pertinent dates, including estimated d Multiple Completions: Attach wellbore diagram of] late
13. Describe proposed or composed or composed we proposed completion or received an extension	pleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. In to temporarily flare the D. State Battery. T	ent details, and give pertinent dates, including estimated de Multiple Completions: Attach wellbore diagram of the API# for each well are as follows:	late
13. Describe proposed or comp of starting any proposed we proposed completion or rec Apache is requesting an extension 30-015-31257 30-01	pleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. In to temporarily flare the D State Battery. To 232490	ent details, and give pertinent dates, including estimated d Multiple Completions: Attach wellbore diagram of he API# for each well are as follows: 30-015-39069	late
13. Describe proposed or comp of starting any proposed we proposed completion or rec Apache is requesting an extension 30-015-31257 30-01 30-015-31421 30-01	pleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. To 15-32490 15-32483 30-015-38411 30-015-38412	ent details, and give pertinent dates, including estimated d Multiple Completions: Attach wellbore diagram of he API# for each well are as follows: 30-015-39069 30-015-39743	late
13. Describe proposed or composed or fistarting any proposed we proposed completion or recomposed is requesting an extension 30-015-31257 30-015-31421 30-015-30976 30-015-30976	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. In to temporarily flare the D State Battery. To 5-32490 15-32483 10-015-38411 15-32491 30-015-38414	ent details, and give pertinent dates, including estimated dominated dominat] late
13. Describe proposed or composed or fistarting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion or recomposed completion or recomposed completion or recomposed completion or recomposed complet	leted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. T 5-32490 30-015-38411 30-015-38412 30-015-38414 30-015-38414 30-015-38585	ent details, and give pertinent dates, including estimated de Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921	late
13. Describe proposed or composed of starting any proposed we proposed completion or recomposed	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. to temporarily flare the D State Battery. T 5-32490 30-015-38411 5-32483 30-015-38412 5-32491 30-015-38414 15-30975 30-015-38585 30-015-38469	ent details, and give pertinent dates, including estimated dominated dominat	late
13. Describe proposed or composed of starting any proposed we proposed completion or recomposed completion of the c	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 30-015-38412 30-015-38414 30-015-38414 30-015-38414 30-015-38585 30-015-38469 30-015-38471	ent details, and give pertinent dates, including estimated de Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921	late
13. Describe proposed or composed of starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion or recomposed completion or recomposed completion or reco	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 30-015-38412 30-015-38414 30-015-38414 30-015-38414 30-015-38585 30-015-38469 30-015-38471	ent details, and give pertinent dates, including estimated de Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923	late
13. Describe proposed or composed of starting any proposed we proposed completion or recomposed completion or recomposed is requesting an extension 30-015-31257 30-015-31421 30-015-32649 30-015-32649 30-015-31422 30-015-31423 30-015-31423 30-015-31424 30-015-31424	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D.State Battery. To 15-32490 15-32483 16-32491 16-32491 16-30975 16-31390 16-31586 16-31586 16-31586 16-31586 16-31586 16-31589 16-32484 16-32484 16-32484 16-38589	ent details, and give pertinent dates, including estimated di Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311] dațe
13. Describe proposed or composed of starting any proposed we proposed completion or receptable is requesting an extension 30-015-31257 30-01 30-015-31421 30-01 30-015-32649 30-01 30-015-31422 30-01 30-015-31422 30-01 30-015-31423 30-01 30-015-31424 30-01 30-015-31425 30-01 30-015-31165 30-01	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D.State Battery. To 15-32490 15-32483 10-015-38414 15-32491 15-32491 15-32491 15-31390 15-31586 15-31586 15-31586 15-31586 15-31939 15-32484 15-32484 15-32484	ent details, and give pertinent dates, including estimated di Multiple Completions: Attach wellbore diagram of he API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311	date
13. Describe proposed or composed of starting any proposed we proposed completion or recomposed is requesting an extension 30-015-31257 30-015-31421 30-015-31421 30-015-31422 30-015-31422 30-015-31423 30-015-31424 30-015-31425 30-015-31425	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. To 15-32490 15-32483 16-32491 16-32491 16-30975 16-31390 17-38414 18-30975 18-31390 18-31586 18-31586 18-31586 18-31586 18-31586 18-31586 18-31586 18-31586 18-31586 18-31586 30-015-38470 18-38408 18-38408	ent details, and give pertinent dates, including estimated di Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311] late
13. Describe proposed or composed of starting any proposed we proposed completion or recomposed completion or recomposed is requesting an extension 30-015-31257 30-015-31421 30-015-32649 30-015-32649 30-015-32482 30-015-31423 30-015-31424 30-015-31425 30-015-31425 30-015-31465 30-015-32489	leted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D.State Battery. To to temporarily flare the D.State Battery. To 5-32490 30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38489 30-015-38489 30-015-38489 30-015-38588 30-015-38589 30-015-38589 30-015-38088	ent details, and give pertinent dates, including estimated di Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311] date
13. Describe proposed or composed of starting any proposed we proposed completion or receptable is requesting an extension 30-015-31257 30-01 30-015-31421 30-01 30-015-32649 30-01 30-015-31422 30-01 30-015-31422 30-01 30-015-31423 30-01 30-015-31424 30-01 30-015-31425 30-01 30-015-31165 30-01	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. To 15-32490 15-32483 16-32491 16-32491 16-30975 16-31390 17-38414 18-30975 18-31390 18-31586 18-31586 18-31586 18-31586 18-31586 18-31586 18-31586 18-31586 18-31586 18-31586 30-015-38470 18-38408 18-38408	ent details, and give pertinent dates, including estimated di Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311] dațe
13. Describe proposed or composed of starting any proposed we proposed completion or recomposed completion or recomposed is requesting an extension 30-015-31257 30-015-31421 30-015-32649 30-015-32649 30-015-32482 30-015-31423 30-015-31424 30-015-31425 30-015-31425 30-015-31465 30-015-32489	leted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D.State Battery. To to temporarily flare the D.State Battery. To 5-32490 30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38489 30-015-38489 30-015-38489 30-015-38588 30-015-38589 30-015-38589 30-015-38088	ent details, and give pertinent dates, including estimated di Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311] dațe
13. Describe proposed or composed with proposed completion or recomproposed completion of the completion of th	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. To 5-32490 15-32483 16-32483 16-32491 16-30975 16-31390 16-31586 16-31586 16-31586 16-31586 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32688 16-32688 16-32688 16-32688 16-38408 16-38688 16-38688 16-386888 16-3868888888888888888888888888888888888	ent details, and give pertinent dates, including estimated displayed the Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40313 30-015-40314] laţe
13. Describe proposed or composed with proposed completion or recomproposed completion of the completion of th	leted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D.State Battery. To to temporarily flare the D.State Battery. To 5-32490 30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38489 30-015-38489 30-015-38489 30-015-38588 30-015-38589 30-015-38589 30-015-38088	ent details, and give pertinent dates, including estimated displayed the Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40313 30-015-40314] dațe
13. Describe proposed or composed with proposed completion or recomproposed completion of the completion of th	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. To 5-32490 15-32483 16-32483 16-32491 16-30975 16-31390 16-31586 16-31586 16-31586 16-31586 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32688 16-32688 16-32688 16-32688 16-38408 16-38688 16-38688 16-386888 16-3868888888888888888888888888888888888	ent details, and give pertinent dates, including estimated displayed the Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40313 30-015-40314] dațe
13. Describe proposed or composed with proposed completion or recomproposed completion of the completion of th	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. T 5-32490 30-015-38411 30-015-38412 30-015-38412 30-015-38414 30-015-38485 30-015-38486 30-015-38486 30-015-38471 30-015-38588 30-015-38484 30-015-38589 30-015-38589 30-015-39068 30-015-39068 Rig Release Date:	ent details, and give pertinent dates, including estimated displayed the Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311 30-015-40314] late
13. Describe proposed or composed with proposed completion or recomproposed completion of the completion of th	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. To 5-32490 15-32483 16-32483 16-32491 16-30975 16-31390 16-31586 16-31586 16-31586 16-31586 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32688 16-32688 16-32688 16-32688 16-38408 16-38688 16-38688 16-386888 16-3868888888888888888888888888888888888	ant details, and give pertinent dates, including estimated displayed the Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311 30-015-40314] late
13. Describe proposed or composed with proposed completion or recomproposed completion of the completion of th	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. To 5-32490 15-32483 16-32483 16-32491 16-30975 16-31390 16-38585 16-31390 16-31586 16-31939 16-32484 16-30975 16-31939 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-38408 16-38409 16-38409 16-38589 16-38409 16-38589 16-38409 17-38589 18-38409 18-384	ent details, and give pertinent dates, including estimated displayed the Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39742 30-015-39921 30-015-39922 30-015-39923 30-015-40310 30-015-40311 30-015-40314] dațe
13. Describe proposed or comp of starting any proposed we proposed completion or rec Apache is requesting an extension 30-015-31257 30-01 30-015-31421 30-01 30-015-30976 30-01 30-015-32649 30-01 30-015-31422 30-01 30-015-31423 30-01 30-015-31424 30-01 30-015-31425 30-01 30-015-31425 30-01 30-015-31489 Spud Date: I hereby certify that the information	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. To 5-32490 15-32483 16-32483 16-32491 16-30975 16-31390 16-38585 16-31390 16-31586 16-31939 16-32484 16-30975 16-31939 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-38408 16-38409 16-38409 16-38589 16-38409 16-38589 16-38409 17-38589 18-38409 18-384	ant details, and give pertinent dates, including estimated discontinuous: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314 Analyst II DATE 04/08/2014 PHONE: (432) 818-1015	late
13. Describe proposed or comp of starting any proposed we proposed completion or rec Apache is requesting an extension 30-015-31257 30-01 30-015-31421 30-01 30-015-32649 30-01 30-015-32482 30-01 30-015-31423 30-01 30-015-31424 30-01 30-015-31425 30-01 30-015-31425 30-01 30-015-31489 Spud Date: I hereby certify that the information SIGNATURE Type or print name Fatima Vasque For State Use Only	Second S	ant details, and give pertinent dates, including estimated discontinuous: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314 Analyst II DATE 04/08/2014 PHONE: (432) 818-1015	late
13. Describe proposed or comp of starting any proposed we proposed completion or rec Apache is requesting an extension 30-015-31257 30-01 30-015-31421 30-01 30-015-32649 30-01 30-015-32482 30-01 30-015-31423 30-01 30-015-31424 30-01 30-015-31425 30-01 30-015-31425 30-01 30-015-32489 Spud Date: I hereby certify that the information SIGNATURE	bleted operations. (Clearly state all pertine ork). SEE RULE 19.15.7:14 NMAC. For completion. 1 to temporarily flare the D State Battery. To 5-32490 15-32483 16-32483 16-32491 16-30975 16-31390 16-38585 16-31390 16-31586 16-31939 16-32484 16-30975 16-31939 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-30975 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-32484 16-38408 16-38409 16-38409 16-38589 16-38409 16-38589 16-38409 17-38589 18-38409 18-384	ant details, and give pertinent dates, including estimated displayed the Multiple Completions: Attach wellbore diagram of the API# for each well are as follows: 30-015-39069 30-015-39743 30-015-39742 30-015-39921 30-015-39923 30-015-40310 30-015-40311 30-015-40313 30-015-40314 Analyst II DATE 04/08/2014	late

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811.S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410.
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 (See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

Apache Corporation Applicant Á. 1945 Bluestem Road, Artesia, NM 88210 whose address is 90 hereby requests an exception to Rule 19.15.18.12 for days or until Yr , for the following described tank battery (or LACT): D State Battery Yeso Name of Lease Name of Pool 36 Township Location of Battery: Unit Letter Section Range Number of wells producing into battery 700 barrels per day, the estimated * volume В. Based upon oil production of 2.3M of gas to be flared is MCF; Value per day. C. Name and location of nearest gas gathering facility: DCP Artesia Distance Estimated cost of connection D. This exception is requested for the following reasons: E. previous one that will expire April 30, 2014. **OPERATOR** OIL CONSERVATION DIVISION I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above Approved Until is true and complete to the best of my knowledge and belief. Signature Printed Name Fatima Vasquez - Regulatory Analyst II & Title Fatima.Vasquez@apachecorp.com E-mail Address 04/08/2014 (432) 818-1015 Telephone No. Date

* Gas-Oil ratio test may be required to verify estimated gas volume.

Sol Attached Coll

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here \$2

6/12/2014

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary

Jami Bailey, Division Director Oil Conservation Division



March 7, 2014

FOR IMMEDIATE RELEASE
Contact: Jim Winchester (505)231-8800 E-Mail: iim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.