MELL API NO. WELL API NO.	Submit 3 Copies To Appropriate District Office District 1	District State of New Mexico Energy, Minerals and Natural Resources		Form C-103 June 19, 2008	
1220 South St. Francis Dr. 1220 S. St. Francis Dr. 1	1625 N. French Dr., Hobbs, NM 88240	OIL CONDERVATION DIVIDION		WELL API NO.	
Santa Fe, NM 87505 Santa F					
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOYB. USE "APPLICATION FOR PERBIT" (FORM C-101) FOR SUCH PROPOSALS. 1. Type of Well: Soil Well Gas Well Other: 2. Name of Operator Apache Corporation 30. Address of Operator 30. Operator 30. Other Data 30.		000 Rio Brazos Rd., Aztec, NM 87410			
SUNDRY NOTICES AND REPORTS ON WELLS ON NOT USE THIS FORM FOR PROPOSALS TO PROPERS ON PROPERS ON PROPOSALS TO A DIFFERENT RESERVOIR, USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well:	1220 S. St. Francis Dr., Santa Fe, NM	3. St. Francis Dr., Santa Fe, NM		X0-0647-0405	
DIFFERENT RESERVOIR, USE 'APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well:	SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or Unit Ag	reement Name
2. Name of Operator Apache Corporation 3. Address of Operator Apache Corporation 3. Address of Operator 4. Well Location 4. Well Location 4. Well Location 4. Well Location 5. Location 5. Location 5. Location 6. Location 6. Location 7. Location 7. Location 7. Location 7. Location 8. Location	DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH- PROPOSALS.)				
Apache Corporation 373 3. Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705 10. Pool name or Wildcat Artesia; Glorieta-Yeso (96830) 4. Well Location Unit Letter H					
303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705 Artesia; Glorieta-Yeso (96830)	Apache Corporation				
Well Location	•				
Unit Letter H		3000 Midland, TX 79705		Artesia; Glorieta-Yeso (968)	30)
II. Elevation (Show whether DR, RKB, RT, GR, etc.) Page Pag	Unit Letter_H				line
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB OTHER: Flare Gas OTHER: OT	Section 25				Eddy
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS P AND A COMMENCE COMMINGLE CASING/CEMENT JOB CASING/CEMENT JOB CASING/CEMENT JOB OTHER: Flare Gas OTHER: Flare Gas OTHER: Flare Gas OTHER: The completion of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed complete or recompletion. Apache is requesting permission to temporarily flare the NB Tween State wells 1-30. Intermittent flaring will occur and gas will be measured prior to flaring. The API# for each well-are as follows: 30-015-35915 30-015-36789 30-015-38592 30-015-38592 30-015-38591 30-015-35917 30-015-37593 30-015-38603 30-015-37593 30-015-38603 30-015-37597 30-015-39074 30-015-36603 30-015-38405 30-015-39075 30-015-36626 30-015-38406 30-015-39744 30-015-36626 30-015-38406 30-015-39744 30-015-36626 30-015-38406 30-015-39744 30-015-36796 30-015-38407 30-015-39746 30-015-36797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-39747 30-015-36798 30-015-38591 30-015-39748 30-015-39747 30-015-36798 30-015-38591 30-015-39748 30-015-39747 30-015-36798 30-015-39747 30-015-36798 30-015-39747 30-015-39748		TT. Dievation (isnow whether DR, 1	(KD, KI, OK, etc.)		
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS P AND A COMMENCE COMMINGLE CASING/CEMENT JOB CASING/CEMENT JOB CASING/CEMENT JOB OTHER: Flare Gas OTHER: Flare Gas OTHER: Flare Gas OTHER: The completion of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed complete or recompletion. Apache is requesting permission to temporarily flare the NB Tween State wells 1-30. Intermittent flaring will occur and gas will be measured prior to flaring. The API# for each well-are as follows: 30-015-35915 30-015-36789 30-015-38592 30-015-38592 30-015-38591 30-015-35917 30-015-37593 30-015-38603 30-015-37593 30-015-38603 30-015-37597 30-015-39074 30-015-36603 30-015-38405 30-015-39075 30-015-36626 30-015-38406 30-015-39744 30-015-36626 30-015-38406 30-015-39744 30-015-36626 30-015-38406 30-015-39744 30-015-36796 30-015-38407 30-015-39746 30-015-36797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-39747 30-015-36798 30-015-38591 30-015-39748 30-015-39747 30-015-36798 30-015-38591 30-015-39748 30-015-39747 30-015-36798 30-015-39747 30-015-36798 30-015-39747 30-015-39748					
PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PAND A CASING/CEMENT JOB DOWNHOLE COMMINGLE OTHER: Flare Gas OTHER: There G	½. Check	Appropriate Box to Indicate Na	ture of Notice,	Report or Other Data	
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A DOWNHOLE CASING MULTIPLE COMPL CASING/CEMENT JOB OTHER: Flare Gas OTHER: There Gas Of Starting any proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed complet or recompletion. Apache is requesting permission to temporarily flare the NB Tween State wells 1-30. Intermittent flaring will occur and gas will be measured prior to flaring. The API# for each well are as follows: 30-015-35915 30-015-36789 30-015-38592 30-015-38467 30-015-35974 30-015-37592 30-015-38467 30-015-35916 30-015-37593 30-015-38467 30-015-3603 30-015-37597 30-015-39074 30-015-39074 30-015-3603 30-015-38406 30-015-39074 30-015-36026 30-015-38406 30-015-39774 30-015-39745 30-015-36796 30-015-38407 30-015-39746 30-015-39746 30-015-36797 30-015-38590 30-015-39747 30-015-39747 30-015-39747 30-015-39747 30-015-38798 30-015-38591 30-015-39748					
PULL OR ALTER CASING					
OTHER: Flare Gas ☑ OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed complet or recompletion. Attach wellbore diagram of proposed complet or recompletions. Apache is requesting permission to temporarily flare the NB Tween State wells 1-30. Intermittent flaring will occur and gas will be measured prior to flaring. The API# for each well-are as follows: 30-015-36915 30-015-36789 30-015-38592 30-015-35916 30-015-37592 30-015-38467 30-015-38593 30-015-35916 30-015-37593 30-015-38593 30-015-35917 30-015-37597 30-015-389074 30-015-36603 30-015-38405 30-015-39074 30-015-38626 30-015-38406 30-015-39746 30-015-36796 30-015-38407 30-015-39745 30-015-36797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39747 30-015-36798 30-015-38591 30-015-39748	11				٠
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed complet or recompletion. Apache is requesting permission to temporarily flare the NB Tween State wells 1-30. Intermittent flaring will occur and gas will be measured prior to flaring. The API# for each well-are as follows: 30-015-35915 30-015-36789 30-015-38592 30-015-38467 30-015-35974 30-015-37592 30-015-38593 30-015-38593 30-015-35917 30-015-37593 30-015-39074 30-015-39074 30-015-3603 30-015-38405 30-015-39074 30-015-39075 30-015-36626 30-015-38406 30-015-39744 30-015-36627 30-015-38407 30-015-39745 30-015-36796 30-015-38590 30-015-39746 30-015-36797 30-015-38591 30-015-39748	-				
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed complet or recompletion. Apache is requesting permission to temporarily flare the NB Tween State wells 1-30. Intermittent flaring will occur and gas will be measured prior to flaring. The API# for each well-are as follows: 30-015-35915 30-015-36789 30-015-38592 30-015-38467 30-015-35974 30-015-37592 30-015-38593 30-015-38593 30-015-35917 30-015-37593 30-015-39074 30-015-39074 30-015-3603 30-015-38405 30-015-39074 30-015-39075 30-015-36626 30-015-38406 30-015-39744 30-015-36627 30-015-38407 30-015-39745 30-015-36796 30-015-38590 30-015-39746 30-015-36797 30-015-38591 30-015-39748	OTHER: Flare Gas	· 🔀	OTHER:		
or recompletion. Apache is requesting permission to temporarily flare the NB Tween State wells 1-30. Intermittent flaring will occur and gas will be measured prior to flaring. The ÄPI# for each well are as follows: 30-015-35915 30-015-36789 30-015-38592 30-015-38974 30-015-37592 30-015-38693 30-015-38917 30-015-37597 30-015-38603 30-015-38405 30-015-38603 30-015-38405 30-015-39075 30-015-36626 30-015-38406 30-015-39744 30-015-36627 30-015-36627 30-015-38907 30-015-39745 30-015-36796 30-015-38590 30-015-39747 30-015-39748	13. Describe proposed or con	pleted operations. (Clearly state all pe	ertinent details, an		
Apache is requesting permission to temporarily flare the NB Tween State wells 1-30. Intermittent flaring will occur and gas will be measured prior to flaring. The API# for each well are as follows: 30-015-35915 30-015-36789 30-015-38592 30-015-38594 30-015-35916 30-015-37593 30-015-38593 30-015-38591 30-015-3603 30-015-38405 30-015-38406 30-015-3626 30-015-38406 30-015-39744 30-015-3627 30-015-38407 30-015-39745 30-015-36796 30-015-38590 30-015-39746 30-015-36798 30-015-38591 30-015-38798		vork) SEE RULE 1103. For Multiple	Completions: At	tach wellbore diagram of pro	posed completion
measured prior to flaring. The API# for each well are as follows: 30-015-35915 30-015-36789 30-015-35974 30-015-37592 30-015-38467 30-015-35916 30-015-37593 30-015-36917 30-015-3603 30-015-38405 30-015-36626 30-015-38406 30-015-39744 30-015-36627 30-015-36627 30-015-38407 30-015-39745 30-015-36796 30-015-38797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39748	• • •	on to temporarily flare the NR Tween St	ate wells 1.30 lint	/ ermittent flaring will occur an	را d gas will hè
30-015-35974 30-015-37592 30-015-38467 30-015-35916 30-015-37593 30-015-38593 30-015-35917 30-015-37597 30-015-39074 30-015-36603 30-015-38405 30-015-39075 30-015-36626 30-015-38406 30-015-39744 30-015-36627 30-015-38407 30-015-39745 30-015-36796 30-015-39070 30-015-39746 30-015-36797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39748	measured prior to flaring. The	API# for each well are as follows:	ate wend 1-00. The	commone namig will booth an	a gad wiii bo
30-015-35916 30-015-37593 30-015-38593 30-015-35917 30-015-37597 30-016-39074 30-015-36603 30-015-38405 30-015-39075 30-015-36626 30-015-38406 30-015-39744 30-015-36627 30-015-38407 30-015-39745 30-015-36796 30-015-39070 30-015-39746 30-015-36797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39748	30-015-35915	30-015-36789		30-015-38592	
30-015-35917 30-015-37597 30-016-39074 30-015-36603 30-015-38405 30-015-39075 30-015-36626 30-015-38406 30-015-39744 30-015-36627 30-015-38407 30-015-39745 30-015-36796 30-015-39070 30-015-39746 30-015-36797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39748					
30-015-36603 30-015-38405 30-015-39075 30-015-36626 30-015-38406 30-015-39744 30-015-36627 30-015-38407 30-015-39745 30-015-36796 30-015-39070 30-015-39746 30-015-36797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39748			,		
30-015-36627 30-015-38407 30-015-39745 30-015-36796 30-015-3970 30-015-39746 30-015-36797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39748					
30-015-36796 30-015-3970 30-015-39746 30-015-36797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39748				*	
30-015-36797 30-015-38590 30-015-39747 30-015-36798 30-015-38591 30-015-39748	•*			No. of the contract of the con	•
30-015-36798 30-015-38591 30-015-39748	. 26		; ,		
Spud Date: Rig Release Date:	30-015-36798				
Spud Date: Rig Release Date:	, , , , , , , , , , , , , , , , , , ,				
	Spud Date:	Rig Release Dat	e:		
			7		
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	Thereby certify that the information	on above is true and complete to the bes	st of my knowledg	e and belief.	•
	The second secon	•	1		
SIGNATURE TITLE Regulatory Analyst II DATE 04/08/2014	SIGNATURE	TITLE Regula	tory Analyst II	DATE 04/	08/2014
	<u> </u>				
Type or print name Fatima Vasquez E-mail address: Fatima.Vasquez@apachecorp.com PHONE: (432) 818-1015 For State Use Only		ez E-mail address:	Fatima.Vasquez@ap	pachecorp.com PHONE: (4	432) 818-1015
APPROVED BY: TITLE VST # Sepented DATE 5/5/14 Conditions of Approval (if any):		Ol TITLE ALST	#Sylen	DATE S	15/14
conditions of Approval (it airy).	Conditions of Approval (It airy):				
& See Attached COA's	& See At	tached COA's	· · · · · · · · · · · · · · · · · · ·		

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. (For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC) **Apache Corporation** Applicant A. 1945 Bluestem Road, Artesia, NM 88210 whose address is 90 hereby requests an exception to Rule 19.15.18.12 for days or until , Yr , for the following described tank battery (or LACT): N B Tween State Name of Lease Name of Pool Location of Battery: Unit Letter ___ H __Section ___25 Township __ Number of wells producing into battery _____. 1000 Based upon oil production of barrels per day, the estimated * volume B. of gas to be flared is _____ ____MCF; Value _____ C. Name and location of nearest gas gathering facility: Frontier Empire Abo Unit Distance Estimated cost of connection D. This exception is requested for the following reasons: ____ This is for an extension on the E. previous one that will expire April 30, 2014. **OPERATOR** OIL CONSERVATION DIVISION I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above Approved Until is true and complete to the best of my knowledge and belief. Signature ` Printed Name Fätima Vasquez - Regulatory Analyst II & Title Fatima.Vasquez@apachecorp.com E-mail Address (432) 818-1015 Telephone No.

A See Attiched COA'S

^{*} Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- **8.** Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here $\sqrt{30}$

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

David Martin Cabinet Secretary

Jami Bailey, Division Director Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: iim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.