

Submitter To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico NM OIL CONSERVATION Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 RECEIVED				Form C-105 July 17, 2008						
		SEP 22 2014										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG												
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name KAISER 7 K 6. Well Number: #3								
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER												
8. Name of Operator: LIME ROCK RESOURCES II-A, L.P.				9. OGRID: 277558								
10. Address of Operator: c/o Mike Pippin LLC, 3104 N. Sullivan, Farmington, NM 87401				11. Pool name or Wildcat: Red Lake, Glorieta Yeso (51120)								
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the						
Surface:	K	7	18-S	27-E		1650						
BH:												
13. Date Spudded 7/21/14	14. Date T.D. Reached 7/28/14	15. Date Drilling Rig Released 7/30/14		16. Date Completed (Ready to Produce) 9/17/14		17. Elevations (DF and RKB, RT, GR, etc.): 3291' GR						
18. Total Measured Depth of Well 4750'		19. Plug Back Measured Depth 4701'		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run Induction, Density/Neutron						
22. Producing Interval(s), of this completion - Top, Bottom, Name 4052'-4328', 4380'-4646' - Glorieta/Yeso												
23. CASING RECORD (Report all strings set in well)												
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED							
8-5/8"	24# J-55	482'	12-1/4"	350 sx CI C	0'							
5-1/2"	17# J-55	4747'	7-7/8"	200 sx 35/65 Poz/C	0'							
				+ 905 sx C								
24. LINER RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN								
25. TUBING RECORD												
SIZE	DEPTH SET	PACKER SET										
2-7/8"	~3980'											
26. Perforation record (interval, size, and number) Yeso: 4052'-4228', 30-0.42" holes Yeso: 4380'-4646', 29-0.42" holes				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>4052'-4228'</td> <td>1500 gals 15% HCL; fraced w/29,800# 100 mesh & 279,953# 40/70 Wisconsin sand in slick water.</td> </tr> <tr> <td>4380'-4646'</td> <td>1500 gals 15% HCL; fraced w/29,288# 100 mesh & 102,528# 40/70 Wisconsin sand in slick water.</td> </tr> </table>			DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	4052'-4228'	1500 gals 15% HCL; fraced w/29,800# 100 mesh & 279,953# 40/70 Wisconsin sand in slick water.	4380'-4646'	1500 gals 15% HCL; fraced w/29,288# 100 mesh & 102,528# 40/70 Wisconsin sand in slick water.
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED											
4052'-4228'	1500 gals 15% HCL; fraced w/29,800# 100 mesh & 279,953# 40/70 Wisconsin sand in slick water.											
4380'-4646'	1500 gals 15% HCL; fraced w/29,288# 100 mesh & 102,528# 40/70 Wisconsin sand in slick water.											
28. PRODUCTION												
Date First Production READY		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping			Well Status (Prod. or Shut-in) Pumping							
Date of Test Within 30 days	Hours Tested	Choke Size	Prod'n For Test Period:	Oil - Bbl	Gas - MCF	Water - Bbl.						
Flow Tubing Press.	Casing Pressure	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)						
29. Disposition of Gas (Sold, used for fuel, vented, etc.) To Be Sold					30. Test Witnessed By: Jerry Smith							
31. List Attachments												
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.												
33. If an on-site burial was used at the well, report the exact location of the on-site burial:												
Latitude		Longitude		NAD 1927 1983								
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief												
Signature <i>Mike Pippin</i>		Printed Name Mike Pippin		Title: Petroleum Engineer		Date: 9/18/14						
E-mail Address: mike@pippinllc.com												

KAISER 7 K #3 -- New Well

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

OIL OR GAS SANDS OR ZONES

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 2, from.....to.....feet.....

From	To	Thickness In Feet	Lithology
			- On File -

From	To	Thickness In Feet	Lithology