2. Name MEV 3a. Add , NM 4. Local Sec TYI D No g Su D Fi 13. Descr If the Attac follow testin deterr 06/2 C (3 14.8 3000 Drille Chall	SUNDRY Do not use the abandoned we SUBMIT IN TRI of Well Dil Well Gas Well Oth of Operator VBOURNE OIL COMPAN ress 88421 ion of Well <i>(Footage, Sec., T</i> 15 T18S R30E NWNW 33 12. CHECK APPI PE OF SUBMISSION Detice of Intent besequent Report nal Abandonment Notice ibe Proposed or Completed Op proposal is to deepen direction in the Bond under which the wo ving completion of the involved g has been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixeo # gw/1.33 yd. Plug down # & annular to 1500#. At	Contact: IY E-Mail: jlathan@rr T., R., M., or Survey Description 30FNL 370FWL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair Change Plans Convert to Injection ieration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide l operations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Ciu	DATS ON We or drill or to re D) for such JACKIE LA mewbourne.co 3b. Phone N Ph: 575-3 m) O INDICATI De Fra De Plu ent details, inclue, give subsurfac e the Bond No. c esults in a multi iled only after al "36# J55 LT& Tail w/200 sks	ELLS e-enter an proposals. verse side. THAN n o. (include area cor 93-5905 E NATURE OF TYPE epen icture Treat w Construction ig and Abandon ig Back ding estimated start e locations and mea on file with BLME bele completion or ref	F NOTICE, OF ACTION Produ Recla Recla Recon Temp Wate ing date of any issured and true IA. Required ccompletion in	 5. Lease Serial No. NMNM27278 6. If Indian, Allottee 7. If Unit or CA/Agree 8. Well Name and No LEO 15 DA FED 9. API Well No. 30-015-42185 10. Field and Pool, or BONE SPRINCE 11. County or Parish, EDDY COUNT REPORT, OR OTHE rection (Start/Resume) mation mplete porarily Abandon r Disposal proposed work and approx vertical depths of all perfir subsequent reports shall be a new interval, a Form 316 	COM #1H COM #1H r Exploratory and State Y, NM CR DATA Well Ini Ø Other Drilling O ximate duration nent markers an e filed within 30 50-4 shall be file	nd/or No.
2. Name MEV 3a. Add , NM 4. Local Sec TYI NO Sec TYI 13. Descr If the Attac follow testin deterr 06/2 C (3 14.8 3000 Drille Chai Bond	Do not use the abandoned we SUBMIT IN TRI of Well Dil Well Gas Well Oth of Operator VBOURNE OIL COMPAN ress 88421 ion of Well (Footage, Sec., 7 15 T18S R30E NWNW 33 12. CHECK APPI PE OF SUBMISSION Detice of Intent besequent Report nal Abandonment Notice ibe Proposed or Completed Op proposal is to deepen direction h the Bond under which the wo ving completion of the involved phas been completed. Final Af nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixeo #/g w/1.33 yd. Plug down # & annular to 1500#. At	IPLICATE - Other instruct her Contact: IY E-Mail: jlathan@rr Contact: IY E-Mail: jlathan@rr T. R., M., or Survey Description 30FNL 370FWL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair Change Plans Convert to Injection icration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin	JACKIE LA mewbourne.cor JACKIE LA mewbourne.cor 3b. Phone N Ph: 575-3 m) O INDICATI De Fra De Plu ent details, inclue, give subsurfact e the Bond No. co Plu a multified only after al " 36# J55 LT& Tail w/200 sks	e-enter an proposals. verse side. THAN n o. (include area cor 93-5905 E NATURE OF TYPE epen acture Treat w Construction and Abandon ag Back ding estimated start e locations and mea on file with BLM/P ble completion or re requirements, incl	F NOTICE, OF ACTION Produ Recla Recla Recon Temp Wate ing date of any issured and true IA. Required ccompletion in	 6. If Indian, Allottee 7. If Unit or CA/Agree 8. Well Name and No LEO 15 DA FED 9. API Well No. 30-015-42185 10. Field and Pool, or BONE SPRING 11. County or Parish, EDDY COUNT REPORT, OR OTHE rection (Start/Resume) mation mplete porarily Abandon r Disposal proposed work and approvertical depths of all perfir subsequent reports shall be a new interval, a Form 316 	or Tribe Name cement, Name a COM #1H r Exploratory and State Y, NM CR DATA Well Ini Ø Other Drilling O ximate duration nent markers an e filed within 30 50-4 shall be file	nd/or No.
2. Name MEV 3a. Add , NM 4. Local Sec TYI NO Sec TYI 13. Descr If the Attac follow testin deterr 06/2 C (3) 14.8 3000 Drille Chai	of Well Dil Well Gas Well Oth of Operator VBOURNE OIL COMPAN ress 88421 ion of Well (Footage, Sec., 7 15 T18S R30E NWNW 33 12. CHECK APPI PE OF SUBMISSION PE OF SUBMISSION Ditce of Intent ibsequent Report nal Abandonment Notice ibe Proposed or Completed Opproposal is to deepen directional h the Bond under which the working completion of the involved proposal is to deepen directional h the Bond under which the working completion of the involved proposal is to deepen directional h the Bond under which the working completion of the involved phas been completed. Final Affinite of the involved phased of the involved of the involved of the involved phased of the involved of the involved of the involved phased of the involved of the invo	her Contact: IY E-Mail: jlathan@rr F., R., M., or Survey Description 30FNL 370FWL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair Change Plans Convert to Injection ieration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide ioperations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin	JACKIE LA newbourne.cor 3b. Phone N Ph: 575-3 n) O INDICAT De Fra De Fra Plu ne details, inclue , give subsurfact e the Bond No. c e the Bond No. c e the Bond No. c a give subsurfact e the Bond No. c a give subsurfact e the Bond No. c a give subsurfact e the Bond No. c a give subsurfact a give subsurfact	THAN n o. (include area cor 93-5905 E NATURE OF TYPE epen acture Treat w Construction ag and Abandon ag Back ding estimated start e locations and meg on file with BLM/P ble completion or ref requirements, incl	F NOTICE, OF ACTION Produ Recla Recla Recon Temp Wate ing date of any issured and true IA. Required ccompletion in	 8. Well Name and No LEO 15 DA FED 9. API Well No. 30-015-42185 10. Field and Pool, or BONE SPRING 11. County or Parish, EDDY COUNT REPORT, OR OTHE Interior (Start/Resume) <	COM #1H r Exploratory and State Y, NM CR DATA Water S Well Ini Other Drilling O ximate duration nent markers an e filed within 30 50-4 shall be file	hut-Off . tegrity perations thereof. days donce
2. Name MEV 3a. Add , NM 4. Local Sec TYI NO Sec TYI 13. Descr If the Attac follow testin deterr 06/2 C (3) 14.8 3000 Drille Chai	Dil Well Gas Well Oth of Operator VBOURNE OIL COMPAN ress 88421 ion of Well (Footage, Sec., 7 15 T18S R30E NWNW 33 12. CHECK APPI PE OF SUBMISSION Detice of Intent al Abandonment Notice ibe Proposed or Completed Op- proposal is to deepen directiona h the Bond under which the woi ving completion of the involved phas been completed. Final Af- nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixeo #/g w/1.33 yd. Plug down # & annular to 1500#. At-	Contact: IY E-Mail: jlathan@rr T., R., M., or Survey Description 30FNL 370FWL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair Change Plans Convert to Injection ieration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide l operations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Ciu	newbourne.cor 3b. Phone N Ph: 575-3 m) O INDICAT De Tra De Fra Plu ne Plu ne Plu ne Plu ne Plu ne Plu ne ne Plu ne ne ne ne ne ne ne ne ne ne	n o. (include area cor 93-5905 E NATURE OF TYPE epen acture Treat w Construction ag and Abandon ag Back ding estimated start e locations and me on file with BLM/P ole completion or re requirements, incl	F NOTICE, OF ACTION Produ Recla Recla Recon Temp Wate ing date of any issured and true IA. Required ccompletion in	LEO 15 DA FED 9. API Well No. 30-015-42185 10. Field and Pool, or BONE SPRING 11. County or Parish, EDDY COUNT REPORT, OR OTHE action (Start/Resume) mation mplete borarily Abandon r Disposal / proposed work and approv vertical depths of all pertir subsequent reports shall be a new interval, a Form 316	COM #1H r Exploratory and State Y, NM CR DATA Water S Well Int Other Drilling O ximate duration nent markers an e filed within 30 50-4 shall be file	tegrity perations thereof. d zones. days ed once
MEV 3a. Add , NM 4. Locat Sec TYI No Solution TYI 13. Descr If the Attac follow testin deterr 06/2 C (3 14.8 3000 Drille Chai Bonc	VBOURNE OIL COMPAN ress 88421 ion of Well <i>(Footage, Sec., T</i> 15 T18S R30E NWNW 33 12. CHECK APPI PE OF SUBMISSION Detice of Intent bsequent Report nal Abandonment Notice ibe Proposed or Completed Op proposal is to deepen directional h the Bond under which the word ving completion of the involved proposal is to deepen directional h the Bond under which the word ving completion of the involved phas been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixeo #/g w/1.33 yd. Plug down # & annular to 1500#. At	 IY E-Mail: jlathan@m <i>F., R., M., or Survey Description</i> 30FNL 370FWL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair Change Plans Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide to operations. If the operation rebandonment Notices shall be fil final inspection.) 600'. Ran 1600' of 9 5/8" G.30 AM 06/29/14. Cin 	newbourne.cor 3b. Phone N Ph: 575-3 m) O INDICAT De Tra De Fra Plu ne Plu ne Plu ne Plu ne Plu ne Plu ne ne Plu ne ne ne ne ne ne ne ne ne ne	n o. (include area cor 93-5905 E NATURE OF TYPE epen acture Treat w Construction ag and Abandon ag Back ding estimated start e locations and me on file with BLM/P ole completion or re requirements, incl	F NOTICE, OF ACTION Produ Recla Recla Recon Temp Wate ing date of any issured and true IA. Required ccompletion in	30-015-42185 10. Field and Pool, or BONE SPRING 11. County or Parish, EDDY COUNT REPORT, OR OTHE action (Start/Resume) mation mplete porarily Abandon r Disposal proposed work and approvertical depths of all perti- subsequent reports shall be a new interval, a Form 316	and State Y, NM R DATA Water S Well Ini Other Drilling O ximate duration nent markers an e filed within 30 50-4 shall be file	tegrity perations thereof. d zones. days ed once
, NM 4. Local Sec TY No Su TY 13. Desci If the Attac follow testin detern 06/2 C (3) 14.8 3000 Drille Chai Bond	88421 ion of Well (Footage, Sec., 7 15 T18S R30E NWNW 3 12. CHECK APPI PE OF SUBMISSION Detice of Intent bsequent Report nal Abandonment Notice ibe Proposed or Completed Op proposal is to deepen direction: n the Bond under which the wo ving completion of the involved g has been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixeo #/g w/1.33 yd. Plug down # & annular to 1500#. At	30FNL 370FWL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair Change Plans Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide to operations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin	Ph: 575-3 Ph: 57	93-5905 E NATURE OF TYPE epen acture Treat w Construction ag and Abandon ag Back ding estimated start e locations and mea on file with BLM? ble completion or re requirements, incl	F NOTICE, OF ACTION Produ Recla Recla Recon Temp Wate ing date of any issured and true IA. Required ccompletion in	BONE SPRING 11. County or Parish, EDDY COUNT REPORT, OR OTHE action (Start/Resume) mation mplete borarily Abandon r Disposal / proposed work and approvide the particular of all perting subsequent reports shall be a new interval, a Form 316	and State Y, NM R DATA Water S Well Ini Other Drilling O ximate duration nent markers an e filed within 30 50-4 shall be file	tegrity perations thereof. d zones. days ed once
4. Locat Sec TYI I No So Su Su I Fi 13. Descr If the Attac follow testin deterr 06/2 C (3 14.8 3000 Drille Chai Bond	ion of Well (Footage, Sec., 7 15 T18S R30E NWNW 3 12. CHECK APPI PE OF SUBMISSION Detice of Intent bsequent Report nal Abandonment Notice ibe Proposed or Completed Op proposal is to deepen direction h the Bond under which the wo ving completion of the involved g has been completed. Final Af nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixeo #/g w/1.33 yd. Plug down # & annular to 1500#. At	30FNL 370FWL ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair Change Plans Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide to operations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin	O INDICAT	TYPE epen acture Treat w Construction ag and Abandon ag Back ding estimated start e locations and mea on file with BLME ble completion or red requirements, incl	OF ACTION Produ Recla Recon Temp Wate Ing date of any sured and true A. Required ccompletion in	EDDY COUNT REPORT, OR OTHE action (Start/Resume) mation mplete porarily Abandon r Disposal proposed work and appro- vertical depths of all pertir subsequent reports shall be a new interval, a Form 316	Y, NM R DATA U Water S Well Int Other Drilling O ximate duration nent markers an e filed within 30 50-4 shall be file	tegrity perations thereof. d zones. days ed once
TY No. Su TY No. Su Ty Ti Ti Ti Ti Ti Ti Ti Ti Ti Ti	12. CHECK APPI PE OF SUBMISSION Detice of Intent absequent Report nal Abandonment Notice ibe Proposed or Completed Opproposal is to deepen direction in the Bond under which the woi ying completion of the involved g has been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixeo #/g w/1.33 yd. Plug down # & annular to 1500#. At	ROPRIATE BOX(ES) TO Acidize Alter Casing Casing Repair Change Plans Convert to Injection ieration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide toperations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin	De Fra Ne Plu Plu ent details, inclue , give subsurfac e the Bond No. c e the Bond No. c e sults in a multi iled only after al "36# J55 LT& Tail w/200 sks	TYPE epen acture Treat w Construction ag and Abandon ag Back ding estimated start e locations and mea on file with BLME ble completion or red requirements, incl	OF ACTION Produ Recla Recon Temp Wate Ing date of any sured and true A. Required ccompletion in	REPORT, OR OTHE action (Start/Resume) mation mplete borarily Abandon r Disposal / proposed work and approv vertical depths of all pertir subsequent reports shall be a new interval, a Form 316	R DATA U Water S Water S Well Int O Other Drilling O ximate duration nent markers an filed within 30 50-4 shall be file	tegrity perations thereof. d zones. days ed once
☐ No ⊠ Su ☐ Fi 13. Desci If the Attac follow testin detern 06/2 C (3) 14.8 3000 Drille Chan Bond	PE OF SUBMISSION ptice of Intent bsequent Report nal Abandonment Notice ibe Proposed or Completed Op proposal is to deepen directiona h the Bond under which the wo ving completion of the involved g has been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixec #/g w/1.33 yd. Plug down # & annular to 1500#. At	 Acidize Alter Casing Casing Repair Change Plans Convert to Injection convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide i operations. If the operation re bandonment Notices shall be fil final inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin 	De Fra Ne Plu Plu ent details, inclue , give subsurfac e the Bond No. c e the Bond No. c e sults in a multi iled only after al "36# J55 LT& Tail w/200 sks	TYPE epen acture Treat w Construction ag and Abandon ag Back ding estimated start e locations and mea on file with BLME ble completion or red requirements, incl	OF ACTION Produ Recla Recon Temp Wate Ing date of any sured and true A. Required ccompletion in	inction (Start/Resume) mation mplete porarily Abandon r Disposal proposed work and appro- vertical depths of all pertir subsequent reports shall be a new interval, a Form 316	Water S Well Ini Well Ini Other Drilling O ximate duration nent markers an filed within 30 50-4 shall be file	tegrity perations thereof. d zones. days ed once
☐ No ⊠ Su ☐ Fi 13. Desci If the Attac follow testin detern 06/2 C (3) 14.8 3000 Drille Chan Bond	otice of Intent ibsequent Report nal Abandonment Notice ibe Proposed or Completed Op proposal is to deepen directions in the Bond under which the wo ving completion of the involved g has been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixeo #/g w/1.33 yd. Plug down # & annular to 1500#. At	Alter Casing Casing Repair Change Plans Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide joperations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin	Fra Fra Ne Plu Pl	epen acture Treat w Construction ag and Abandon ag Back ding estimated start e locations and mea on file with BLM? ble completion or re requirements, incl	Produ Recla Recla Recon Temp Wate ing date of any sured and true IA. Required ccompletion in	action (Start/Resume) mation mplete porarily Abandon r Disposal proposed work and appro- vertical depths of all pertin subsequent reports shall be a new interval, a Form 316	Well Int Well Int Other Drilling O ximate duration nent markers an filed within 30 50-4 shall be file	tegrity perations thereof. d zones. days ed once
Su Fi 13. Descr If the Attac follow testin deterr 06/2 C (3 14.8 3000 Drille Chan Bond	bsequent Report nal Abandonment Notice ibe Proposed or Completed Op proposal is to deepen direction h the Bond under which the wo ving completion of the involved g has been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixeo #/g w/1.33 yd. Plug down # & annular to 1500#. At	Alter Casing Casing Repair Change Plans Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide joperations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin	Fra Fra Ne Plu Pl	acture Treat w Construction g and Abandon g Back ding estimated start e locations and mer on file with BLM/B ole completion or re l requirements, incl	Recla Recla Recon Temp Wate Wate Adde of any sured and true IA. Required completion in	mation mplete porarily Abandon r Disposal proposed work and appro- vertical depths of all pertir subsequent reports shall be a new interval, a Form 316	Well Int Well Int Other Drilling O ximate duration nent markers an filed within 30 50-4 shall be file	tegrity perations thereof. d zones. days ed once
Fi 13. Descr If the Attac follow testin detern 06/2 C (3 14.8 3000 Drille Chan Bond	nal Abandonment Notice ibe Proposed or Completed Op proposal is to deepen directiona the Bond under which the wo ving completion of the involved g has been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixec #/g w/1.33 yd. Plug down # & annular to 1500#. At	Casing Repair Change Plans Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide operations. If the operation re bandonment Notices shall be fil final inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin	Ne Plu ent details, inclu v, give subsurface e the Bond No. c esults in a multip iled only after al " 36# J55 LT8 Tail w/200 sks	w Construction g and Abandon g Back ding estimated start e locations and me on file with BLM/E ble completion or re requirements, incl	Recon Temp Wate wate date of any sured and true IA. Required ccompletion in	mplete porarily Abandon r Disposal v proposed work and approv vertical depths of all pertir subsequent reports shall be a new interval, a Form 316	X Other Drilling O ximate duration nent markers an c filed within 30 50-4 shall be file	thereof. d zones. days ed once
Fi 13. Descr If the Attac follow testin detern 06/2 C (3 14.8 3000 Drille Chan Bond	nal Abandonment Notice ibe Proposed or Completed Op proposal is to deepen directiona the Bond under which the wo ving completion of the involved g has been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixec #/g w/1.33 yd. Plug down # & annular to 1500#. At	Change Plans Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide operations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin	Plu Plu ent details, includ , give subsurfact e the Bond No. c esults in a multip iled only after al " 36# J55 LT8 Tail w/200 sks	g and Abandon g Back ding estimated start e locations and met on file with BLM/B ble completion or re requirements, incl	Temp Wate Wate ing date of any issured and true IA. Required ecompletion in	porarily Abandon r Disposal r proposed work and approvertical depths of all pertin subsequent reports shall be a new unterval, a Form 316	Drilling O ximate duration nent markers an filed within 30 50-4 shall be file	thereof. d zones. days ed once
13. Descr If the Attac follow testin deter 06/2 C (3 14.8 3000 Drille Char Bond	ibe Proposed or Completed Op proposal is to deepen direction h the Bond under which the wo ying completion of the involved g has been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixec #/g w/1.33 yd. Plug down # & annular to 1500#. At	Convert to Injection eration (clearly state all pertine ally or recomplete horizontally, rk will be performed or provide joperations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Cin	Plu ent details, inclue , give subsurface e the Bond No. c esults in a multip iled only after al " 36# J55 LT8 Tail w/200 sks	ag Back ding estimated start e locations and mea on file with BLM/B ole completion or re I requirements, incl	Wate ing date of any sured and true IA. Required ecompletion in	r Disposal proposed work and appro- vertical depths of all pertir subsequent reports shall be a new interval, a Form 316	nent markers an e filed within 30 50-4 shall be file	d zones. days ed once
If the Attac follow testin deterr 06/2 C (3 14.8 3000 Drille Chai Bond	proposal is to deepen direction: h the Bond under which the woi ving completion of the involved g has been completed. Final At nined that the site is ready for f 9/14 TD 12 1/4" hole @ 1 5:65:4) w/additives. Mixec #/g w/1.33 yd. Plug down # & annular to 1500#. At	ally or recomplete horizontally, rk will be performed or provide operations. If the operation re bandonment Notices shall be fil inal inspection.) 600'. Ran 1600' of 9 5/8" d @ 12.5 #/g w/2.20 yd. T @ 6:30 AM 06/29/14. Ciu	r, give subsurface e the Bond No. c esults in a multip iled only after al " 36# J55 LT8 Tail w/200 sks	e locations and mea on file with BLM/B ble completion or re l requirements, incl	Sured and true IA. Required ecompletion in	vertical depths of all pertir subsequent reports shall be a new interval, a Form 316	nent markers an e filed within 30 50-4 shall be file	d zones. days ed once
C (3 14.8 3000 Drille Chai Bond	5:65:4) w/additives. Mixed #/g w/1.33 yd. Plug down)# & annular to 1500#. At	d @ 12.5 #/g w/2.20 yd. T ⊨@ 6:30 AM 06/29/14. Cii	Tail w/200 sk					
Bond	ed out with 8 3/4" bit.	5:00 P.M. 06/30/14, teste	ed csg to 150	s Class C w/1% cement to pit.	CaCl2. Mix WOC. Teste	ed @ d BOPE to NM OIL C		
	t attached.					DE	EC 03 201	4
14 L her	d on file: NM1693 nationw	vide & NMB000919	• • • •		12/19/14 d tox more 1000	Xd	RECEIVE)
14. 1 1101	eby certify that the foregoing is	s true and correct. Electronic Submission #	#256966 verifi	d by the BLM V	/e/l ក្រាំជុាក្ខាំងព្រ	οπτονείται δητονείται δητονείται δητονείται δητονείται δητονείται δητονείται δητονείται δητονείται δητονείται δητονείται δητονείται δητονείται δητονεία δητο δητονεία δητο δητο δητονεία δητο δητονεία δητο δητο δητονεία δητο δητο δητο δητονεία δητο δητο δητο δητο δητο δητο δητο δητο		
Name	(Printed/Typed) JACKIE L	Electronic Submission # For MEWBOU Committed to AFMSS 1 ATHAN	for processin			PRESENTATIVE		
· Signa	ture . (Electronic S	Submission)	· · · · · · · · · · · · · · · · · · ·	Date 08/14		10₩ 2 5 2014		
		THIS SPACE FO	OR FEDER			USE Morah	Dan	
						U OF LAND MANAGE	EMENT	
certify that	d By of approval, if any, are attached the applicant holds legal or equilated and the applicant to condu- id entitle the applicant to condu-	uitable title to those rights in the	s not warrant or a subject lease	Office	UA	RLSBAD FIELD OFFI	CE Date	
	appream to condu		a crime for any r		nd willfully to		agency of the U	I. 14 - 1

·

.

.

.



