Form 3160-5 (August 2007)	BU SUNDRY Do not use thi	UNITED STATES PARTMENT OF THE INTERIOR JREAU OF LAND MANAGEMENT NOTICES AND REPORTS ON WELLS s form for proposals to drill or to re-enter an		enter an	rtesia	FORM OMB N		APPROVED 1004-0135 2 July 31, 2010	
abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side.						7. If Unit or CA/Agreement, Name and/or No.			
I. Type of Well			8910195770 8. Well Name and No.						
🗋 Oil Well 🔲 Gas Well 🖾 Other: INJECTION				S LOCO HILLS 13					
2. Name of Operator OXY USA INCORPORATED Contact: DAVID STEV E-Mail: david_stewart@oxy.com				30-015-03518)0-S1	· ·	
	3a. Address 5 GREENWAY PLAZA STE 110 HOUSTON, TX 77046-0521			3b. Phone No. (include area code) Ph: 432-685-5717 Fx: 432-685-5742			10. Field and Pool, or Exploratory LOCO HILLS		
4. Location of Wel Sec 19 T18S		11. County or Parish, and EDDY COUNTY, N			te				
. 12	2. CHECK APPF	ROPRIATE BOX(ES) T	O INDICATE	NATURE OF 1	NOTICE, RI	EPORT, OR OTHE	R DA'	ГА	
TYPE OF SU	JBMISSION	TYPE OF ACTION							
☐ Subsequent ☐ Final Abane	 Notice of Intent Subsequent Report Final Abandonment Notice Casing Repare Change Plan Convert to Intervention Describe Proposed or Completed Operation (clearly state and If the proposal is to deepen directionally or recomplete hor 			 □ Fracture Treat □ Reclant □ New Construction □ Plug and Abandon □ Plug Back □ Water nent details, including estimated starting date of any 			plete Dother rarily Abandon Disposal proposed work and approximate duration thereof. ertical depths of all pertinent markers and zones.		
 10-2402 PBTD-2392 PBTD-2392 PBTD-2294-2372 OXY USA Inc. respectfully requests to temporarily abandon this well for two years. This well is currently being evaluated for water injection performance before we continue with the water injection. Probably will need to run Saturation logs to isolate watered layers or open additional layers with good saturation, in order to optimize the production. 1. RIH & set CIBP @ +/-2244', dump bail 4sx cmt to +/- 2209' 2. Notify BLM/NMOCD of casing integrity test 24hrs in advance. 3. RU pump truck, circulate well with treated water, pressure test casing to 500# for 30 min. 								Il be filed once operator has C for record MCCD2//6//S ERVATION STRICT 2015	
	that the foregoing is		"TA Ju	o mitte	1 on	L opproved		7-12-15	
		ommitted to AFMSS for pr	A INCORPORA	TED, sent to the AMES AMOS on	Carlsbad 12/15/2014 (1	5JA01235E	1.1	Gond	
Name (Printed/Typed) DAVID STEWART				Title SR. RE	GULATOR			•	
Signature	(Electronic S	Submission)		Date 08/25/2	014			<u></u>	
		THIS SPACE F	OR FEDERA	L OR STATE	OFFICE U	SE			
Approved By_DENIED Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.				JAMES A AMOS TitleSUPERVISORY PET				Date 01/12/2015	
Title 18 U.S.C. Secti States any false, fic	on 1001 and Title 43 titious or fraudulent s	U.S.C. Section 1212, make it a statements or representations a	a crime for any pe s to any matter w	erson knowingly and ithin its jurisdiction.	l willfully to m	ake to any department of	· agency	of the United	

•

-

.

•

** BLM REVISED **

Additional data for EC transaction #258226 that would not fit on the form

32. Additional remarks, continued

Above ground steel tanks will be utilized.

OXY USA Inc. - Proposed South Loco Hills Unit #13 API No. 30-015-03518

CIBP @ 2244' w/ 35' cmt

8-1/2" hole @ 415' 7" csg @ 415' w/ 50sx-TOC-Surf-Circ

6-1/4" hole @ 2402' 4-1/2" csg @ 2402' w/ 100sx-TOC-1290'-Calc

Perfs @ 2294-2372'

TD-2402'

OXY USA Inc. - Current South Loco Hills Unit #13 API No. 30-015-03518

2-3/8" tbg & pkr @ 2196

8-1/2" hole @ 415' 7" csg @ 415' w/ 50sx-TOC-Surf-Circ

6-1/4" hole @ 2402' 4-1/2" csg @ 2402' w/ 100sx-TOC-1290'-Calc

Perfs @ 2294-2372'

TD-2402'

8ú