| Form 3160-5 (August 2007) | UNITED STATES DEPARTMENT OF THE IN | OCD Artes | 10 | ORM APPROVED MB NO. 1004-0135 pires: July 31, 2010 | |
|---|--|---|--|--|--------------------------------|
| BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. | | 5. Lease Serial N | 5. Lease Serial No. NMNM0593 6. If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No 8910195770 8. Well Name and No. S LOCO HILLS 20 9. API Well No. 30-015-03522-00-S1 | | |
| | | | | | |
| SUBMIT IN TRIPLICATE - Other instructions on reverse side. 1. Type of Well Oil Well Oil Well Other: INJECTION | | | | | 7. If Unit or CA. 891019577 |
| | | | | | |
| 2. Name of Operator Contact: DAVID STEWART OXY USA INCORPORATED E-Mail: david_stewart@oxy.com | | | | | |
| 3a. Address 3b. Phone No. (include area code) 5 GREENWAY PLAZA STE 110 Ph: 432-685-5717 HOUSTON, TX 77046-0521 Fx: 432-685-5742 | | | 10. Field and Pool, or Exploratory LOCO HILLS | | |
| 4. Location of Well (Footage, Sec., | | | 11. County or Pa | arish, and State | |
| Sec 20 T18S R29E SWSW 660FSL 660FWL | | | EDDY COU | JNTY, NM | |
| 12. CHECK APP | PROPRIATE BOX(ES) TO | INDICATE NATURE OF 1 | NOTICE, REPORT, OR OT | ΓHER DATA | |
| TYPE OF SUBMISSION | | TYPE OF ACTION | | | |
| D Nation - Clutont | ☐ Acidize | Deepen | □ Production (Start/Resum | e) 🔲 Water Shut-O | |
| Notice of Intent | □ Alter Casing | Fracture Treat | Reclamation | Well Integrity | |
| Subsequent Report | Casing Repair | New Construction | 🗖 Recomplete | □ Other | |
| Final Abandonment Notice | Change Plans | Plug and Abandon | ☑ Temporarily Abandon | | |
| | Convert to Injection | Plug Back | □ Water Disposal | | |
| 13. Describe Proposed or Completed O If the proposal is to deepen direction | peration (clearly state all pertinent nally or recomplete horizontally, gi | details, including estimated startin ive subsurface locations and measu | g date of any proposed work and a ared and true vertical depths of all | pproximate dufficion thereo | |
| 13. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the we following completion of the involve testing has been completed. Final A determined that the site is ready for | nally or recomplete horizontally, g ork will be performed or provide th d operations. If the operation resu Abandonment Notices shall be filed | details, including estimated startin ive subsurface locations and measu the Bond No. on file with BLM/BIA lts in a multiple completion or reco- only after all requirements, include | g date of any proposed work and a red and true vertical depths of all A. Required subsequent reports in pompletion in a new interval second ing reclamation, have been compl | pproximate sufficient thereo performent markers and zones and fried within 30 days a 9160-4 shall be filed once eted, and the operator has | |
| If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final A | nally or recomplete horizontally, go ork will be performed or provide th ed operations. If the operation resu Abandonment Notices shall be filed final inspection.) | details, including estimated startin ive subsurface locations and measu the Bond No. on file with BLM/BIA Its in a multiple completion or reco only after all requirements, includ | ared and true vertical depths of all A. Required subsequent reports in subsequent reports in mpletion in a new little value of the ling reclamation, have been completion | perfinent/markers and zones all be fried within 30 days h 9160-4 shall be filed once eted, and the operator has 2////15 | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re | nally or recomplete horizontally, g ork will be performed or provide th d operations. If the operation resu boundoment Notices shall be filed final inspection.) 5-2387-2399' equests to temporarily aband | ive subsurface locations and measu the Bond No. on file with BLM/BL4 Its in a multiple completion or reco only after all requirements, includ | A nequired subsequent reports of all. A nequired subsequent reports of the second subsequent reports of the second secon | perfinentyriankers and zones an use fried wahin 30 days in use fried wahin 30 days in use of the operator has allow the operator has allo | |
| If the proposal is to deepen direction Attach the Bond under which the we following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for | nally or recomplete horizontally, g ork will be performed or provide th ed operations. If the operation resu (bandonment Notices shall be filed final inspection.) s-2387-2399' equests to temporarily aband water injection performance | ive subsurface locations and measu the Bond No. on file with BLM/BL4 Its in a multiple completion or reco only after all requirements, includ on this well for two years. T before we continue with the | And true vertical depths of all A Required subsequent reports in pompletion in a new-interval vertor ling reclamation, have been completed whis well is a water ART | perfinent/minters and zones and the difference of the second second p 9160-4 shall be filed once eted, and the operator has allocations CONSERVATION ESIA DISTRICT | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re | nally or recomplete horizontally, g ork will be performed or provide th ed operations. If the operation resu boundoment Notices shall be filed final inspection.) s-2387-2399' equests to temporarily aband water injection performance ecessary to identify what sa need to run Saturation logs | ive subsurface locations and measu the Bond No. on file with BLM/BL4 Its in a multiple completion or reco- only after all requirements, includ lon this well for two years. The before we continue with the ndstones layers are respond to isolate watered layers or | his well is ewater and the vertical depths of all the vertical depths of al | perfinentyriankers and zones an use fried wahin 30 days in use fried wahin 30 days in use of the operator has allow the operator has allo | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for injection program. It will be ne water injection. Probably will additional layers with good sa 1. RIH & set CIBP @ +/-2337 2. Notify BLM/NMOCD of cas | nally or recomplete horizontally, g ork will be performed or provide th doperations. If the operation resu (bandonment Notices shall be filed final inspection.) 5-2387-2399' equests to temporarily aband water injection performance ecessary to identify what sai need to run Saturation logs aturation, in order to optimize 7', dump bail 4sx cmt to +/- 2 sing integrity test 24hrs in ad | ive subsurface locations and measu he Bond No. on file with BLM/BL/ Its in a multiple completion or reco- only after all requirements, includ lon this well for two years. T before we continue with the ndstones layers are respond to isolate watered layers or e the production. 1302' lyance. | A Required subsequent reports of all. A Required subsequent reports of all of the sequence reports of the sequence reports of the sequence of | perfinent/nankers and zones and the vanin 30 days n 9180-4 shall be filed once eted, and the operator has a////JJ CONSERVATION ESIA DISTRICT | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for injection program. It will be ne water injection. Probably will additional layers with good sa 1. RIH & set CIBP @ +/-2337 | nally or recomplete horizontally, g ork will be performed or provide th doperations. If the operation resu (bandonment Notices shall be filed final inspection.) 5-2387-2399' equests to temporarily aband water injection performance ecessary to identify what sai need to run Saturation logs aturation, in order to optimize 7', dump bail 4sx cmt to +/- 2 sing integrity test 24hrs in ad | ive subsurface locations and measu he Bond No. on file with BLM/BL/ Its in a multiple completion or reco- only after all requirements, includ lon this well for two years. T before we continue with the ndstones layers are respond to isolate watered layers or e the production. 1302' lyance. | A Required subsequent reports of all. A Required subsequent reports of all of the sequence reports of the sequence reports of the sequence of | performers and zones and the version 30 days in 9160-4 shall be filed once eted, and the operator has allocation cesta DISTRICT AN 2 2 2015 | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for injection program. It will be ne water injection. Probably will additional layers with good sa 1. RIH & set CIBP @ +/-2337 2. Notify BLM/NMOCD of cas 3. RU pump truck, circulate w | nally or recomplete horizontally, g ork will be performed or provide th doperations. If the operation resu bandonment Notices shall be filed final inspection.) 5-2387-2399' equests to temporarily aband water injection performance ecessary to identify what sa need to run Saturation logs aturation, in order to optimize 7', dump bail 4sx cmt to +/- 2 sing integrity test 24hrs in ad well with treated water, press | ive subsurface locations and measu he Bond No. on file with BLM/BL/ Its in a multiple completion or reco- only after all requirements, includ lon this well for two years. T before we continue with the ndstones layers are respond to isolate watered layers or e the production. 1302' lyance. | A Required subsequent reports of all. A Required subsequent reports of all of the sequence reports of the sequence reports of the sequence of | performing the stand sones and the stand shall be filed once eted, and the operator has all t | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for injection program. It will be ne water injection. Probably will additional layers with good sa 1. RIH & set CIBP @ +/-2337 2. Notify BLM/NMOCD of cas 3. RU pump truck, circulate w Denied due to for the foregoing in 14. Thereby certify that the foregoing in | nally or recomplete horizontally, g ork will be performed or provide th doperations. If the operation resu kbandonment Notices shall be filed final inspection.) 5-2387-2399' equests to temporarily aband water injection performance ecessary to identify what sa need to run Saturation logs aturation, in order to optimize 7', dump bail 4sx cmt to +/- 2 sing integrity test 24hrs in ad vell with treated water, press NOL 40 P is true and correct. Electronic Submission #25 For OXY USA I | ive subsurface locations and measure Bond No. on file with BLM/BL/ Its in a multiple completion or reconstruction only after all requirements, included only after all requirements, included on this well for two years. The before we continue with the ndstones layers are respondent to isolate watered layers or eithe production. 1302' Ivance. Sure test casing to 500# for a subscription of the before and the by the BLM Well and the big the black we be and the by the black we be and the black we black we be and the black we be and the black we black we black we be and the black we blac | An and true vertical depths of all A. Required subsequent reports in impletion in a new Hite value of the ing reclamation, have been completing his well is a water ling to the open JA 30 min. I Information System Carlsbad | performing the stand sones and the stand shall be filed once eted, and the operator has all t | |
| If the proposal is to deepen direction Attach the Bond under which the we following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for injection program. It will be ne water injection. Probably will additional layers with good sa 1. RIH & set CIBP @ +/-2337 2. Notify BLM/NMOCD of cas 3. RU pump truck, circulate w Den: L Luc-to 14. I hereby certify that the foregoing in | nally or recomplete horizontally, g ork will be performed or provide th doperations. If the operation resu Abandonment Notices shall be filed final inspection.) 5-2387-2399' equests to temporarily aband water injection performance ecessary to identify what sa need to run Saturation logs aturation, in order to optimize 7', dump bail 4sx cmt to +/- 2 sing integrity test 24hrs in ad vell with treated water, press NOT 40 P | ive subsurface locations and measu he Bond No. on file with BLM/BL/ Its in a multiple completion or reco- only after all requirements, includ lon this well for two years. T before we continue with the ndstones layers are respond to isolate watered layers or e the production. 302' lvance. Sure test casing to 500# for 3 CHA Submittee BLM Wei RE241 verified by the BLM Wei NCORPORATED, sent to the essing by JAMES AMOS on 0 | An and true vertical depths of all A. Required subsequent reports in impletion in a new Hite value of the ing reclamation, have been completing his well is a water ling to the open JA 30 min. I Information System Carlsbad | perfinent/markers and zones and the direct variants of days in 9180-4 shall be filed once eted, and the operator has allows EESIA DISTRICT AN 2 2 2015 | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for injection program. It will be ne water injection. Probably will additional layers with good sa 1. RIH & set CIBP @ +/-2337 2. Notify BLM/NMOCD of cas 3. RU pump truck, circulate w Denied due to for 14. Thereby certify that the foregoing in Name (Printed/Typed) DAVID S | nally or recomplete horizontally, g ork will be performed or provide th ed operations. If the operation resu (bandonment Notices shall be filed final inspection.) s-2387-2399' equests to temporarily aband water injection performance eccessary to identify what sai need to run Saturation logs aturation, in order to optimize the optimized to run Saturation logs aturation, in order to optimized r', dump bail 4sx cmt to +/- 2 sing integrity test 24hrs in ad vell with treated water, press NOT 40 F is true and correct. Electronic Submission #25 For OXY USA I Committed to AFMSS for proc | ive subsurface locations and measu he Bond No. on file with BLM/BL/ Its in a multiple completion or reco- only after all requirements, includ lon this well for two years. T before we continue with the ndstones layers are respond to isolate watered layers or e the production. 302' lvance. Sure test casing to 500# for 3 CHA Submittee BLM Wei RE241 verified by the BLM Wei NCORPORATED, sent to the essing by JAMES AMOS on 0 | And the vertical depths of all A. Required subsequent reports in impletion in a new Hitelyall of or- ing reclamation, have been completion his well is a water ling to the open. J/ 30 min. Information System Carlsbad D1/15/2015 (15JA0174SE) GULATORY ADVISOR | performing the stand sones and the stand shall be filed once eted, and the operator has all t | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for injection program. It will be ne water injection. Probably will additional layers with good sa 1. RIH & set CIBP @ +/-2337 2. Notify BLM/NMOCD of cas 3. RU pump truck, circulate w Denied due to I4. Thereby certify that the foregoing in Name (Printed/Typed) DAVID S | nally or recomplete horizontally, g ork will be performed or provide th doperations. If the operation resu boundomment Notices shall be filed final inspection.) 5-2387-2399' equests to temporarily aband water injection performance ecessary to identify what sai need to run Saturation logs aturation, in order to optimize 7', dump bail 4sx cmt to +/- 2 sing integrity test 24hrs in ad vell with treated water, press NOL 40 P is true and correct. Electronic Submission #25 For OXY USA I Committed to AFMSS for proc STEWART | ive subsurface locations and measure Bond No. on file with BLM/BIA Its in a multiple completion or reco- only after all requirements, includ to this well for two years. The before we continue with the ndstones layers are respondent to isolate watered layers or e the production. 1302' Ivance. Sure test casing to 500# for 3 CAA Submittee New State of the ressing by JAMES AMOS on (Title SR. RE | And the vertical depths of all A. Required subsequent properties pompletion in a new Hitely all of one ing reclamation, have been completion his well is the water and AMMOIL ART ART ART ART ART ART ART ART | perfinent/markers and zones and the direct variants of days in 9180-4 shall be filed once eted, and the operator has allows EESIA DISTRICT AN 2 2 2015 | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for injection program. It will be ne water injection. Probably will additional layers with good sa 1. RIH & set CIBP @ +/-2337 2. Notify BLM/NMOCD of cas 3. RU pump truck, circulate w Denied due to 14. I hereby certify that the foregoing is Name (Printed/Typed) DAVID S Signature (Electronic Denied | nally or recomplete horizontally, g ork will be performed or provide th doperations. If the operation resu boundomment Notices shall be filed final inspection.) 5-2387-2399' equests to temporarily aband water injection performance ecessary to identify what sai need to run Saturation logs aturation, in order to optimize 7', dump bail 4sx cmt to +/- 2 sing integrity test 24hrs in ad vell with treated water, press NOL 40 P is true and correct. Electronic Submission #25 For OXY USA I Committed to AFMSS for proc STEWART | ive subsurface locations and measure Bond No. on file with BLM/BI/ Its in a multiple completion or reconstruction only after all requirements, included on the set of the production. | And the vertical depths of all A. Required subsequent properties pompletion in a new Hitely all of one ing reclamation, have been completion his well is the water and AMMOIL ART ART ART ART ART ART ART ART | perfinent/markers and zones and the direct variants of days in 9180-4 shall be filed once eted, and the operator has allows EESIA DISTRICT AN 2 2 2015 | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for injection program. It will be ne water injection. Probably will additional layers with good sa 1. RIH & set CIBP @ +/-2337 2. Notify BLM/NMOCD of cas 3. RU pump truck, circulate w Denied due to 14. Thereby certify that the foregoing in Name (Printed/Typed) DAVID S Signature (Electronic Denied Approved By Conditions of approval, if any, are attached certify that the applicant folds legal or equilibrium of the set of the s | nally or recomplete horizontally, g ork will be performed or provide th do operations. If the operation resu boandonment Notices shall be filed final inspection.) 5-2387-2399' equests to temporarily aband water injection performance ecessary to identify what sai need to run Saturation logs aturation, in order to optimize 7', dump bail 4sx cmt to +/- 2 sing integrity test 24hrs in ad well with treated water, press NOL 40 P is true and correct. Electronic Submission #25 For OXY USA I Committed to AFMSS for proc STEWART Submission) THIS SPACE FOF | ive subsurface locations and measure Bond No. on file with BLM/BI/ Its in a multiple completion or reconstruction only after all requirements, included and the set of the production. and the produc | And the vertical depths of all A. Required subsequent properties pompletion in a new Hitely all of one ing reclamation, have been completion his well is the water and AMMOIL ART ART ART ART ART ART ART ART | perfinent inders and zones and the duration 30 days p 9180-4 shall be filed once eted, and the operator has additional the operator has additional the operator has additional the operator has additional the operator has a difference of the operator has a difference of the operator has a difference of the operator has a difference of the operator has a differenc | |
| If the proposal is to deepen direction Attach the Bond under which the wi following completion of the involve testing has been completed. Final A determined that the site is ready for TD-2790' PBTD-2740' Perfs OXY USA Inc. respectfully re currently being evaluated for injection program. It will be ne water injection. Probably will additional layers with good sa 1. RIH & set CIBP @ +/-2337 2. Notify BLM/NMOCD of cas 3. RU pump truck, circulate w Decied due to 14. I hereby certify that the foregoing in Name (Printed/Typed) DAVID S Signature (Electronic Decied By Conditions of approval, if my, are attached | nally or recomplete horizontally, g ork will be performed or provide th doperations. If the operation resu boundoment Notices shall be filed final inspection.) 5-2387-2399' equests to temporarily aband water injection performance ecessary to identify what sai need to run Saturation logs aturation, in order to optimize 7', dump bail 4sx cmt to +/- 2 sing integrity test 24hrs in ad well with treated water, press NOT 40 F is true and correct. Electronic Submission #25 For OXY USA 1 Committed to AFMSS for proc STEWART Submission) THIS SPACE FOF additional function of the solution of the solution in the solution of the solution of the solution of the solution of the | ive subsurface locations and measure Bond No. on file with BLM/BI/ Its in a multiple completion or recompletion or recompletion or recompletion or recompletion or recomplete and the set of the production. In this well for two years. The before we continue with the indistones layers are respondent to isolate watered layers or end the production. In this well for two years. The before we continue with the indistones layers are respondent to isolate watered layers or end the production. In this well for two years. The before we continue with the indistones layers are respondent to isolate watered layers or end the production. In the prod | ind and true vertical depths of all A. Required subsequent reports in pompletion in a new Hitely all of or- ing reclamation, have been completion his well is the water and and true vertical depths of all A. Required subsequent reports in A. Required and the angle and and true vertical depths of all A. Required and the angle A. NM OIL A. Required angle A. Requ | perfinent inders and zones and the definin 30 days p 9100-4 shall be filed once eted, and the operator has autors ECONSERVATION TESIA DISTRICT AN 2 2 2015 RECEIVED | |

.


Additional data for EC transaction #258241 that would not fit on the form

32. Additional remarks, continued

Above ground steel tanks will be utilized.

OXY USA Inc. - Proposed South Loco Hills Unit #20 API No. 30-015-03522

CIBP @ 2337' w/ 35' cmt




TD-2790'

8-1/2" hole @ 401' 7" csg @ 401' w/ 75sx-TOC-Surf-Circ

Perfs @ 2387-2399'

6-1/4" hole @ 2790' 4-1/2" csg @ 2778' w/ 175sx-TOC-833'-Calc

OXY USA Inc. - Current South Loco Hills Unit #20 API No. 30-015-03522



.

.