

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-015-41828 |
| 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No. |
| 7. Lease Name or Unit Agreement Name Boss Hogg 15 State Com |
| 8. Well Number 1H |
| 9. OGRID Number 6137 |
| 10. Pool name or Wildcat 30216 Hay Hollow, Bone Spring, North |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3327' |

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
DEVON ENERGY PRODUCTION COMPANY, LP.

3. Address of Operator
333 WEST SHERIDAN AVENUE, OKC, OK 73102

4. Well Location
 Unit Letter D : 175 feet from the North line and 660 feet from the West line
 Section 15 Township 23S Range 26E NMPM Lea County, New Mexico

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK PLUG AND ABANDON
 TEMPORARILY ABANDON CHANGE PLANS
 PULL OR ALTER CASING MULTIPLE COMPL
 DOWNHOLE COMMINGLE
 CLOSED-LOOP SYSTEM
 OTHER:

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ALTERING CASING
 COMMENCE DRILLING OPNS. P AND A
 CASING/CEMENT JOB
 OTHER: Drilling Operations

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

03/13/14

MIRU Butcher Rat Hole Services. Set 10' x 30" pipe w/ a lid on the Boss Hogg 15 State Com 1H. Cemented the 30" csg. 3' from the top & back filled it w/ dirt to the top. Drill time was 1 hour.

NM OIL CONSERVATION
 ARTESIA DISTRICT

Spud Date: **12.29.14**

Rig Release Date: **MAR 25 2015**

RECEIVED

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Erin Workman TITLE Regulatory Compliance Professional DATE 03.23.15

Type or print name Erin L. Workman E-mail address: Erin.workman@dvn.com PHONE: (405) 552-7970

For State Use Only
 APPROVED BY: [Signature] TITLE Director DATE 3/25/15

Conditions of Approval (if any):

* See Attached COA's



BRHAS.com
1(888) 400-6294



MARCH 13, 2015

DEVON

AMANDA GREENWOOD
Amanda.Greenwood@dvn.com

ON MARCH 13, 2015, WE SET 10' X 30" PIPE WITH A LID ON THE BOSS HOGG 15 STATE COM 1H.
WE CEMENTED THE 30" CASING 3' FROM THE TOP AND BACK FILLED IT WITH DIRT TO THE
TOP. DRILL TIME WAS 1 HOUR.

PLEASE LET ME KNOW IF YOU HAVE ANY QUESTIONS.

REGARDS,

LEE SELLERS
DRILLING SERVICES COORDINATOR

BRHAS.com

Kansas • New Mexico • North Dakota
Oklahoma • Pennsylvania • Texas

1 (888) 400-6294

Permit Conditions of Approval

API: 30-015-41828

| OCD Reviewer | Condition |
|-----------------|---|
| → CSHAPARD | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string. |