

Submit To Appropriate District Office Two Copies ARTESIA DISTRICT District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88211 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 RECEIVED		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		Form C-105 July 17, 2008	
		1. WELL API NO. 30-015-42558			
		2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN			
		3. State Oil & Gas Lease No. X0-0647-0405			
WELL COMPLETION OR RECOMPLETION REPORT AND LOG					
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name OUTLAW STATE [313568] 6. Well Number: #008	
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER					
8. Name of Operator Apache Corporation				9. OGRID 873	
10. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705				11. Pool name or Wildcat [96830] ARTESIA; GLORIETA-YESO (O)	
12. Location	Unit Ltr	Section	Township	Range	Lot
Surface:	O	29	17S	28E	
BH:					
13. Date Spudded 01/10/2015	14. Date T.D. Reached 01/15/2015	15. Date Rig Released 01/16/2015	16. Date Completed (Ready to Produce) 04/02/2015		17. Elevations (DF and RKB, RT. GR. etc.) 3709' GL
18. Total Measured Depth of Well 5026'		19. Plug Back Measured Depth 4980'		20. Was Directional Survey Made? YES	21. Type Electric and Other Logs Run HRLL-NGR-CNL-CL-BHCS
22. Producing Interval(s), of this completion - Top, Bottom, Name 3316-3615' Glorieta					
23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8.625	24#	423	11	1000 SX CLASS C	
5.5	17#	5023	7.875	850 SX CLASS C	
24. LINER RECORD			25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE
					2-7/8"
					3721'
26. Perforation record (interval, size, and number) Glorieta 3316'-3615' (1-JSPF - 30 HOLES)			27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.		
			DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED		
			3316-3615' 4032 GALS 15% ACID		
			3316 - 3615' 160,037 #. solid, 2390 BBL water		
28. PRODUCTION					
Date First Production 04/02/2015		Production Method (Flowing, gas lift, pumping - Size and type pump) PUMPING AMPSCOT 640-365-168		Well Status (Prod. or Shut-in) PRODUCING	
Date of Test 04/14/2015	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 205	Gas - MCF 165
				Water - Bbl. 377	Gas - Oil Ratio .0805
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.
					Oil Gravity - API - (Corr.)
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold					30. Test Witnessed By Apache Corp.
31. List Attachments Inclination Report, C-102, C-103, C-104 (Logs submitted)					
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.					
33. If an on-site burial was used at the well, report the exact location of the on-site burial:					
Latitude		Longitude		NAD 1927 1983	
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief					
Signature 		Printed Name Emily Follis		Title Reg Analyst I	
E-mail Address emily.follis@apachecorp.com				Date 4/21/15	

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 405'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 636'	T. Devonian	T. Cliff House	T. Leadville
T. Queen 1206	T. Silurian	T. Menefee	T. Madison
T. Grayburg 1628'	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 1963'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 3306'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock 3425'	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinébry 3777'	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Rustler	T. Entrada	
T. Wolfcamp	T. Tansill	T. Wingate	
T. Penn	T. YESO 3348'	T. Chinle	
T. Cisco (Bough C)	T. Bowers-SS - 982'	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....

No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

Apache Corporation
303 Veterans Airpark Lane, #3000
Midland, TX 79705


Outlaw State #8
Eddy County, New Mexico

API # 3005-42558
Sec. 29 0-990 FSL + 2310 FEL
175 + 28E Eddy Co.

428	4.28	0.20	0.35	1.50	1.50
647	2.19	0.20	0.35	0.77	2.26
837	1.90	0.20	0.35	0.67	2.93
1081	2.44	0.30	0.53	1.28	4.21
1279	1.98	0.10	0.18	0.35	4.56
1531	2.52	0.50	0.88	2.21	6.76
1751	2.20	0.80	1.40	3.08	9.84
2099	3.48	0.50	0.88	3.05	12.89
2298	1.99	0.70	1.23	2.44	15.32
2477	1.79	0.70	1.23	2.19	17.52
2698	2.21	0.70	1.23	2.71	20.22
3105	4.07	0.50	0.88	3.56	23.79
3299	1.94	0.10	0.18	0.34	24.13
3520	2.21	0.30	0.53	1.16	25.29
3772	2.52	0.10	0.18	0.44	25.73
3995	2.23	0.10	0.18	0.39	26.12
4218	2.23	0.20	0.35	0.78	26.90
4697	4.79	0.80	1.40	6.71	33.60
5023	3.26	1.10	1.93	6.28	39.88


NM OIL CONSERVATION
ARTESIA DISTRICT
APR 24 2015


RECEIVED



Archie Brown - General Manager

The attached instrument was acknowledged before me on the 2th day of January, 2015
by Archie Brown - General Manager, CapStar Drilling, Inc.


Notary Public



NM OIL CONSERVATION

ARTESIA DISTRICT

Form C-102

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240
Phone (575) 393-8161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, NM 88210
Phone (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone (505) 334-8178 Fax: (505) 334-8170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources Department

APR 24 2015

Revised August 1, 2011

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-42558	Pool Code 96830	Pool Name Artesia Gloria-Yeso (O)
Property Code 313568	Property Name OUTLAW STATE	Well Number 8
OGRID No. 873	Operator Name APACHE CORPORATION	Elevation 3709

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	SOUTH/South line	Feet from the	East/WEST LINE	County
0	29	17 S	28 E		990	SOUTH	2310	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	SOUTH/South line	Feet from the	East/WEST LINE	County

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
40			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

Lat - N 32.812407° Long - W 104.206286° NMSPC- N.: 659309.7 E.: 580369.4 (NAD83) Lat - N 32.812292° Long - W 104.205773° NMSPC- N.: 659246.7 E.: 539190.3 (NAD27) Lat - N 32.805133° Long - W 104.206361° NMSPC- N.: 656663.4 E.: 580349.5 (NAD83) Lat - N 32.805018° Long - W 104.205848° NMSPC- N.: 656600.4 E.: 539170.4 (NAD27)	Lat - N 32.812382° Long - W 104.197769° NMSPC- N.: 659304.1 E.: 582986.2 (NAD83) Lat - N 32.812267° Long - W 104.197257° NMSPC- N.: 659241.1 E.: 541807.1 (NAD27) Lat - N 32.805220° Long - W 104.189361° NMSPC- N.: 656701.8 E.: 585572.7 (NAD83) Lat - N 32.805105° Long - W 104.188845° NMSPC- N.: 656638.8 E.: 544393.6 (NAD27)	Lat - N 32.812355° Long - W 104.189253° NMSPC- N.: 659297.4 E.: 585602.3 (NAD83) Lat - N 32.812240° Long - W 104.188741° NMSPC- N.: 659234.3 E.: 544423.2 (NAD27)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Emily Follis</i> 4/21/15 Signature Date <i>Emily Follis</i> Printed Name <i>emily.follis@apachecorp.com</i> Email Address
SURFACE LOCATION Lat - N 32.800704° Long - W 104.196938° NMSPC- N.: 655055.7 E.: 583247.0 (NAD83) Lat - N 32.800589° Long - W 104.196426° NMSPC- N.: 654992.7 E.: 542067.9 (NAD27)			SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief. MAY 11 2015 Date Surveyed <i>[Signature]</i> Signature of Professional Surveyor Certificate No. 7977 Basin Survey
Lat - N 32.797859° Long - W 104.206430° NMSPC- N.: 654017.1 E.: 580331.7 (NAD83) Lat - N 32.797744° Long - W 104.205918° NMSPC- N.: 653954.1 E.: 539152.5 (NAD27) Lat - N 32.797970° Long - W 104.197938° NMSPC- N.: 654060.6 E.: 582941.7 (NAD83) Lat - N 32.797855° Long - W 104.197424° NMSPC- N.: 653997.6 E.: 541762.5 (NAD27)			0' 500' 1000' 1500' 2000' SCALE: 1" = 1000' WO Num.: 30204