

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM012121

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
891005247X

8. Well Name and No.
COTTON DRAW UNIT 203H

9. API Well No.
30-015-41847-00-X1

10. Field and Pool, or Exploratory
PADUCA

11. County or Parish, and State
EDDY COUNTY, NM

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator Contact: SCOTT SANKEY
DEVON ENERGY PRODUCTION CO EMail: msankey@gmail.com

3a. Address 333 WEST SHERIDAN AVE
OKLAHOMA CITY, OK 73102
3b. Phone No. (include area code)
Ph: 512-779-3991

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 26 T24S R31E SESW 0150FSL 1360FWL
32.181487 N Lat, 103.752720 W Lon

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Surface Disturbance
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

To lay two buried 4" fiber flex flow lines from the Cotton Draw Unit #203H and #204H wells located in the NE/4NW/4 of Section 35, T24S-R31E to connect to the Cotton Draw Unit #167 Battery located in the SE/4SW/4 of Section 36, T24S-R31E.

These flow lines are expected to carry 700 BOPD, 700 MCFPD, and 1500 BWPD at 125 PSI each
The spacing for the flow lines is 30 feet wide by 10,531.69 feet (638.29 rods), containing 7.253 acres.

See attached plat #2689.

NM OIL CONSERVATION
ARTESIA DISTRICT

MAY 11 2015

RECEIVED

Accepted for record

820 181000 5/14/15

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #242663 verified by the BLM Well Information System
For DEVON ENERGY PRODUCTION CO LP, sent to the Hobbs
Committed to AFMSS for processing by LINDA JIMENEZ on 06/10/2014 (14LJ0219SE)

Name (Printed/Typed) SCOTT SANKEY

Title AUTHORIZED AGENT

Signature (Electronic Submission)

Date 04/18/2014

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

RS/STEPHEN J. CAFFEY

Title

MAY 7 2015

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.


Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

2-4" FIBER FLEX BURIED PRODUCTION FLOW LINES FROM THE COTTON DRAW UNIT #203H & #204H WELLS TO THE COTTON DRAW UNIT #167 CENTRAL BATTERY

DEVON ENERGY PRODUCTION COMPANY, L.P.
 CENTERLINE SURVEY OF A PIPELINE CROSSING
 SECTION 35, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M.
 EDDY COUNTY, STATE OF NEW MEXICO
 FEBRUARY 11, 2014



DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 35, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NE/4 NW/4 OF SAID SECTION 35, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M., WHENCE THE NORTH QUARTER CORNER OF SAID SECTION 35, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M. BEARS N88°12'38"E, A DISTANCE OF 1074.84 FEET;
 THENCE S00°03'34"W A DISTANCE OF 361.82 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
 THENCE S89°56'26"E A DISTANCE OF 2609.98 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
 THENCE S39°44'56"E, A DISTANCE OF 600.03 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
 THENCE S88°57'20"E A DISTANCE OF 726.02 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHEAST CORNER OF SAID SECTION 35, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M. BEARS N00°09'55"W, A DISTANCE OF 889.68 FEET;

SAID STRIP OF LAND BEING 4297.85 FEET OR 260.48 RODS IN LENGTH, CONTAINING 2.960 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NE/4 NW/4	1437.53 L.F.	87.12 RODS	0.990 ACRES
NW/4 NE/4	1321.24 L.F.	80.08 RODS	0.910 ACRES
NE/4 NE/4	1539.08 L.F.	93.28 RODS	1.060 ACRES

SURVEYOR CERTIFICATE

I, FILMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAN MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD, NEW MEXICO, THIS 12 DAY OF FEBRUARY 2014

FILMON F. JARAMILLO S.S. 12797
 MADRON SURVEYING, INC.
 301 SOUTH CANAL
 CARLSBAD, NEW MEXICO 88220
 Phone (575) 234-3341

GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.


2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES.

SHEET: 1-4

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO SURVEY NO. 2689

2-4" FIBER FLEX BURIED PRODUCTION FLOW LINES FROM THE COTTON DRAW UNIT #203H & #204H WELLS TO THE COTTON DRAW UNIT #167 CENTRAL BATTERY

DEVON ENERGY PRODUCTION COMPANY, L.P.
 CENTERLINE SURVEY OF A PIPELINE CROSSING
 SECTION 36, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M.
 EDDY COUNTY, STATE OF NEW MEXICO
 FEBRUARY 11, 2014



DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 36, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NW/4 NW/4 OF SAID SECTION 36, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M., WHENCE THE NORTHWEST CORNER OF SAID SECTION 36, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M. BEARS N00°09'55"W, A DISTANCE OF 889.68 FEET;
 THENCE S88°57'20"E A DISTANCE OF 457.30 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
 THENCE N88°32'20"E A DISTANCE OF 1271.08 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
 THENCE S89°59'35"E A DISTANCE OF 316.72 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
 THENCE S00°01'00"W A DISTANCE OF 3872.53 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
 THENCE S88°13'35"E A DISTANCE OF 98.81 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
 THENCE S81°25'38"E A DISTANCE OF 202.40 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
 THENCE S02°43'55"W A DISTANCE OF 15.00 FEET TO THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTH QUARTER CORNER OF SAID SECTION 36, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M. BEARS S34°43'12"E, A DISTANCE OF 562.17 FEET;

SAID STRIP OF LAND BEING 6233.84 FEET OR 377.81 RODS IN LENGTH, CONTAINING 4.293 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NW/4 NW/4	1321.64 L.F.	80.10 RODS	0.910 ACRES
NE/4 NW/4	1166.39 L.F.	70.69 RODS	0.803 ACRES
SE/4 NW/4	1320.76 L.F.	80.05 RODS	0.910 ACRES
NE/4 SW/4	1309.57 L.F.	79.37 RODS	0.902 ACRES
SE/4 SW/4	1115.48 L.F.	67.60 RODS	0.768 ACRES

SURVEYOR CERTIFICATE

I, FILMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY; THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO, THIS 11TH DAY OF FEBRUARY 2014

MADRON SURVEYING, INC.
 301 SOUTH CANAL
 CARLSBAD, NEW MEXICO 88220
 Phone (575) 234-3341

GENERAL NOTES

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES.


SHEET: 2-4

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO (575) 234-3341

SURVEY NO. 2689

2-4" FIBER FLEX BURIED PRODUCTION FLOW LINES FROM THE COTTON DRAW UNIT #203H & #204H WELLS TO THE COTTON DRAW UNIT #167 CENTRAL BATTERY

DEVON ENERGY PRODUCTION COMPANY, L.P.
CENTERLINE SURVEY OF A PIPELINE CROSSING
SECTION 35, 36, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO
FEBRUARY 11, 2014



SHEET: 3-4

MADRON SURVEYING, INC.


301 SOUTH CANAL
(575) 234-3341

CARLSBAD, NEW MEXICO

SURVEY NO. 2689

2-4" FIBER FLEX BURIED PRODUCTION FLOW LINES FROM THE COTTON DRAW UNIT #203H & #204H WELLS TO THE COTTON DRAW UNIT #167 CENTRAL BATTERY

DEVON ENERGY PRODUCTION COMPANY, L.P.
CENTERLINE SURVEY OF A PIPELINE CROSSING
SECTION 35, 36, TOWNSHIP 24 SOUTH, RANGE 31 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO
FEBRUARY 11, 2014



SHEET: 4-4

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO (975) 234-3347

SURVEY NO. 2689