

RANGER DIRECTIONAL SERVICES

State of: New Mexico
County of: Eddy

I, Corey Paul, an authorized employee of **Ranger Directional Services** have verified the MWD Survey: 07/03/15 through 7/15/15, from a measured depth of 7907 feet to the depth of 12945 feet. The data is true, correct, and complete and within the limitations of the tool set forth by **Ranger Directional Services**. This survey was conducted at the request of RKI Exploration for the Pecos State Federal 22-5H API No. 083-24380 well drilled in Eddy County, State of New Mexico. This report conforms to the principles and procedures as set forth by **Ranger Directional Services**.


Corey Paul
MWD Coordinator
Ranger Directional Services

9724 NW 6th Street • OKLAHOMA CITY, OK 73127
(405) 418-2825 OFFICE

Operator / Customer:	RKI Exploration & Production LLC	Date:	14-Jul-15
Well Name and No.:	East Pecos State 22-5H	MWD Operator:	Ranger Directional
County, State:	Eddy Co, New Mexico	Hole Size:	8 3/4
Drlg. Contractor:	Silver Oak 14	Location:	22-26S-29E
Field or Block No.:	East Pecos	Survey Reference:	Grid North
API No.:	30-015-42270	Declination:	7.08°
Permit No (AFE):		Job No.:	RDS 15-020

Target Coordinates			Final Survey Closure	
TVD	N / -S	E / -W	Distance	Azimuth
8,599.00'	4,799.90'	-52.70'	13,162.10'	359.37°

Tie-In Survey: Ranger Directional						Sectional Method Survey Calculations				Rates / 100' M.D.	
Surveying Company: Ranger Directional						Proposed Azimuth: 359.37°				Build or	R or -L
Sur. No.	M.D.	INCL.	AZM.	TVD	N / -S	E / -W	SECT.	DLS / 100'			Turn
TIE - IN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	100.00	1.70	182.90	99.99	-1.48	-0.08	-1.48	1.70	1.70	182.90	
2	200.00	1.60	178.80	199.94	-4.36	-0.12	-4.36	0.15	-0.10	-4.10	
3	300.00	1.20	179.20	299.91	-6.80	-0.08	-6.80	0.40	-0.40	0.40	
4	400.00	1.10	174.30	399.89	-8.80	0.03	-8.80	0.14	-0.10	-4.90	
5	500.00	1.10	159.80	499.88	-10.66	0.46	-10.66	0.28	0.00	-14.50	
6	600.00	1.50	142.00	599.85	-12.59	1.60	-12.61	0.56	0.40	-17.80	
7	700.00	1.50	139.20	699.82	-14.61	3.26	-14.65	0.07	0.00	-2.80	
8	800.00	1.40	132.50	799.78	-16.43	5.01	-16.48	0.20	-0.10	-6.70	
9	900.00	1.40	135.70	899.75	-18.13	6.77	-18.20	0.08	0.00	3.20	
10	1000.00	1.60	134.40	999.72	-19.98	8.62	-20.07	0.20	0.20	-1.30	
11	1100.00	1.40	127.40	1099.69	-21.70	10.59	-21.81	0.27	-0.20	-7.00	
12	1200.00	1.50	128.10	1199.65	-23.25	12.59	-23.39	0.10	0.10	0.70	
13	1300.00	1.10	140.60	1299.63	-24.80	14.23	-24.95	0.49	-0.40	12.50	
14	1400.00	0.90	120.80	1399.61	-25.94	15.51	-26.11	0.40	-0.20	-19.80	
15	1500.00	0.90	146.30	1499.60	-27.00	16.62	-27.18	0.40	0.00	25.50	
16	1600.00	0.70	176.50	1599.59	-28.26	17.09	-28.45	0.46	-0.20	30.20	
17	1700.00	0.80	195.70	1699.58	-29.54	16.94	-29.73	0.27	0.10	19.20	
18	1800.00	0.80	227.40	1799.57	-30.69	16.24	-30.86	0.44	0.00	31.70	
19	1900.00	1.00	221.10	1899.56	-31.82	15.15	-31.98	0.22	0.20	-6.30	
20	2000.00	0.70	207.90	1999.55	-33.01	14.29	-33.17	0.36	-0.30	-13.20	
21	2100.00	0.90	208.80	2099.54	-34.24	13.63	-34.39	0.20	0.20	0.90	
22	2200.00	0.90	143.30	2199.53	-35.56	13.72	-35.71	0.97	0.00	-65.50	
23	2300.00	3.30	104.70	2299.46	-36.92	16.97	-37.11	2.66	2.40	-38.60	
24	2400.00	3.20	109.40	2399.30	-38.58	22.39	-38.82	0.28	-0.10	4.70	
25	2500.00	4.20	103.66	2499.09	-40.37	28.58	-40.68	1.07	1.00	-5.74	
26	2600.00	5.60	103.30	2598.72	-42.36	36.89	-42.76	1.40	1.40	-0.36	
27	2700.00	5.60	99.60	2698.24	-44.29	46.45	-44.80	0.36	0.00	-3.70	
28	2800.00	4.40	96.30	2797.86	-45.53	55.07	-46.13	1.23	-1.20	-3.30	
29	2850.00	3.60	98.30	2847.74	-45.97	58.53	-46.61	1.62	-1.60	4.00	
30	2938.00	2.60	95.90	2935.61	-46.57	63.25	-47.26	1.15	-1.14	-2.73	
21	3032.00	0.60	309.00	3029.58	-46.48	64.99	-47.19	3.32	-2.13	226.70	
22	3126.00	0.50	170.20	3123.58	-46.57	64.68	-47.28	1.10	-0.11	-147.66	
23	3221.00	0.30	34.20	3218.58	-46.78	64.89	-47.49	0.78	-0.21	-143.16	
24	3316.00	0.40	254.00	3313.58	-46.66	64.71	-47.37	0.69	0.11	231.37	
25	3409.00	0.30	82.10	3406.58	-46.72	64.64	-47.43	0.75	-0.11	-184.84	
26	3597.00	0.20	122.30	3594.58	-46.83	65.40	-47.54	0.10	-0.05	21.38	
27	3789.00	0.40	216.00	3786.57	-47.55	65.29	-48.26	0.24	0.10	48.80	
28	3977.00	0.50	303.00	3974.57	-47.63	64.22	-48.33	0.33	0.05	46.28	
29	4165.00	0.50	43.40	4162.57	-46.59	64.09	-47.29	0.41	0.00	53.40	
30	4352.00	0.60	281.50	4349.56	-45.80	63.69	-46.50	0.51	0.05	-65.19	
31	4511.00	0.40	235.70	4508.56	-45.95	62.42	-46.63	0.27	-0.13	-28.81	
32	4669.00	0.50	6.00	4666.55	-45.57	62.04	-46.25	0.52	0.06	-145.38	
33	4858.00	0.40	49.00	4855.55	-44.32	62.62	-45.01	0.18	-0.05	22.75	

Operator / Customer: RKI Exploration & Production LLC						Date: 14-Jul-15																				
Well Name and No.: East Pecos State 22-5H						MWD Operator: Ranger Directional																				
County, State: Eddy Co, New Mexico						Hole Size: 8 3/4																				
Drlg. Contractor: Silver Oak 14						Location: 22-26S-29E																				
Field or Block No.: East Pecos						Survey Reference: Grid North																				
API No.: 30-015-42270						Declination: 7.08°																				
Permit No (AFE):						Job No.: RDS 15-020																				
<table><tr><td colspan="3">Target Coordinates</td><td colspan="2">Final Survey Closure</td></tr><tr><td>TVD</td><td>N / -S</td><td>E / -W</td><td>Distance</td><td>Azimuth</td></tr><tr><td>8,599.00'</td><td>4,799.90'</td><td>-52.70'</td><td>13,162.10'</td><td>359.37°</td></tr></table>												Target Coordinates			Final Survey Closure		TVD	N / -S	E / -W	Distance	Azimuth	8,599.00'	4,799.90'	-52.70'	13,162.10'	359.37°
Target Coordinates			Final Survey Closure																							
TVD	N / -S	E / -W	Distance	Azimuth																						
8,599.00'	4,799.90'	-52.70'	13,162.10'	359.37°																						
Tie-In Survey: Ranger Directional						Sectional Method Survey Calculations				Rates / 100' M.D.																
Surveying Company: Ranger Directional						Proposed Azimuth: 359.37°				Build or	R or -L															
Sur. No.	M.D.	INCL.	AZM.	TVD	N / -S	E / -W	SECT.	DLS / 100'		Turn																
TIE - IN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00																
34	5049.00	0.40	113.80	5046.55	-44.15	63.73	-44.85	0.22	0.00	33.93																
35	5269.00	0.20	45.50	5266.54	-44.19	64.71	-44.90	0.17	-0.09	-31.05																
36	5460.00	0.10	49.70	5457.54	-43.85	65.07	-44.56	0.05	-0.05	2.20																
37	5649.00	0.20	137.10	5646.54	-43.99	65.42	-44.70	0.12	0.05	46.24																
38	5841.00	0.10	211.10	5838.54	-44.37	65.57	-45.09	0.10	-0.05	38.54																
39	6030.00	0.10	342.10	6027.54	-44.36	65.43	-45.08	0.10	0.00	69.31																
40	6249.00	0.10	74.40	6246.54	-44.13	65.56	-44.84	0.07	0.00	42.15																
41	6439.00	0.20	82.10	6436.54	-44.04	66.04	-44.76	0.05	0.05	4.05																
42	6627.00	0.20	8.20	6624.54	-43.67	66.42	-44.39	0.13	0.00	-39.31																
43	6817.00	0.40	89.90	6814.54	-43.34	67.13	-44.07	0.22	0.11	43.00																
44	7009.00	0.30	263.30	7006.54	-43.39	67.30	-44.13	0.36	-0.05	90.31																
45	7189.00	0.40	175.10	7186.53	-44.07	66.88	-44.81	0.27	0.06	-49.00																
46	7387.00	0.50	193.40	7384.53	-45.60	66.74	-46.33	0.09	0.05	9.24																
47	7578.00	0.50	263.90	7575.52	-46.50	65.72	-47.22	0.30	0.00	36.91																
48	7767.00	0.10	153.30	7764.52	-46.74	64.97	-47.45	0.29	-0.21	-58.52																
49	7885.00	0.20	282.90	7882.52	-46.78	64.82	-47.49	0.23	0.08	109.83																
50	7907.00	0.40	264.70	7904.52	-46.78	64.71	-47.49	1.00	0.91	-82.73																
51	7926.00	0.30	250.80	7923.52	-46.80	64.59	-47.51	0.69	-0.53	-73.16																
52	7958.00	1.10	329.60	7955.52	-46.57	64.36	-47.27	3.38	2.50	246.25																
53	7990.00	3.60	340.60	7987.49	-45.35	63.87	-46.05	7.90	7.81	34.38																
54	8021.00	6.20	348.40	8018.37	-42.80	63.21	-43.49	8.64	8.39	25.16																
55	8053.00	9.10	354.60	8050.08	-38.58	62.62	-39.27	9.41	9.06	19.38																
56	8084.00	12.00	356.90	8080.56	-32.92	62.22	-33.61	9.45	9.35	7.42																
57	8116.00	14.50	357.30	8111.70	-25.60	61.85	-26.28	7.82	7.81	1.25																
58	8147.00	17.10	357.80	8141.53	-17.17	61.49	-17.84	8.40	8.39	1.61																
59	8179.00	19.60	358.30	8171.90	-7.10	61.15	-7.77	7.83	7.81	1.56																
60	8211.00	22.50	358.70	8201.76	4.39	60.85	3.72	9.07	9.06	1.25																
61	8242.00	25.20	359.00	8230.11	16.92	60.60	16.25	8.72	8.71	0.97																
62	8274.00	27.90	359.00	8258.73	31.22	60.35	30.55	8.44	8.44	0.00																
63	8306.00	30.30	357.20	8286.69	46.77	59.83	46.11	7.98	7.50	-5.63																
64	8338.00	32.00	355.60	8314.08	63.29	58.78	62.64	5.91	5.31	-5.00																
65	8369.00	34.50	355.40	8340.00	80.23	57.45	79.60	8.07	8.06	-0.65																
66	8400.00	37.80	355.10	8365.03	98.45	55.93	97.83	10.66	10.65	-0.97																
67	8432.00	41.10	355.20	8389.74	118.71	54.22	118.11	10.31	10.31	0.31																
68	8463.00	44.60	355.70	8412.46	139.72	52.55	139.14	11.34	11.29	1.61																
69	8495.00	48.00	356.00	8434.56	162.80	50.87	162.23	10.65	10.63	0.94																
70	8527.00	51.90	356.10	8455.15	187.23	49.19	186.68	12.19	12.19	0.31																
71	8558.00	55.20	356.00	8473.57	212.10	47.47	211.57	10.65	10.65	-0.32																
72	8590.00	57.20	355.00	8491.37	238.61	45.38	238.09	6.77	6.25	-3.13																
73	8622.00	59.10	354.50	8508.25	265.67	42.89	265.19	6.08	5.94	-1.56																
74	8653.00	61.50	354.20	8523.61	292.47	40.24	292.01	7.79	7.74	-0.97																
75	8685.00	63.70	354.30	8538.34	320.73	37.39	320.30	6.88	6.88	0.31																
76	8717.00	65.50	354.20	8552.06	349.49	34.50	349.09	5.63	5.62	-0.31																

Operator / Customer: RKI Exploration & Production LLC						Date: 14-Jul-15																				
Well Name and No.: East Pecos State 22-5H						MWD Operator: Ranger Directional																				
County, State: Eddy Co, New Mexico						Hole Size: 8 3/4																				
Drlg. Contractor: Silver Oak 14						Location: 22-26S-29E																				
Field or Block No.: East Pecos						Survey Reference: Grid North																				
API No.: 30-015-42270						Declination: 7.08°																				
Permit No (AFE):						Job No.: RDS 15-020																				
<table><tr><td colspan="3">Target Coordinates</td><td colspan="2">Final Survey Closure</td></tr><tr><td>TVD</td><td>N / -S</td><td>E / -W</td><td>Distance</td><td>Azimuth</td></tr><tr><td>8,599.00'</td><td>4,799.90'</td><td>-52.70'</td><td>13,162.10'</td><td>359.37°</td></tr></table>												Target Coordinates			Final Survey Closure		TVD	N / -S	E / -W	Distance	Azimuth	8,599.00'	4,799.90'	-52.70'	13,162.10'	359.37°
Target Coordinates			Final Survey Closure																							
TVD	N / -S	E / -W	Distance	Azimuth																						
8,599.00'	4,799.90'	-52.70'	13,162.10'	359.37°																						
Tie-In Survey: Ranger Directional						Sectional Method Survey Calculations				Rates / 100' M.D.																
Surveying Company: Ranger Directional						Proposed Azimuth: 359.37°				Build or	R or -L															
Sur. No.	M.D.	INCL.	AZM.	TVD	N / -S	E / -W	SECT.	DLS / 100'		Turn																
TIE - IN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00																
77	8748.00	67.60	354.10	8564.40	377.78	31.60	377.41	6.78	6.77	-0.32																
78	8780.00	69.20	354.30	8576.18	407.38	28.59	407.05	5.03	5.00	0.62																
79	8812.00	70.00	354.70	8587.33	437.24	25.72	436.93	2.76	2.50	1.25																
80	8844.00	71.60	355.50	8597.85	467.35	23.14	467.06	5.53	5.00	2.50																
81	8875.00	73.70	356.20	8607.10	496.86	21.00	496.60	7.11	6.77	2.26																
82	8907.00	76.00	356.60	8615.46	527.68	19.06	527.44	7.29	7.19	1.25																
83	8925.00	76.90	357.80	8619.68	545.16	18.21	544.93	8.19	5.00	6.67																
84	8957.00	78.50	357.50	8626.50	576.40	16.92	576.18	5.08	5.00	-0.94																
85	8986.00	79.90	357.50	8631.93	604.86	15.68	604.65	4.83	4.83	0.00																
86	9018.00	81.30	357.50	8637.16	636.40	14.30	636.20	4.38	4.37	0.00																
87	9050.00	82.40	357.50	8641.69	668.04	12.92	667.86	3.44	3.44	0.00																
88	9081.00	85.00	357.30	8645.09	698.82	11.52	698.65	8.41	8.39	-0.65																
89	9113.00	87.10	357.40	8647.30	730.71	10.05	730.55	6.57	6.56	0.31																
90	9144.00	89.90	357.90	8648.11	761.67	8.78	761.53	9.18	9.03	1.61																
91	9176.00	90.80	358.20	8647.91	793.65	7.69	793.52	2.96	2.81	0.94																
92	9207.00	91.30	358.30	8647.35	824.63	6.74	824.51	1.64	1.61	0.32																
93	9239.00	91.80	358.30	8646.48	856.60	5.79	856.49	1.56	1.56	0.00																
94	9271.00	92.10	358.20	8645.39	888.57	4.82	888.46	0.99	0.94	-0.31																
95	9303.00	92.20	358.10	8644.19	920.53	3.78	920.43	0.44	0.31	-0.31																
96	9334.00	92.60	357.90	8642.89	951.48	2.70	951.40	1.44	1.29	-0.65																
97	9430.00	92.10	357.90	8638.96	1047.34	-0.81	1047.28	0.52	-0.52	0.00																
98	9524.00	92.60	358.90	8635.10	1141.22	-3.43	1141.19	1.19	0.53	1.06																
99	9619.00	91.60	359.60	8631.62	1236.15	-4.68	1236.13	1.28	-1.05	0.74																
100	9714.00	91.00	0.20	8629.47	1331.12	-4.84	1331.10	0.89	-0.63	0.63																
101	9810.00	92.30	0.20	8626.70	1427.08	-4.51	1427.04	1.35	1.35	0.00																
102	9904.00	90.40	0.30	8624.49	1521.05	-4.10	1521.00	2.02	-2.02	0.11																
103	10000.00	91.00	0.00	8623.31	1617.04	-3.85	1616.99	0.70	0.62	-0.31																
104	10095.00	90.20	0.00	8622.32	1712.04	-3.85	1711.97	0.84	-0.84	0.00																
105	10190.00	90.70	0.00	8621.57	1807.03	-3.85	1806.97	0.53	0.53	0.00																
106	10287.00	88.60	358.60	8622.17	1904.02	-5.03	1903.96	2.60	-2.16	-1.44																
107	10382.00	88.80	358.30	8624.32	1998.96	-7.60	1998.92	0.38	0.21	-0.32																
108	10477.00	89.70	358.20	8625.56	2093.90	-10.50	2093.89	0.95	0.95	-0.11																
109	10572.00	89.80	357.70	8625.98	2188.84	-13.90	2188.86	0.54	0.11	-0.53																
110	10668.00	90.50	357.70	8625.73	2284.76	-17.75	2284.82	0.73	0.73	0.00																
111	10762.00	88.10	358.20	8626.88	2378.69	-21.11	2378.78	2.61	-2.55	0.53																
112	10857.00	89.00	359.40	8629.28	2473.63	-23.10	2473.74	1.58	0.95	1.26																
113	10952.00	89.40	359.40	8630.61	2568.62	-24.10	2568.73	0.42	0.42	0.00																
114	11046.00	89.80	359.70	8631.26	2662.61	-24.83	2662.73	0.53	0.43	0.32																
115	11141.00	91.10	0.00	8630.52	2757.61	-25.08	2757.72	1.40	1.37	0.32																
116	11237.00	92.40	0.10	8627.58	2853.56	-25.00	2853.66	1.36	1.35	0.10																
117	11332.00	90.40	359.60	8625.26	2948.53	-25.25	2948.63	2.17	-2.11	-0.53																
118	11426.00	91.00	359.40	8624.12	3042.52	-26.07	3042.62	0.67	0.64	-0.21																
119	11522.00	92.40	359.20	8621.27	3138.46	-27.24	3138.57	1.47	1.46	-0.21																

Operator / Customer:	RKI Exploration & Production LLC	Date:	14-Jul-15
Well Name and No.:	East Pecos State 22-5H	MWD Operator:	Ranger Directional
County, State:	Eddy Co, New Mexico	Hole Size:	8 3/4
Drlg. Contractor:	Silver Oak 14	Location:	22-26S-29E
Field or Block No.:	East Pecos	Survey Reference:	Grid North
API No.:	30-015-42270	Declination:	7.08°
Permit No (AFE):		Job No.:	RDS 15-020

Target Coordinates			Final Survey Closure	
TVD	N / -S	E / -W	Distance	Azimuth
8,599.00'	4,799.90'	-52.70'	13,162.10'	359.37°

Tie-In Survey: Ranger Directional						Sectional Method Survey Calculations			Rates / 100' M.D.	
Surveying Company: Ranger Directional						Proposed Azimuth: 359.37°			Build or	R or -L
Sur. No.	M.D.	INCL.	AZM.	TVD	N / -S	E / -W	SECT.	DLS / 100'		Turn
TIE - IN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
120	11616.00	89.70	0.20	8619.54	3232.44	-27.73	3232.55	3.06	-2.87	1.06
121	11711.00	89.90	0.70	8619.88	3327.43	-26.99	3327.53	0.57	0.21	0.53
122	11806.00	92.40	1.60	8617.97	3422.39	-25.08	3422.46	2.80	2.63	0.95
123	11901.00	92.40	1.30	8613.99	3517.27	-22.68	3517.31	0.32	0.00	-0.32
124	11996.00	91.10	1.40	8611.09	3612.20	-20.44	3612.21	1.37	-1.37	0.11
125	12091.00	89.60	1.30	8610.51	3707.17	-18.20	3707.15	1.58	-1.58	-0.11
126	12186.00	89.50	359.60	8611.26	3802.16	-17.46	3802.12	1.79	-0.11	-1.79
127	12280.00	88.40	359.50	8612.98	3896.14	-18.20	3896.10	1.18	-1.17	-0.11
128	12375.00	88.70	0.20	8615.38	3991.11	-18.44	3991.07	0.80	0.32	0.74
129	12470.00	90.20	0.60	8616.29	4086.10	-17.78	4086.05	1.63	1.58	0.42
130	12565.00	89.10	0.10	8616.88	4181.09	-17.20	4181.03	1.27	-1.16	-0.53
131	12660.00	89.60	359.40	8617.95	4276.09	-17.62	4276.02	0.91	0.53	-0.74
132	12755.00	90.20	358.60	8618.12	4371.07	-19.27	4371.02	1.05	0.63	-0.84
133	12851.00	89.50	357.30	8618.37	4467.01	-22.71	4466.99	1.54	-0.73	-1.35
134	12945.00	89.00	356.70	8619.60	4560.87	-27.63	4560.90	0.83	-0.53	-0.64
PTB	13031.00	89.00	356.70	8621.10	4646.71	-32.58	4646.79	0.00	0.00	0.00

Operator / Customer:					RKI Exploration & Production LLC					Date:					14-Jul-15																																				
Well Name and No.:					East Pecos State 22-5H					MWD Operator:					Ranger Directional																																				
County, State:					Eddy Co, New Mexico					Hole Size:					8 3/4																																				
Drlg. Contractor:					Silver Oak 14					Location:					22-26S-29E																																				
Field or Block No.:					East Pecos					Survey Reference:					Grid North																																				
API No.:					30-015-42270					Declination:					7.08°																																				
Permit No (AFE):										Job No.:					RDS 15-020																																				
<table><tr><th colspan="5">Target Coordinates</th><th colspan="5">Final Survey Closure</th></tr><tr><td colspan="2">TVD</td><td colspan="2">N / -S</td><td colspan="2">E / -W</td><td colspan="2">Distance</td><td colspan="3">Azimuth</td></tr><tr><td colspan="2">8,599.00'</td><td colspan="2">4,799.90'</td><td colspan="2">-52.70'</td><td colspan="2">13,162.10'</td><td colspan="3">359.37°</td></tr></table>																				Target Coordinates					Final Survey Closure					TVD		N / -S		E / -W		Distance		Azimuth			8,599.00'		4,799.90'		-52.70'		13,162.10'		359.37°		
Target Coordinates					Final Survey Closure																																														
TVD		N / -S		E / -W		Distance		Azimuth																																											
8,599.00'		4,799.90'		-52.70'		13,162.10'		359.37°																																											
Tie-In Survey:		Ranger Directional								Sectional Method Survey Calculations							Rates / 100' M.D.																																		
Surveying Company:		Ranger Directional								Proposed Azimuth: 359.37°							Build or		R or -L Turn																																
Sur. No.		M.D.		INCL.		AZM.		TVD		N / -S		E / -W		SECT.		DLS / 100'																																			
TIE - IN		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00																																	