

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

AMEND Is pit or below-grade tank covered by a "general plan"? Yes No X  
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank X AMEND

Operator: SDX Resources, Inc. Telephone: 432/685-1761 e-mail address: cmorgan@sdxresources.com  
Address: PO Box 5061, Midland, TX 79704  
Facility or well name: Staley State #3 API #: 30-015-34086 U/L or Qtr/Qtr I Sec 30 T 17S R 28E  
County: Eddy 2310' FSL 330' FEL NAD: 1927 ☐ 1983 ☐ Surface Owner Federal State X Private ☐ Indian ☐

Type: Drilling X Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined X Unlined <input type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness 12 mil Clay <input type="checkbox"/> Pit Volume bbl	<b>Below-grade tank</b> Volume: bbl Type of fluid: <b>RECEIVED</b> Construction material: <b>NOV 09 2005</b> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. <b>OOD-ARTESIA</b>	
	Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 10 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 0	
Ranking Score (Total Points) 10		

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: Propose to mix pit contents with earthen material. Dig & line an encapsulation pit (within the existing reserve area) with a 12 mil synthetic liner. Place mixed contents in encapsulation pit, cap with 20 mil synthetic liner & cover entire area with 3' clean top soil.

AMENDING ENCAPSULATION PIT LINER FROM 23 MIL TO 12 MIL

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.  
Date: 11/8/05

Printed Name/Title: Chuck Morgan, Engineer Signature: *Chuck Morgan*

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: Printed Name/Title: Field Supervisor Signature: *[Signature]* Date: NOV 15 2005