District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office.

Form C-144


June 1, 2004

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

Type of action: Registration of a pit or below-grade tank \(\bigcap\) Closure of a pit or below-grade tank \(\bigcap\) \_Telephone: 432-685-8100 e-mail address: wrightc@pogoproducing.com Operator: Pogo Producing Company Address: P. O. Box 10340, Midland, TX 79702-7340 32446 Facility or well name: Lost Tank 35 State #15API#: 30-015-33419 C Sec 35 U/L or Otr/Otr Latitude 32:26:28.63N Longitude 103:45:04.72W<sub>NAD: 1927</sub> 1983 County: Eddy Surface Owner: Federal [ ] State X Private [ ] Indian [ Pit Below-grade tank Type: Drilling & Production Disposal D Volume: bbl Type of fluid: **BECEIVED** Workover ☐ Emergency ☐ Construction material: Double-walled, with leak detection? Yes I If not, explain why not. NOV 1 4 2005 Lined K Unlined Liner type: Synthetic Thickness 20 mil Clay Pit Volume 15500bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more ( 0 points) 0 Х Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No ( 0 points) water source, or less than 1000 feet from all other water sources.) 0 X Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 0 Ranking Score (Total Points) 0 If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if \_\_\_\_. (3) Attach a general description of remedial action taken including your are burying in place) onsite \( \subseteq \) offsite \( \subseteq \) If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No 🔀 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🗵, a general permit 🗌, or an (attached) alternative OCD-approved plan 🗍. Date: 11/10/05 Printed Name/Title Cathy Wright, Sr. Eng Tech Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: NOV 16 2005 Printed Name/Title Field Supervisor Signature

## Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.



LOST TANK 35 STATE 15 Sec 35 Tals R31E 330 FNL 1650 FWL