

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0135
Expires January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or re enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

NM-96219

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

Millennium 34 Fed Com #1

9. API Well No.

30-015-31833

10. Field and Pool, or Exploratory Area

Grayburg Atoka

11. County or Parish, State

Eddy, NM

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐

Oil Well

☒

Gas Well

☐

Other

RECEIVED

DEC 20 2005

OCD-ARTESIA

2. Name of Operator

Yates Drilling Company

3a. Address

105 S. 4th Str., Artesia, NM 88210

3b. Phone No. (include area code)

505-748-8463

4. Location of Well (Footage, Sec., T., R., M., OR Survey Description)

990' FSL & 990' FWL Section 34-17S-29E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐

Notice of Intent

☒

Subsequent Report

☐

Final Abandonment Notice

☐

Acidize

☐

Alter Casing

☐

Casing Repair

☐

Change Plans

☐

Convert to Injection

☐

Deepen

☐

Fracture Treat

☐

New Construction

☐

Plug and Abandon

☒

Plug Back

☐

Production (Start/Resume)

☐

Reclamation

☐

Recomplete

☐

Temporarily Abandon

☐

Water Disposal

☐

Water Shut-Off

☐

Well Integrity

☒


Other

Perforation

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

See attachment.

ACCEPTED FOR RECORD

ALEXIS C. SWOBODA
PETROLEUM ENGINEER

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Karen J. Leishman

Title

Operations Technician

Signature

Date

12/9/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Millennium "34" Federal Com #1
Section 34-17S-29E
Eddy County, NM
30-015-31833

10-28-2004	RIH with CIBP and set at 10,550'.
10-29-2004	RIH and dumped 50' cement on top of CIBP. PBTD 10,500'. Perforated Penn zone 9424'-9450', 6 SPF, .25" holes.
12-21-2004	RIH with CIBP and set at 9000'. RIH and dumped 50' cement on top of CIBP. Perforated 8610'-8650', 1 SPF, .36" holes.
12-28-2004	Acidized well with 2000 gals 15% HCL acid.
12-30-2004	RIH with CIBP and set at 8550'. RIH and dumped 50' cement on top of CIBP. PBTD 8500'.
12-31-2004	Perforated 8370'-8414', 2 SPF, .36" holes.
1-5-2005	RIH with CIBP and set at 8300'. RIH and dumped 50' cement on top of CIBP. PBTD 8250'. Perforated 7812'-7814', 2 SPF, .36" holes.
2-2-2005	RIH with CIBP and set at 7800'. RIH and dumped 50' cement on top of CIBP. PBTD at 7750'. Perforated 7504'-7530', 1 SPF, .36" holes.

Well is currently shut-in pending re-completion attempt.