

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

Carlsbad Field Office
OC D Artesia

Serial No. 138
If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		7. If Unit or CA/Agreement, Name and/or No. NMMN134543
2. Name of Operator OXY USA INCORPORATED Contact: JENNIFER A DUARTE E-Mail: jennifer_duarte@oxy.com		8. Well Name and No. CEDAR CANYON 23 2H
3a. Address 5 GREENWAY PLAZA STE 110 HOUSTON, TX 77046-0521	3b. Phone No. (include area code) Ph: 713-513-6640	9. API Well No. 30-015-41194-00-S1
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 23 T24S R29E SWSW 650FSL 660FWL 32.197313 N Lat, 103.961140 W Lon		10. Field and Pool, or Exploratory PIERCE CROSSING
		11. County or Parish, and State EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Onshore Order Variance
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

OXY USA INC requests permission to install a Vapor Combustor Unit (VCU) at FOXGLOVE 29 FEDERAL Tank Battery. This request is due to the fact that the cost of installing and operating equipment necessary to capture the gas exceeds the value of the gas over the life of the facility. OXY USA INC understands that the following conditions apply:

- OXY USA INC may be required to provide economic justification and provide volume verification to the Authorized Officer upon request.
- OXY USA INC will comply with NTL-4A requirements.
- If volume being combusted is less than 50 MCF of gas per day, it is considered ?unavoidably lost?, therefore, no royalty obligation shall be accrued and will not be required to be reported.
 - ?Unavoidably Lost? production shall mean (1) those gas vapors which are released (in this case combusted) from low-pressure storage tanks.
- Essentially all measured combusted volumes over 50 MCF will require payment of royalties and

Accepted for record
NMOCD

NM OIL CONSERVATION
ARTESIA DISTRICT

JAN 06 2016

RECEIVED

14. I hereby certify that the foregoing is true and correct. Electronic Submission #322958 verified by the BLM Well Information System For OXY USA INCORPORATED, sent to the Carlsbad Committed to AFMSS for processing by JENNIFER SANCHEZ on 11/12/2015 (16JAS1082SE)	
Name (Printed/Typed) JENNIFER A DUARTE	Title REGULATORY SPECIALIST
Signature (Electronic Submission)	Date 11/09/2015

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By <u>DUNCAN WHITLOCK</u>	Title <u>TECHNICAL LPET</u>	Date <u>01/04/2016</u>
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #322958 that would not fit on the form

32. Additional remarks, continued

volumes need to be reported on OGOR ?B? reports as disposition code ?08?.

5. Per 43 CFR 3162.7-5(d)/Onshore Order No.3.III.I.1, site facility diagram must be submitted within 60 days of equipment installation.

6. This approval does not authorize any additional surface disturbance.


7. Subject to like approval from NMOCD.

Attached are the following:

? Site security diagram of the current tank battery as well as the location of the VCU and the manifold line connecting the tanks to the VCU.

? Specification sheet(s) for the VCU.

? Contact list of Company Field Representatives if access to VCU is needed to retrieve volumes being combusted



NO.	DESCRIPTION	DATE	BY	REVISIONS
1	AS ISSUED			
2	REVISED			
3	REVISED			
4	REVISED			
5	REVISED			
6	REVISED			
7	REVISED			
8	REVISED			
9	REVISED			
10	REVISED			
11	REVISED			
12	REVISED			
13	REVISED			
14	REVISED			
15	REVISED			
16	REVISED			
17	REVISED			
18	REVISED			
19	REVISED			
20	REVISED			
21	REVISED			
22	REVISED			
23	REVISED			
24	REVISED			
25	REVISED			
26	REVISED			
27	REVISED			
28	REVISED			
29	REVISED			
30	REVISED			
31	REVISED			
32	REVISED			
33	REVISED			
34	REVISED			
35	REVISED			
36	REVISED			
37	REVISED			
38	REVISED			
39	REVISED			
40	REVISED			
41	REVISED			
42	REVISED			
43	REVISED			
44	REVISED			
45	REVISED			
46	REVISED			
47	REVISED			
48	REVISED			
49	REVISED			
50	REVISED			

541990

CEEDAR CANYON 23 FEDERAL #2H

SITE FACILITY DIAGRAM
 CEDAR CANYON 23 FED #2 BATTERY



2105 Greenwood Dr.


Southlake Texas 76092

P 817-416-8881 F 817-416-8888



www.kimark.com

Specifications:


Model Number	SmartFlare 28
Total Height	21 feet 10 inches
Flare Diameter	28 inches
Enrichment Gas?	No
Design Heat Release	1.25 MMBTU/hr
Destruction Efficiency	99.90%
Normal Operating Pressure	Ounces 0 to 16
Design Pressure	80 PSI
Max Design Temperature	1900 degree shutdown
Min Design Temperature	1200 degrees
Normal Operating Temp	1400 degrees
Pilot Volumetric Rate	8.5 to 12 SCF/hr
Pilot Continuous or Automatic?	Both - Software Selectable
Number of burner tips	1
Diameter of burner tips (inches)	2 inch




TOP VIEW



RIGHT SIDE
W/ CHASSIS IN PLACE &
COVER NOT ATTACHED



END VIEW




LEFT SIDE



KIMARK SYSTEMS INC.
3077 IRENE ST
GRAND PRINCE, NY 11740

APPROVALS	DATE
DESIGNED BY	02/12/04
CHECKED BY	02/12/04
DATE	02/12/04
SCALE	1:1
DRAWN BY	
PROJECT NO.	
SHEET NO.	
TOTAL SHEETS	



Scrubber Pot
Scrubber to be
Within 10 Feet of
Combustor



Kimark Systems, Inc.
 2105 Greenwood Dr.
 Southlake Texas 76092
 P 817-416-8881 F 817-416-8886
www.kimark.com


Occidental Oil & Gas

Trey Fournier
 03/18/2015

The Combustor gas flow is based on AGA Report No. 3 Part 2 and Part 3. (API 14.3 Part 3 and API 14.3 Part 2). The calculation is based on the mass flow through an Orifice, measuring the pressure with an atmospheric downstream.



Gas Measurement
 Enter Specific Gravity for VOC and Fuel.
 Enter Orifice size for VOC and Fuel.
 The "Manual Fuel (PSI)" is for entering the pressure that the fuel is delivered at.



Totalization
 Instantaneous Flow
 Previous Day Flow
 Current Day Flow
 All are recorded for VOC and Fuel

Randy Allen
 Kimark Systems

For South Carlsbad:

Victor Guadian

575-628-4006 (office)

575-499-6406 (cell)

Terry Coor

575-628-4130 (office)

575-706-3306 (cell)

For North New Mexico:

Don Kendrick

575-628-4132 (office)

575-602-1484 (cell)

Justin Bock

575-628-4003 (office)

575-575-706-4502 (cell)

For Lea County:

Stan Shaver

575-397-8261 (office)

575-602-5509 (cell)

Tony Summers

575-397-8203 (office)

575-390-2319 (cell)

BUREAU OF LAND MANAGEMENT
Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220
575-234-5972

**CONDITIONS OF APPROVAL TO INSTALL
VAPOR COMBUSTOR UNIT (VCU)**

1. Comply with NTL-4A requirements.
2. If volume being combusted is less than 50 MCF of gas per day, it is considered "unavoidably lost", therefore, no royalty obligation shall be accrued.
 - a. "Unavoidably Lost" production shall mean (1) those gas vapors which are released from storage tanks or other low-pressure vessels.
3. Combusted volumes over 50 MCF will require payment of royalties and volumes need to be reported on OGOR reports.
4. This approval does not authorize any additional surface disturbance.
5. Comply with any restrictions or regulation when on State or Fee surface.