Form 3160-5 (August 2007)

UNITED STATES
DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

RY NOTICES AND REPORTS ON WELLS

UNITED STATES

Carlsbad Field Office Approved
OMB NO. 1004-0135
Expires: July 31, 2010

Artesia Expires: July 31, 2010

NIMALIMOGRAFIA

MINALIMOGRAFIA

M

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						
				6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.				7. If Unit or CA/Agre	eement, Name and/or No.	
Type of Well Gas Well				8. Well Name and No. MISTY 35 FEDERAL COM 3H		
Name of Operator Contact: JENNIFER A DUARTE OXY USA WTP LP E-Mail: jennifer_duarte@oxy.com				9. API Well No. 30-015-41416-00-X1		
3a. Address HOUSTON, TX 77210	No. (include area code) 513-6640		10. Field and Pool, or Exploratory LEO			
4. Location of Well (Footage, Sec., T.			11. County or Parish, and State			
Sec 35 T18S R30E SESE 550			EDDY COUNTY, NM			
12. CHECK APPR	ROPRIATE BOX(ES) TO INDICA	ΓE NATURE OF N	IOTICE, RE	EPORT, OR OTHE	ER DATA	
TYPE OF SUBMISSION						
Notice of Intent		eepen	☐ Producti	on (Start/Resume)	■ Water Shut-Off	
_	☐ Alter Casing ☐ F	racture Treat	☐ Reclama	ntion	■ Well Integrity	
☐ Subsequent Report	,	ew Construction	☐ Recomp			
☐ Final Abandonment Notice		lug and Abandon	☐ Temporarily Abandon		ce	
	Convert to Injection P	lug Back	□ Water D	<u> </u>		
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) OXY USA WTP LP requests permission to install a Vapor Combustor Unit (VCU) at MISTY-IVORE FEDERAL Central Tank Battery. This request is due to the fact that the cost of installing and operating equipment necessary to capture the gas exceeds the value of the gas over the life of the facility. OXY USA WTP LP may be required to provide economic justification and provide volume verification to the Authorized Officer upon request. 2. OXY USA WTP LP will comply with NTL-4A requirements. 3. If volume being combusted is less than 50 MCF of gas per day, it is considered ?unavoidably lost?, therefore, no royalty obligation shall be accrued and will not be required to be reported. a. ?Unavoidably Lost? production shall mean (1) those gas vapors which are released (in this case combusted) from low-pressure storage tanks. 4. Essentially all measured combusted volumes over 50 MCF will require payment of royalties and RECEIVED.						
	Electronic Submission #321654 veri	LPL sent to the Carls	sbad	•		
Name(Printed/Typed) JENNIFEF		ATORY SPE		<u> </u>		
Signature (Electronic S	ubmission)	Date 10/27/20	015			
	THIS SPACE FOR FEDER	RAL OR STATE (OFFICE US	SE		
_Approved By_DUNCAN WHITLOCK		TitleTECHNICA	CALLPET Date 01/0		Date 01/04/2016	
contitions of approvar, it any, are anachet certify that the applicant holds legal or equ which would entitle the applicant to condu		d				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a crime for any tatements or representations as to any matter	person knowingly and within its jurisdiction.	willfully to ma	ke to any department o	r agency of the United	

Additional data for EC transaction #321654 that would not fit on the form

32. Additional remarks, continued -

volumes need to be reported on OGOR ?B? reports as disposition code ?08?.


5. Per 43 CFR 3162.7-5(d)/Onshore Order No.3.III.I.1, site facility diagram must be submitted within 60 days of equipment installation.

6. This approval does not authorize any additional surface disturbance.

7. Subject to like approval from NMOCD.

Attached are the following:
? Site security diagram of the current tank battery as well as the location of the VCU and the manifold line connecting the tanks to the VCU.
? Specification sheet(s) for the VCU.
? Contact list of Company Field Representatives if access to VCU is needed to retrieve volumes

being combusted





2105 Greenwood Dr.

Southlake Texas 76092

P 817-416-8881 F 817-416-8886

www.kimark.com

Specfications:

Model Number

Total Height

Flare Diameter

Enrichment Gas?

Design Heat Release

Destruction Efficiency

Normal Operating Pressure

Design Pressure

Max Design Temperature

Min Design Temperature

Normal Operating Temp

Pilot Volumetric Rate

Pilot Continuous or Automatic?

Number of burner tips

Diameter of burner tips

s inches

SmartFlare 28 21 feet 10 inches

28 inches

No

1.25 MMBTU/hr

99.90%

Ounces 0 to 16

80 PSI

1900 degree shutdown

1200 degrees

1400 degrees


8.5 to 12 SCF/hr

Both - Software Selectable

1

(inches)

2 Inch



VOC SmartFlare

Scrubber to be Within 10 Feet of Combustor

Kimark Systems, Inc.



Kimark Systems, Inc. 2105 Greenwood Dr. Southlake Texas 76092 P 817-416-8881 F 817-416-8886 www.kimark.com

Occidental Oil & Gas


Trey Fournier 03/18/2015

The Combustor gas flow is based on AGA Report No. 3 Part 2 and Part 3. (API 14.3 Part 3 and API 14.3 Part 2). The calculation is based on the mass flow through an Orifice, measuring the pressure with an atmospheric downstream.



Gas Measurement

Enter Specific Gravity for VOC and Fuel. Enter Orifice size for VOC and Fuel. The "Manual Fuel (PSI) is for entering the pressure that the fuel is delivered at.



Totalization

Instantaneous Flow Previous Day Flow Current Day Flow All are recorded for VOC and Fuel

Randy Allen Kimark Systems

For South Carlsbad:

Victor Guadian

575-628-4006 (office) 575-499-6406 (cell)

Terry Coor

575-628-4130 (office) 575-706-3306 (cell)

For North New Mexico:

Don Kendrick

575-628-4132 (office) 575-602-1484 (cell)

Justin Bock

575-628-4003 (office) 575-575-706-4502 (cell)

For Lea County:

Stan Shaver

575-397-8261 (office) 575-602-5509 (cell)

Tony Summers

575-397-8203 (office) 575-390-2319 (cell)

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

CONDITIONS OF APPROVAL TO INSTALL VAPOR COMBUSTOR UNIT (VCU)

- 1. Comply with NTL-4A requirements.
- 2. If volume being combusted is less than 50 MCF of gas per day, it is considered "unavoidably lost", therefore, no royalty obligation shall be accrued.
 - a. "Unavoidably Lost" production shall mean (1) those gas vapors which are released from storage tanks or other low-pressure vessels.
- 3. Combusted volumes over 50 MCF will require payment of royalties and volumes need to be reported on OGOR reports.
- 4. This approval does not authorize any additional surface disturbance.
- 5. Comply with any restrictions or regulation when on State or Fee surface.