Submit 1 Copy To Appropriate District Office	State of 1			Form C-103 Revised July 18, 2013	
District 1 ~ (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals	and Natu	iral Resources	WELL API NO.	
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION			30-015-41385	
District III - (505) 334-6178	1220 South St. Francis Dr.			5. Indicate Type of Lease STATE FEE	
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe	, NM 87	7505	6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505					
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A				7. Lease Name or Unit Agreement Name Cotton Draw Unit	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH				8. Well Number	
PROPOSALS.) 1. Type of Well: Oil Well			167H		
2. Name of Operator				9. OGRID Number	
DEVON ENERGY PRODUCTION COMPANY, LP. 3. Address of Operator				6137 10. Pool name or Wildcat	
333 WEST SHERIDAN AVENUE, OKC, OK 73102			PADUCA; BONE SPRING		
4. Well Location					
Unit Letter K: 2310	feet from theSouth		ine and <u>2200</u>	feet from the West line	
Section 25	Township 11. Elevation (Show wh	24S	Range 31E	* *	
	3525		, KKD, K1, GK, etc.,	<u> </u>	
			•		
12. Check	Appropriate Box to Inc	dicate N	ature of Notice,	Report or Other Data	
NOTICE OF I	NTENTION TO:		SUB	SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK ☐ ALTERING CASING					
TEMPORARILY ABANDON [PULL OR ALTER CASING [-		COMMENCE DRI		
PULL OR ALTER CASING L DOWNHOLE COMMINGLE			CASING/CEMEN	T JOB	
CLOSED-LOOP SYSTEM	_	_		_	
OTHER: Flare Extension	unloted energtions (Clearly	ototo oll r	OTHER:	d aive portinent dates, including estimated date	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.					
Devon Energy Production Company, LP respectfully requests to flare the Cotton Draw Unit 167H Battery as per the attached C-129. Flaring is due to DCP Plant going down. We are asking for 15 days to beginning 01.28.16 to 02.1816					
Flaring is due to DCP Plant going down. We are asking for 15 days to beginning 01.28.16 to 02.1814 Wells contributing to the total flare volume are: Cotton Draw Unit 116H (30-015-37926)					
			NM OIL CONSETTICT ARTESIA DISTRICT FEB 0 8 2016		
Cotton Draw Unit 214H (3) Cotton Draw Unit 244H (3)			FEB (8 7010	
	,				
Attachments: C-129					
Spud Date:	Ri	g Release	Date:		
I hereby certify that the information	n above is true and complet	e to the b	eet of my knowledg	e and helief	
Thereby certify that the information	1 above is true and complete	e to the o	est of my knowledg	e and benefi.	
SIGNATURE Professional DATE 01.28.16					
SIGNATURE TITLE Regulatory Compliance Professional DATE 01.28.16					
Type or print name <u>Erin Workman</u> E-mail address: <u>Erin.workman@dvn.com</u> PHONE: <u>(405) 552-7970</u>					
For State Use Only					
APPROVED BY: 1 COLO TITLE 15 DE DATE 10/16					
Conditions of Approval (if any):					
A Con Attention MM'					
\mathbb{Z}	7 HIJUWACO	(UHS		
Č	• •				

<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
811 S. First St., Artesia, NM 88210
<u>District III</u>
1000 Rio Brazos Road, Aztec, NM 87410
<u>District IV</u>
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No. ______(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

A.	Applicant Devon Energy Produ	uction Company, LP ,			
	whose address is 333 West Sheridan A	Avenue, OKC, OK 73102			
	hereby requests an exception to Rule 19.15.1	8.12 fordays or until			
	, Yr, for the	following described tank battery (or LACT):			
	Name of Lease <u>NMNM70928X</u> Name	of Pool (96441) Paduca; Bone Spring			
	Location of Battery: Unit Letter K Section	1 25 Township 24S Range 31E			
	Number of wells producing into battery 3 STA (30-015-41537), Cotton Draw Unit 2244H (30-015-42331)	ATE WELLS: Cotton Draw Unit 116H (30-015-37926), Cotton Draw Unit 214H			
B.	Based upon oil production ofbarrels per day, the estimated * volume				
	of gas to be flared is 7590 MC	F; Valueper day.			
C.	Name and location of nearest gas gathering facility: <u>Currently tied into DCP Midstream</u>				
D.	Distance Estimated c	ost of connection			
E.	This exception is requested for the following reasons:				
Devon requesting flare due to DCP plant going down. We are requesting 15 days starting					
01.28.16 to 02.12.16. Verbal received 01,28.16					
OPERATOR		OIL CONSERVATION DIVISION			
I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.		Approved Until Res 29 2016			
Y	Frie Workman	By ADado			
Signature \smile	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Title Des ASapuss			
Printed Name & Title <u>Erin Workman, Regulatory Compliance Prof.</u>		Date 2/10/16			
E-mail Addres	ss Erin.workman@dvn.com	1// / / / / / / / / / / / / / / / / / /			
Date 01.28.	16 Telephone No. (405) 552-7970	A See HHacked (GAS			

^{*} Gas-Oil ratio test may be required to verify estimated gas volume.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- 3. Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. http://www.gacc.nifc.gov/swcc (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- 9. If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is moved and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here #10

DATE: 2/10/16

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin Cabinet Secretary

Jami Balley, Division Director
Oil Conservation Division



Brett F. Woods, Ph.D. Deputy Cabinet Secretary

March 7, 2014

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: iim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swa_monthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

David Martin
Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Balley, Division Director Oil Conservation Division



March 7, 2014

FOR IMMEDIATE RELEASE

Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 362 fires burned 6,879 acres on state and private land in calendar year 2013.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures are expected to be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

This means that as a general rule of thumb, the area around staffed flaring facilities should be mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris should be cleared in the area for a distance of at least one and one half times the height of the stack.

If flaring is to take place at an unstaffed facility, then the mowed area around the flare stack should be increased to three times the height of the stack. On "red flag" days local fire departments should be notified prior to the flaring operations.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to www.nmforestry.com for updates or to get information on how contact your local State Forestry District office.

For the latest fire weather information please visit USDA Forest Service website: http://gacc.nifc.gov/swcc/predictive/outlooks/monthly/swamonthly.pdf

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.