## District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

A It to Detection Companion Telauhanni EAS 740 4500	addings miker@menm com	
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail Address: 105 South 4th Street Artesia, N;M; 88210	Baaress; mikesiaypenin.com	W. Service and the second
Facility or well name: Llama ALL Federal 4 API #: 30-015-34297 U/L or Qt	r/Otr N Sec 7 T 22S R 31E	RECEIVE-
County: Eddy Latitude 32,39956 Longitude 10		RECEIVED
Surface Owner: Federal State Private Indian		JAN 1 8 2006
Pit	Below-grade tank	OCU-ARTEQIA
Type: Drilling  Production  Disposal  Work over  Emergency  Lined  Unlined	Volume: bbl Type of fluid:	
	Construction material:	
	Double-walled, with leak detection? Yes  If not, explain why not.	
Liner type: Synthetic ☑ Thickness 12 mil Clay □	}	
Pit Volume 20,000 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points) XXXX
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Yes	(20 points)
	No	( 0 points) XXXX
	T 41 200 54	(20)
	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points) XXXX
	Ranking Score (Total Points)	0 POINTS
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's reli		· ·
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relating place) onsite of offsite offsite, name of facility NA.  (4) Groundwater encountered: No Yes offsite, name of facility NA.  (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. The drilling pit contains synthetic liner on former drilling pit site. Drilling pit contents will then be with a minimum of a 3' over lap of the underlying trench areas. The encapsuland 48 hour notice will be provided to the Oil Conservation Division before position of the provided to the Oil Conservation Division before positions.	. (3) Attach a general description of remedial ac surfaceft. and attach sample results. s.  tents will be mixed to stiffen the pit contents. A ence emplaced into the encapsulation trench. A 20 mil s ation trench will then be backfilled to grade using a sit closure actions begin.	tion taken including remediation start date and apsulation trench will be excavated and lined we synthetic liner will then be placed over the pit or
If offsite, name of facility NA  (4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations.  Additional Comments: Closure work plan for drilling pit. The drilling pit contents will then be with a minimum of a 3' over lap of the underlying trench areas. The encapsuland 48 hour notice will be provided to the Oil Conservation Division before purity Closure actions to begin by NA. Ending date NA  I hereby certify that the information above is true and complete to the best of	(3) Attach a general description of remedial ac surfaceft. and attach sample results.  sft. and attach sample results.  tents will be mixed to stiffen the pit contents. A ence emplaced into the encapsulation trench. A 20 mil s ation trench will then be backfilled to grade using a stit closure actions begin.	apsulation trench will be excavated and lined we synthetic liner will then be placed over the pit of minimum of 3' of clean soil and like material.  TCLOSURE FINAL.
If offsite, name of facility NA  (4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. The drilling pit contents will synthetic liner on former drilling pit site. Drilling pit contents will then be with a minimum of a 3' over lap of the underlying trench areas. The encapsuland 48 hour notice will be provided to the Oil Conservation Division before pit Closure actions to begin by NA. Ending date NA	(3) Attach a general description of remedial ac surfaceft. and attach sample results.  sft. and attach sample results.  tents will be mixed to stiffen the pit contents. A ence emplaced into the encapsulation trench. A 20 mil s ation trench will then be backfilled to grade using a stit closure actions begin.	apsulation trench will be excavated and lined we synthetic liner will then be placed over the pit of minimum of 3' of clean soil and like material.  TCLOSURE FINAL.
If offsite, name of facility NA  (4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations.  Additional Comments: Closure work plan for drilling pit. The drilling pit contents will then be with a minimum of a 3' over lap of the underlying trench areas. The encapsuland 48 hour notice will be provided to the Oil Conservation Division before purity Closure actions to begin by NA. Ending date NA  I hereby certify that the information above is true and complete to the best of	(3) Attach a general description of remedial ac surfaceft. and attach sample results.  sft. and attach sample results.  tents will be mixed to stiffen the pit contents. A ence emplaced into the encapsulation trench. A 20 mil s ation trench will then be backfilled to grade using a stit closure actions begin.	apsulation trench will be excavated and lined we synthetic liner will then be placed over the pit of minimum of 3' of clean soil and like material.  TCLOSURE FINAL.
If offsite, name of facility NA  (4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. The drilling pit contents will then be with a minimum of a 3' over lap of the underlying trench areas. The encapsul and 48 hour notice will be provided to the Oil Conservation Division before pit Closure actions to begin by NA. Ending date NA  I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines ,	(3) Attach a general description of remedial ac surfaceft. and attach sample results.  sft. and attach sample results.  tents will be mixed to stiffen the pit contents. A ence emplaced into the encapsulation trench. A 20 mil s ation trench will then be backfilled to grade using a stit closure actions begin.	apsulation trench will be excavated and lined waynthetic liner will then be placed over the pit of minimum of 3' of clean soil and like material.  TCLOSURE FINAL.  ATE 2/15/2006  e above-described pit or below-grade tank had occode approved plan
If offsite, name of facility NA  (4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. The drilling pit contents will then be with a minimum of a 3' over lap of the underlying trench areas. The encapsul and 48 hour notice will be provided to the Oil Conservation Division before pit Closure actions to begin by NA. Ending date NA  I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines I, Date: 01/16/2006	(3) Attach a general description of remedial ac surfaceft. and attach sample results.  sft. and attach sample results.  tents will be mixed to stiffen the pit contents. A ence emplaced into the encapsulation trench. A 20 mil s ation trench will then be backfilled to grade using a stit closure actions begin.  Plant with the contents of many knowledge and belief. I further certify that the a general permit , or an (attached) alternative relieve the operator of liability should the contents of relieve the operator of liability should the contents of relieve the operator of liability should the contents of the con	apsulation trench will be excavated and lined waynthetic liner will then be placed over the pit of minimum of 3' of clean soil and like material.  IT CLOSURE FINAL  ATE 2/15/2006  e above-described pit or below-grade tank had occupant water or or the pit or tank conteminate ground water or or the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of tank conteminate ground water or or of the pit or tank conteminate ground water or or of tank conteminate ground water or or of the pit or tank conteminate ground water or or of tank conteminate ground gr
In place) onsite offsite If offsite, name of facility NA  (4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. The drilling pit contents will synthetic liner on former drilling pit site. Drilling pit contents will then be with a minimum of a 3' over lap of the underlying trench areas. The encapsul and 48 hour notice will be provided to the Oil Conservation Division before p Pit Closure actions to begin by NA. Ending date NA  I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines I,  Date: 01/16/2006  Printed Name/Fitie Mike Stubblefield / Regulatory Agent  Your certification and NMOCD approval of this application/closure does not	(3) Attach a general description of remedial ac surfaceft. and attach sample results.  sft. and attach sample results.  tents will be mixed to stiffen the pit contents. A ence emplaced into the encapsulation trench. A 20 mil s ation trench will then be backfilled to grade using a stit closure actions begin.  Plant with the contents of many knowledge and belief. I further certify that the a general permit , or an (attached) alternative relieve the operator of liability should the contents of relieve the operator of liability should the contents of relieve the operator of liability should the contents of the con	apsulation trench will be excavated and lined waynthetic liner will then be placed over the pit of minimum of 3' of clean soil and like material.  IT CLOSURE FINAL  ATE 2/15/2006  e above-described pit or below-grade tank had occupant water or or the pit or tank conteminate ground water or or the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of tank conteminate ground water or or of the pit or tank conteminate ground water or or of tank conteminate ground water or or of the pit or tank conteminate ground water or or of tank conteminate ground gr
In place) onsite offsite If offsite, name of facility NA  (4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. The drilling pit contents will synthetic liner on former drilling pit site. Drilling pit contents will then be with a minimum of a 3' over lap of the underlying trench areas. The encapsul and 48 hour notice will be provided to the Oil Conservation Division before p Pit Closure actions to begin by NA. Ending date NA  I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines I,  Date: 01/16/2006  Printed Name/Fitie Mike Stubblefield / Regulatory Agent  Your certification and NMOCD approval of this application/closure does not	(3) Attach a general description of remedial ac surfaceft. and attach sample results.  sft. and attach sample results.  tents will be mixed to stiffen the pit contents. A ence emplaced into the encapsulation trench. A 20 mil s ation trench will then be backfilled to grade using a stit closure actions begin.  Plant with the contents of many knowledge and belief. I further certify that the a general permit , or an (attached) alternative relieve the operator of liability should the contents of relieve the operator of liability should the contents of relieve the operator of liability should the contents of the con	apsulation trench will be excavated and lined waynthetic liner will then be placed over the pit of minimum of 3' of clean soil and like material.  IT CLOSURE FINAL  ATE 2/15/2006  e above-described pit or below-grade tank had occupant water or or the pit or tank conteminate ground water or or the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of the pit or tank conteminate ground water or or of tank conteminate ground water or or of the pit or tank conteminate ground water or or of tank conteminate ground water or or of the pit or tank conteminate ground water or or of tank conteminate ground gr

RECEIVED