Form	31	60-5
(Augi	ıst	2007)

Type of Well

	FORM APPROVED
	OMB NO. 1004-013
•	Expires: July 31, 201

UNITED STATES Artesia DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010	
SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an	5. Lease Serial No. NMNM25953	
abandoned well. Use form 3160-3 (APD) for such proposals.	6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.	7. If Unit or CA/Agreement, Name and/or No. NMNM105352	
Gas Well	8. Well Name and No. KYLE 34 FEDERAL 1	

🔲 Oil Well 🔀 Gas Well 🔲 Other	,	KYLE 34 FEDERAL 1	
Name of Operator     NADEL & GUSSMAN	Contact: SARAH PRESLEY E-Mail: SPRESLEY@NAGUSS.COM	9. API Well No. 30-015-31311-00-S3	
3a. Address 3200 FIRST NATIONAL TOWER TULSA, OK 74103	3b. Phone No. (include area code) Ph: 432-682-4429	10. Field and Poof, or Exploratory SALT DRAW	
4. Location of Well (Footage, Sec., T., R., M.	, or Survey Description)	11. County or Parish, and State	
Sec 34 T24S R28E NENE 660FNL 8	360FEL	EDDY COUNTY, NM	
			-
12. CHECK APPROPRI	ATE BOX(ES) TO INDICATE NATURE OF NOTI	CE, REPORT, OR OTHER DATA	

TYPE OF SUBMISSION	TYPE OF ACTION			
□ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
	☐ Casing Repair	☐ New Construction	Recomplete	Other
☐ Final Abandonment Notice	Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
· ·	☐ Convert to Injection	☐ Plug Back	■ Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

10/29/09 Set cement retainer at 10,586. Squeeze 100 sacks cement 10,652.	in to Wolfcamp	perfs at 10,6461	?
11/2/09 Drill out retainer and test casing, ok.	-	••	

11/4/09 Drill out CIBP at 10,945?

11/5/09 Set CIBP at 11,800? and cap with 35ft of cement

11/7/09 Set cement retainer at 10,956? and squeeze perfs at 11,010 ? 11,018?

11/11/09 Perf Penn at 11,630-11,538? acidize perfs and test

Date

14. 1 hereby certify	For NADE	33016 verified by the BLM Well Information System  L & GUSSMAN, sent to the Carlsbad ssing by PRISCILLA PEREZ on 03/07/2016 (16PP0664SE)
Name (Printed/I	gped) JASON GOSS	Title DRILLING ENGINEER
Signature	(Electronic Submission)	Date 03/07/2016
۸۸۸	THIS SPACE FO	R FEDERAL OR STATE OFFICE USE
	EL LED FORRECORD	

Approved By S DAVID B.GLASS

Conditions of approval, if an Alice attached 0 Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States any false, Religious Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in the United States and Proposition Confedence or person in t

\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

## Additional data for EC transaction #333016 that would not fit on the form

## 32. Additional remarks, continued

12/16/09 Set frac plug at 11,500?. Perf Penn at 11,456 ? 11,334 and flow well to test.

12/18/09 Acidize and frac well from 11,334' - 11,458' with 2000 gals 15% HCL; 50,359 LBS 20/40 Carbo-Prop, 164 tons CO2, 1905 BBLS 30# gel AND 11,538' - 11,632' with 2,500 gals 15% HCL, 31,500 LBS 20/40 Carbo-Prop, 116 tons CO2, 1196 BBLS 30 # gel and test.

## Formation Tops - Kyle 34

Castile	1050′
Base Salt	2335′
Lamar	2603'
Bell Canyon	2638′
Cherry Canyon	3420′
Brushy Canyon	4900′
Bone Spring Lime	6270′
Avalon Shale	6597'
Bone Spring 1 <sup>st</sup> Sand	7226′
Bone Spring 2 <sup>nd</sup> Sand	8000′
Bone Spring 3 <sup>rd</sup> Sand	9170′
Wolfcamp	9547′
Pennsylvanian	11323′
Strawn	11760′
Atoka	11946'
Morrow	12096′