. `	oco Artesia						
	UNITED STATE EPARTMENT OF THE I TUREAU OF LAND MANA	NTERIOR	OMB	FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010			
SUNDRY	5. Lease Serial No. NMNM047336	5. Lease Serial No. NMNM0473362					
Do not use th abandoned we	6. If Indian, Allottee	6. If Indian, Allottee or Tribe Name					
SUBMIT IN TR	7. If Unit or CA/Agr SW633	7. If Unit or CA/Agreement, Name and/or No. SW633					
Type of Well		8. Well Name and No. DERO FED COMM 2					
Name of Operator OXY USA INCORPORATED	9. API Well No. 30-015-20973-	9. API Well No. 30-015-20973-00-S1					
3a. Address 5 GREENWAY PLAZA STE HOUSTON, TX 77046-0521	10	3b. Phone No. (include area code) Ph: 713-366-5889	10. Field and Pool, o WINCHESTER	r Exploratory			
4. Location of Well (Footage, Sec., 7	11. County or Parish	11. County or Parish, and State					
Sec 35 T19S R28E SESW 66	60FSL 1980FWL		EDDY COUNTY				
12. CHECK APP	ROPRIATE BOX(ES) T	O INDICATE NATURE OF I	NOTICE, REPORT, OR OTHE	ER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION						
Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off			
☐ Subsequent Report	☐ Alter Casing	□ Fracture Treat	□ Reclamation	■ Well Integrity			
	☐ Casing Repair	■ New Construction	☐ Recomplete	☑ Other Right of Way			
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	Temporarity Abandon				
	Convert to Injection		■ Water Disposal				
Attach the Bond under which the wo following completion of the involved	ally or recomplete horizontally ork will be performed or provided d operations. If the operation re bandonment Notices shall be fil	give subsurface locations and measure the Bond No. on file with BLM/BIA sults in a multiple completion or reco	g date of any proposed work and approred and true vertical depths of all pertical. Required subsequent reports shall bompletion in a new interval, a Form 31 ing reclamation, have been completed	nent markers and zones. e filed within 30 days 60-4 shall be filed once			
OVERHEAD ELECTRIC LINE Estimated starting date 6/1/14	CROSSING SECTIONS See attached survey fo	34 & 35, T19S, R28E, N.M.P r footages and route.	.M. Located in Eddy County, N	.M. ,			
3 PHAS	<u>.</u>						
480 KW		NM OIL CONSERVATION ARTESIA DISTRICT					
3 PAAS 480 KN 11 POL65			MAY 0 3 2016				
			RECEIVED				

14. I hereby certify that the foregoing is true and correct. Electronic Submission #243793 verified by the BLM Well Information System For OXY USA INCORPORATED, sent to the Carlsbad Committed to AFMSS for processing by CATHY QUEEN on 06/05/2014 (14CQ0132SE)							
Name(Printed/Typed	DANIEL B ROBERSON	Title	AUTHORIZED REPRESENTATIVE				
Signature	(Electronic Submission)	Date	04/29/2014				
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							
Approved By	on Manda	Title	FIELD MANAGER	Date 4/25/16			
Conditions of approval, if certify that the applicant h	any, are attached. Approval of this notice does not warrant or olds legal or equitable title to those rights in the subject lease oplicant to conduct operations thereon.	Office	CARLSBAD FIELD OFFICE				

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

LOASY C (DOSON_ME) REGION PROFITSONNAL SURVEYOR NO. 12841, DO HEREBY CERBYY THAT THE SURVEY PLATE MADE: THE COCKNOW OF THE COCKNOW OF THE PROFIDENCE OF THE COCKNOW OF THE PROFIDENCE OF THE SURVEY MEDICAL TO THE SURVEY OF THE SURVEY THAT THIS SURVEY MEDICAL TO THE SURVEY OF THE SURVEY OF THE SURVEY OF THE THE SURVEY OF THE (C) Ariphata 12014 (Oxy USA molfosements (1411033) Electric time Sec. 348.35, 7153, 4286 30 '1941 38 1961, 0°D 838-803 1/1 (MK, 0'0 4.3 3 NO2'39'59"E 2639.7 8 33 28 'N02'40'25"E 2640.7 34 34 27 \$89'41'07'W NB9'36'35'E . 2612.3' 7657.B SURVEY OF A STRIP OF LAND 50.0 FEET WIDE AND 2512.2 FEET OR 0.476 MILES IN LENGTH CROSSING USA LAND AN SECTIONS 34 & 35, TOWNSHIP 19 SOUTH, RANGE 28 EAST, M.M.P.M., EDDY COUNTY, NEW MCXICO, AND BEING 25.0 FEET LEFT AND 25.0 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY. 3/4 CORNER 3/4 CORNER 1/4 COBSTR USAS89'40'41 W 2657.4 8EON SURVEY ALEUSI, POLE AT DEC OXY DAY FEDERAL 16 LAT=32.614981 N LONG-104.136237 W P.J. 0541704 RI, POLE 11. AMEDICA 30' NW. LAT=32.614980' N LONG-4104.158104' W POLE 12 N-5 SECTION LINE DESCRIPTION 0+00 2612.1 CLO 1941 B.C. (311) 7 5681 M.OY ** 4 IN 3+17 5+91 6+43.1 CLO 1941 BC 34 ريا 27 34 501'39'10"W 2642.5" 8+67 11+42 13+66 13+83 POLE #4 POLE #5 OCP BPL OCP BPL N 33 BEARNOS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE MEN MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983 DISTANCES ARE SUFFACE VALUES. \$77.40.36 E 35 26 DOF BPL
B1 218982 R1
POLE f6: ANGHOR 24' NE.
LAT = 32.61457' N
LONG = 104.153742' W
POLE f7
POLE f8: POLE 59'
POLE f9: POLE 59'
POLE f9: POLE 59'
POLE 59: ANGHOR 27' E.
LAT = 32.612600' N
LONG = 104.150746' W
LONG = 104.150746' W 14+15.9 3,5°C,6°C.68N \$56.01.28.E 16+73 18+99 21+56 24+20.3 JOHN WEST SURVEYING COMPANY
412 N DAL PASO HOBBS NM BR200
[575] 583-3111 WANGGESCHL

TREES* 1802-1000 2654.2" 2608.1 PROVIDING SURVEYING SERVICES COM #2 85.05,50.E 38,1761, 030 837803 7/1 27.0 ,1941 , B.C BRINGS 17.1 USAS89'38'56"W 2658.7 3,81,9E,68N W.O. No.: 14110335 Survey Date: 3/28/14 CROSSING SECTIONS 34 & 35, TOWNSHIP 19 SOUTH, RANGE 28 EAST, N.M.P.M. 2608.5 1000 1000 1000 SURVEY FOR AN ELECTRIC LINE EDDY COUNTY, NEW MEXICO Rex DENOTES FOUND CORNER AS NOTED 35 3 26 3 500'38'27"W 2641.5" 1/4 COPASE 500'38'18"W 2640 9" USA 36 CLO "1941" B.C 200 25 Scale: 1"=1000" 1941 8.0 CAD Date: 4/23/14 Rel. W.O.: 8 ZO Drawn By: ACK NORTH] 1900 (red Sheet 1 of 1

Company Reference: Oxy USA Inc Well No. & Name: Dero Com2

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.
- 5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or

additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

- 6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.
- 8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.
- 9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.
- 10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.

Karst:

Smaller powerlines will be routed around sinkholes and other karst features to avoid or lessen the possibility of encountering near surface voids and to minimize changes to runoff or possible leaks and spills from entering karst systems. Larger powerlines will adjust their pole spacing to

avoid cave and karst features. The BLM, Carlsbad Field Office, will be informed immediately if any subsurface drainage channels, cave passages, or voids are penetrated during construction and no further construction will be done until clearance has been issued by the Authorized Officer. Special restoration stipulations or realignment may be required.