

Submit To Appropriate District Office
Type Copies
District I
1625 N. First Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Oil Conservation Division
Energy, Minerals and Natural Resources
JUL 29 2016
Oil Conservation Division
1220 South St. Francis
Santa Fe, NM 87505

Form C-105
Revised August 1, 2011

1. WELL API NO.
30-023-20016

2. Type of Lease
☒ STATE ☐ FEE ☐ FED/INDIAN

3. State Oil & Gas Lease No. 39224

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name
Big Hatchet North Unit 25 State

6. Well Number:
001

7. Type of Completion:
☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☒ OTHER P&A Dry Hole

8. Name of Operator
Dan A Hughes Company, LP

9. OGRID
251054

10. Address of Operator
P O Box 669, 208 E. Houston St., Beeville, TX 78104-0669

11. Pool name or Wildcat
Percha Shale

12. Location

Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	G	25	30S	17W	660	N	4620	E	Hidalgo
BH:	G	25	30S	17W	660	N	4620	E	Hidalgo

13. Date Spudded
5/26/12

14. Date T.D. Reached
5/11/15

15. Date Rig Released
7/1/15

16. Date Completed (Ready to Produce)
NA-Dry Hole

17. Elevations (DF and RKB, RT, GR, etc.)
4494GR

18. Total Measured Depth of Well
110'

19. Plug Back Measured Depth
GR LEVEL

20. Was Directional Survey Made?
No

21. Type Electric and Other Logs Run
None

22. Producing Interval(s), of this completion - Top, Bottom, Name
NA-Dry Hole

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10 3/4"	40.5	25	14"	Surface	None
8 5/8"	32.0	55	9.75"	Surface	None

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET

26. Perforation record (interval, size, and number)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED

28. PRODUCTION

Date First Production
NA

Production Method (Flowing, gas lift, pumping - Size and type pump)
P&A'D, Dry Hole

Well Status (Prod. or Shut-in)
P&A'D, Dry Hole

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio

Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.)



30. Test Witnessed By

31. List Attachments

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. NA

33. If an on-site burial was used at the well, report the exact location of the on-site burial:
NA Latitude Longitude NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature  Printed Name Gaye Heard Title Agent Date 7/24/2016 

E-mail Address gheard@oilreportsinc.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology



