

Reservoir Development

PathFinder, a Schlumberger Company
9200 West Reno Avenue
Oklahoma City, Oklahoma 73127 USA
Phone: (405) 789-1515
Fax: (405) 789-1519

PATHFINDER
A Schlumberger Company

3001542777

Well Reference:

0

N 32.13631 W 104.24435

I, Ben Moore certify that; I am employed by PathFinder, a division of Schlumberger Technology Corporation; that I did on the day(s) of November 22, 2015 through November 26, 2105, conduct or supervise the taking of the SlimPulse surveys from a depth of 6800.00 feet to a depth of 11635.00 feet referenced to driller's depth; that the data is true, correct, complete and within the limitations of the tool as set forth by Drilling & Measurements, a division of Schlumberger Technology Corporation; that I am authorized and qualified to make this report; that this survey was conducted at the request of Cimarex for the Federal 13 Com #8H Well (Original Hole) API No. 30-015-42777-00 and that I have reviewed this report and find that it conforms to the principals and procedures as set forth by Drilling & Measurements, a division of Schlumberger Technology Corporation.

By
Ben Moore
MWD



Subscribed and Sworn to before me this 3rd day of December (month) 2015 (yr)

My Commission expires:

January 30, 2018

Christi Lynn Trammell

Notary Public



(signature)

Collin County Texas
(County State)

NM OIL CONSERVATION
ARTESIA DISTRICT

JUN 27 2016

RECEIVED

Reservoir Development
PathFinder, a Schlumberger Company
9200 West Reno Avenue
Oklahoma City, Oklahoma 73127 USA
Phone: (405) 789-1515
Fax: (405) 789-1519

December 3, 2015

Cimarex
600 N MARIENFELD STREET SUITE 600

MIDLAND, TX 79701

Re:

0
N 32.13631 W 104.24435

CLIENT: Cimarex
WELL: Federal 13 Com #8H
FIELD: 2nd Bone Springs
RIG: H&P 381
COUNTY: Eddy
API NO: 30-015-42777-00
JOB NO: 15MLD2231

Enclosed, please find the original copy of the survey performed on the referenced well by PathFinder, a division of Schlumberger Technology Corporation.
Other information required by your office is as follows.

<u>Name & Title of Surveyor</u>	<u>Drainhole Number</u>	<u>Surveyed Depths</u>	<u>Dates Performed</u>	<u>Type of Survey</u>
Ben Moore MWD	Federal 13 Com #8H Original Hole	6800.00 Ft to 11635.00 Ft	November 22, 2015 to November 26, 2105	SlimPulse

If any other information is required, please contact the undersigned at the above letterhead and phone number.
Sincerely,

Jasem Alharer
Field Service Manager

NM OIL CONSERVATION
ARTESIA DISTRICT

JUN 27 2016

RECEIVED

Cimarex Federal 13 Com #8H 0ft to Update Survey Report

(Non-Def Survey)

Report Date: November 26, 2015 - 05:10 AM
 Client: Cimarex
 Field: NM Eddy County (NAD 83)
 Structure / Slot: Cimarex Federal 13 Com #8H / Cimarex Federal 13 Com #8H
 Well: Federal 13 Com #8H
 Borehole: Original Borehole
 UWI / API#: Unknown / Unknown
 Survey Name: Cimarex Federal 13 Com #8H 0ft to Update
 Survey Date: November 16, 2015
 Tort / AHD / DDI / ERD Ratio: 154.882 * / 4705.198 ft / 6.064 / 0.843
 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
 Location Lat / Long: N 32° 8' 10.70643", W 104° 14' 39.66920"
 Location Grid N/E Y/X: N 413335.700 RUS, E 568879.600 RUS
 CRS Grid Convergence Angle: 0.0473 *
 Grid Scale Factor: 0.99990396
 Version / Patch: 2.8.572.0

Survey / DLS Computation: Minimum Curvature / Lubinski
 Vertical Section Azimuth: 180.021 * (Grid North)
 Vertical Section Origin: 0.000 ft, 0.000 ft
 TVD Reference Datum: RKB
 TVD Reference Elevation: 3296.000 ft above MSL
 Seabed / Ground Elevation: 3271.000 ft above MSL
 Magnetic Declination: 7.519 *
 Total Gravity Field Strength: 998.4378mgm (9.80665 Based)
 Gravity Model: GARM
 Total Magnetic Field Strength: 48184.359 nT
 Magnetic Dip Angle: 59.894 *
 Declination Date: November 16, 2015
 Magnetic Declination Model: HDGM 2015
 North Reference: Gnd North
 Grid Convergence Used: 0.0473 *
 Total Corr Mag North-Grid North: 7.5712 *
 Local Coord Referenced To: Structure Reference Point

NM OIL CONSERVATION
 ARTESIA DISTRICT

JUN 27 2016

RECEIVED

Comments	MD (ft)	Incl (°)	Azlm Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	TF (°)	BR (°/100ft)	TR (°/100ft)	Closure (ft)	Closure Azimuth (°)
SHL	0.00	0.00	180.02	0.00	0.00	0.00	0.00	N/A	156.66M	N/A	N/A	0.00	0.00
Begin Extreme	197.00	0.88	156.66	196.99	1.39	-1.39	0.60	0.45	160.65M	0.45	0.00	1.51	156.66
MWD Surveys	272.00	1.05	160.65	271.98	2.57	-2.57	1.06	0.24	166.79M	0.23	5.32	2.77	157.65
	363.00	1.32	166.79	362.96	4.37	-4.37	1.57	0.33	170.88M	0.30	6.75	4.65	160.24
	452.00	1.32	170.88	451.94	6.38	-6.38	1.97	0.11	165.17M	0.00	4.60	6.68	162.87
	512.00	1.10	165.17	511.93	7.62	-7.62	2.22	0.42	173.17M	-0.37	-9.52	7.94	163.73
	572.00	1.32	173.17	571.91	8.86	-8.87	2.45	0.46	170M	0.37	13.33	9.20	164.53
	663.00	1.18	170.00	662.89	10.84	-10.84	2.74	0.16	164.68M	-0.14	-3.48	11.18	165.80
	753.00	1.49	164.68	752.87	12.88	-12.89	3.21	0.36	166.79M	0.33	-5.91	13.26	165.99
	849.00	1.49	166.79	848.83	15.30	-15.30	3.83	0.06	166.09M	0.00	2.20	15.78	165.95
	940.00	1.71	166.09	939.80	17.77	-17.77	4.43	0.24	166.97M	0.24	-0.77	18.32	166.02
	1031.00	1.89	166.97	1030.75	20.55	-20.55	5.09	0.20	165.08M	0.20	0.97	21.16	166.09
	1122.00	2.02	165.08	1121.70	23.56	-23.57	5.84	0.16	159.67M	0.14	-2.05	24.28	166.08
	1213.00	2.29	159.67	1212.63	26.82	-26.82	6.89	0.37	150.49M	0.30	-5.95	27.69	165.60
	1303.00	2.81	150.49	1302.55	30.42	-30.43	8.50	0.73	142.67M	0.58	-10.20	31.62	164.22
	1395.00	2.90	142.67	1394.43	34.24	-34.24	11.12	0.43	97.36M	0.10	-8.50	36.00	162.01
	1490.00	1.32	97.36	1489.37	38.29	-38.29	13.06	2.30	93.19M	-1.66	-47.69	38.78	159.37
	1584.00	1.89	93.19	1583.33	38.51	-38.52	16.28	0.62	95.78M	0.61	-4.44	39.98	155.97
	1679.00	2.81	95.78	1678.26	38.83	-38.84	20.17	0.97	96.26M	0.97	2.73	42.00	151.30
	1774.00	3.31	96.26	1773.12	37.36	-37.37	25.21	0.53	96M	0.53	0.51	45.08	148.00
	1824.00	2.68	96.00	1823.05	37.64	-37.65	27.81	1.26	86.77M	-1.26	-0.52	46.81	143.55
	1960.00	0.88	86.77	1958.98	37.91	-37.92	32.01	1.34	77.5M	-1.32	-8.79	49.63	139.83
	2056.00	0.70	77.50	2054.97	37.74	-37.76	33.32	0.23	90.99M	-0.19	-9.66	50.36	138.57
	2151.00	0.70	90.99	2149.96	37.63	-37.64	34.47	0.17	76.49M	0.00	14.20	51.04	137.52
	2245.00	0.48	76.48	2243.96	37.55	-37.56	35.42	0.28	68.88M	-0.23	-15.43	51.63	136.68
	2340.00	0.40	68.88	2338.95	37.33	-37.35	36.12	0.10	98.77M	-0.08	-8.01	51.96	135.96
	2439.00	0.31	88.77	2437.95	37.25	-37.26	36.71	0.20	112.17M	-0.09	30.19	52.51	135.43
	2534.00	0.31	112.17	2532.95	37.38	-37.40	37.20	0.08	165.89M	0.00	14.11	52.75	135.15
	2629.00	0.09	169.89	2627.85	37.55	-37.57	37.45	0.29	273.8M	-0.23	60.55	53.05	135.09
	2723.00	0.22	273.80	2721.85	37.62	-37.63	37.28	0.27	274.86M	0.14	110.76	52.97	135.26
	2818.00	0.31	274.86	2816.95	37.58	-37.60	36.85	0.09	251.7M	0.09	0.93	52.64	135.58
	2913.00	0.48	251.70	2911.95	37.69	-37.70	36.21	0.24	244.49M	0.18	-24.19	52.27	136.15
	3007.00	0.48	244.49	3005.94	37.98	-37.99	35.48	0.06	224.49M	0.00	-7.67	51.99	136.96
	3102.00	0.62	224.49	3100.94	38.52	-38.53	34.78	0.25	208.37M	0.15	-21.05	51.90	137.94
	3291.00	0.62	208.37	3289.93	40.15	-40.16	33.58	0.09	206.96M	0.00	-8.53	52.34	140.12
	3386.00	0.62	206.96	3384.92	41.06	-41.07	33.08	0.02	202.87M	0.00	-1.48	52.74	141.15
	3480.00	0.48	202.87	3478.92	41.88	-41.89	32.70	0.15	201.07M	-0.15	-4.35	53.14	142.02
	3575.00	0.48	201.07	3573.91	42.61	-42.63	32.40	0.02	202.79M	0.00	-1.89	53.54	142.76
	3670.00	0.70	202.79	3668.91	43.52	-43.53	32.03	0.23	200.98M	0.23	1.81	54.05	143.65
	3765.00	0.70	200.98	3763.90	44.60	-44.61	31.00	0.02	211.66M	0.00	-1.91	54.67	144.69
	3859.00	0.79	211.66	3857.89	45.68	-45.70	31.06	0.18	227.39M	0.10	11.36	55.25	145.80
	3954.00	1.10	227.39	3952.88	46.86	-46.87	30.04	0.42	235.17M	0.33	16.56	55.67	147.34
	4049.00	1.41	235.17	4047.86	48.15	-48.16	28.41	0.37	235.79M	0.33	8.19	55.91	149.46
	4144.00	1.41	235.79	4142.83	49.47	-49.48	26.48	0.02	234.07M	0.00	0.65	56.12	151.84
	4239.00	1.58	234.07	4237.80	50.90	-50.91	24.46	0.19	230.69M	0.18	-1.81	56.46	154.34
	4333.00	1.58	230.69	4331.76	52.48	-52.49	22.40	0.10	221.37M	0.00	-3.60	57.07	156.86
	4428.00	1.80	221.37	4426.72	54.43	-54.44	20.41	0.37	214.39M	0.23	-9.81	58.14	159.45
	4523.00	2.11	214.39	4521.66	56.99	-57.00	18.43	0.41	211.79M	0.39	-7.35	59.91	162.08
	4617.00	2.20	211.79	4615.60	59.96	-59.96	16.50	0.14	204.59M	0.10	-2.77	62.19	164.61
	4712.00	2.11	204.59	4710.53	63.10	-63.10	14.82	0.30	198.87M	-0.09	-7.58	64.82	166.79
	4807.00	2.20	198.87	4805.46	66.41	-66.42	13.50	0.25	185.89M	0.09	-6.02	67.77	168.51
	4902.00	2.11	195.89	4900.40	69.82	-69.82	12.43	0.15	195.27M	-0.09	-3.14	70.82	169.81
	4996.00	2.02	195.27	4994.34	73.08	-73.09	11.52	0.10	183.58M	-0.10	-0.58	73.99	171.04
	5091.00	2.20	183.58	5089.27	76.52	-76.52	10.96	0.49	175.36M	0.19	-12.31	77.30	171.85
	5186.00	2.02	175.36	5184.21	80.01	-80.01	10.99	0.37	172.86M	-0.19	-8.65	80.76	172.18
	5281.00	2.11	172.86	5279.15	83.41	-83.41	11.34	0.13	177.78M	0.09	-2.63	84.16	172.26
	5375.00	1.89	177.78	5373.09	86.68	-86.68	11.61	0.30	179.36M	-0.23	5.23	87.46	172.37
	5470.00	1.89	179.36	5468.04	89.81	-89.81	11.69	0.05	179.58M	0.00	1.68	90.57	172.58
	5565.00	1.10	179.58	5563.00	92.29	-92.29	11.72	0.83	169.87M	-0.83	0.23	93.03	172.77
	5660.00	1.10	169.87	5657.99	94.10	-94.10	11.88	0.20	169.09M	0.00	-10.22	94.85	172.80
	5755.00	0.70	169.09	5752.97	95.54	-95.55	11.85	0.63	190.39M	-0.42	30.76	96.28	172.93
	5849.00	1.41	190.39	5846.96	97.22	-97.23	11.46	0.77	237.28M	0.76	-9.26	97.90	173.28
	5944.00	1.41	237.28	5941.93	99.00	-99.01	10.26	1.18	78.6M	0.00	49.36	99.54	174.08
	6039.00	1.10	78.60	6036.92	99.46	-99.46	10.17	2.60	64.88M	-0.33	-167.03	99.98	174.16
	6134.00	2.20	64.88	6131.88	98.50	-98.51	12.72	1.22	68.97M	1.16	-14.44	99.32	172.64
	6228.00	2.02	68.97	6225.82	97.14	-97.15	15.90	0.25	63M	-0.19	4.35	98.44	170.71
	6323.00	2.02	63.00	6320.76	95.78	-95.78	18.95	0.22	58.78M	0.00	-6.28	97.64	168.81
	6418.00	1.58	58.78	6415.71	94.34	-94.35	21.57	0.48	57.28M	-0.46	-4.44	98.78	167.12
	6512.00	1.10	57.28	6509.69	93.18	-93.19	23.43	0.51	82.07M	-0.51	-1.60	96.09	165.88

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	TF (°)	BR (ft/100ft)	TR (ft/100ft)	Closure (ft)	Closure Azimuth (°)
	6607.00	1.10	82.07	6604.67	92.56	-92.57	25.10	0.50	120.7M	0.00	26.09	95.91	164.83
	6702.00	1.32	120.70	6699.65	92.99	-93.00	26.95	0.87	130.57M	0.23	40.66	96.83	163.84
	6760.00	1.32	130.67	6757.64	93.77	-93.76	28.03	0.40	137.05M	0.00	17.19	97.88	163.36
	6800.00	1.34	137.05	6797.63	94.41	-94.42	28.70	0.37	162.14M	0.05	15.95	98.68	163.09
	6830.00	3.12	162.14	6827.60	95.44	-95.45	29.19	6.63	176.85M	5.93	83.63	99.82	163.00
	6878.00	8.59	176.85	6875.34	100.27	-100.28	29.78	11.72	10.15R	11.40	30.65	104.61	163.46
	6926.00	13.77	180.72	6922.41	109.57	-109.58	28.91	10.90	13.96L	10.79	8.06	113.59	164.73
	6973.00	17.73	177.51	6967.64	122.31	-122.33	30.15	8.62	1.04R	8.43	-6.83	125.99	166.15
	7021.00	23.45	177.77	7012.55	139.17	-139.19	30.84	11.92	6.56R	11.92	0.54	142.56	167.51
	7068.00	28.12	178.91	7054.86	159.60	-159.62	31.41	9.99	5.33R	9.94	2.43	162.68	168.87
	7115.00	34.51	179.98	7094.99	184.02	-184.03	31.63	13.64	0.12L	13.60	2.23	186.73	170.25
	7162.00	40.79	179.94	7132.19	212.71	-212.72	31.66	13.36	5.9R	13.36	-0.04	215.07	171.53
	7210.00	48.25	180.97	7166.39	246.34	-246.35	31.37	15.81	13.27R	15.54	2.15	248.34	172.74
	7257.00	55.80	183.06	7195.35	283.29	-283.30	30.94	16.02	8.3R	15.64	4.45	264.89	173.95
	7305.00	61.78	184.08	7220.29	324.20	-324.21	27.47	13.00	13.02L	12.88	2.13	325.37	175.16
	7352.00	66.51	182.89	7240.78	366.40	-366.41	24.91	10.32	34.09L	10.06	-2.53	367.25	176.11
	7400.00	69.73	180.58	7258.67	410.92	-410.92	23.58	8.06	13.5L	8.71	-4.81	411.60	176.72
	7447.00	74.60	179.37	7273.06	455.64	-455.65	23.60	10.85	12.41L	10.36	-2.57	456.26	177.03
	7495.00	80.21	178.12	7283.52	502.45	-502.47	24.63	11.96	4.17R	11.69	-2.60	503.07	177.19
	7542.00	86.66	178.59	7288.89	549.10	-549.11	25.97	13.76	15.86R	13.72	1.00	549.73	177.29
	7610.00	92.51	180.25	7289.38	617.07	-617.08	26.66	8.94	18.1L	8.60	2.44	617.65	177.53
	7668.00	93.06	180.07	7286.58	675.00	-675.01	26.50	1.00	145.44R	0.95	-0.31	675.53	177.75
	7722.00	91.55	181.11	7284.39	728.95	-728.96	25.94	3.39	103.45R	-2.80	1.93	729.42	177.96
	7817.00	91.44	181.57	7281.91	823.89	-823.90	23.72	0.50	165.65R	-0.12	0.48	824.24	178.35
	7912.00	90.58	181.79	7280.24	918.84	-918.84	20.94	0.93	125.69R	-0.91	0.23	919.08	178.69
	8006.00	90.07	182.50	7279.71	1012.77	-1012.77	17.42	0.93	8.43R	-0.54	0.76	1012.92	179.01
	8101.00	90.34	182.54	7279.37	1107.68	-1107.68	13.24	0.29	124.35L	0.28	0.04	1107.78	179.32
	8195.00	83.93	181.94	7279.15	1201.61	-1201.61	9.57	0.77	139.4L	-0.44	-0.64	1201.65	179.54
	8290.00	89.79	181.62	7279.38	1296.56	-1296.56	6.45	0.19	23.2R	-0.15	-0.13	1296.57	179.71
	8385.00	90.14	181.97	7279.44	1391.50	-1391.51	3.31	0.40	96.37L	0.37	0.16	1391.51	179.86
	8479.00	90.00	180.48	7279.32	1485.48	-1485.48	1.30	1.59	68.6L	-0.15	-1.59	1485.48	179.95
	8574.00	90.58	179.00	7278.84	1580.48	-1580.48	1.73	1.67	123.69L	0.61	-1.56	1580.48	179.94
	8668.00	90.34	178.64	7278.09	1674.45	-1674.45	3.67	0.46	164.88L	-0.26	-0.38	1674.45	179.87
	8763.00	89.97	178.54	7277.83	1769.42	-1769.42	6.00	0.40	86.14L	-0.39	-0.11	1769.43	179.81
	8858.00	90.03	177.65	7277.83	1864.37	-1864.37	9.16	0.94	87.58R	0.06	-0.94	1864.39	179.72
	8952.00	90.10	179.31	7277.72	1958.33	-1958.33	11.65	1.77	92.64R	0.07	1.77	1958.37	179.66
	9047.00	90.03	180.83	7277.61	2053.33	-2053.33	11.54	1.60	64.32R	-0.07	1.60	2053.36	179.68
	9142.00	90.28	181.35	7277.36	2148.31	-2148.31	9.73	0.61	64.54R	0.26	0.55	2148.34	179.74
	9236.00	90.38	181.56	7276.82	2242.28	-2242.28	7.34	0.25	124.99R	0.11	0.22	2242.29	179.81
	9331.00	90.03	182.06	7276.48	2337.23	-2337.23	4.34	0.64	67.79R	-0.37	0.53	2337.24	179.89
	9425.00	90.52	183.26	7276.02	2431.13	-2431.13	-0.02	1.38	131.19R	0.52	1.28	2431.13	180.00
	9520.00	90.45	183.34	7275.22	2525.97	-2525.97	-6.48	0.11	150.85L	-0.07	0.08	2525.97	180.12
	9615.00	89.59	183.05	7274.91	2620.82	-2620.82	-10.78	0.63	97.72L	-0.55	-0.31	2620.84	180.24
	9709.00	88.66	181.28	7275.22	2714.75	-2714.75	-14.33	1.90	133.47L	-0.26	-1.88	2714.79	180.30
	9804.00	88.25	179.76	7276.92	2809.73	-2809.72	-15.19	2.20	54.15L	-1.52	-1.60	2809.76	180.31
	9899.00	88.38	179.58	7275.72	2904.69	-2904.68	-14.65	0.23	116.59L	0.14	-0.19	2904.72	180.29
	9993.00	88.04	178.90	7282.65	2998.63	-2998.63	-13.40	0.81	97.44L	-0.36	-0.72	2998.66	180.26
	10088.00	88.01	178.67	7285.93	3093.55	-3093.55	-11.39	0.24	HS	-0.03	-0.24	3093.57	180.21
	10182.00	88.11	178.67	7289.11	3187.47	-3187.47	-9.21	0.11	15.06R	0.11	0.00	3187.48	180.17
	10277.00	88.63	178.81	7291.81	3282.41	-3282.41	-7.12	0.57	80L	0.55	0.15	3282.41	180.12
	10372.00	88.63	178.42	7294.08	3377.35	-3377.35	-4.82	0.41	41.28R	0.00	-0.41	3377.35	180.08
	10467.00	89.04	178.78	7296.02	3472.30	-3472.30	-2.50	0.57	167.13R	0.43	0.38	3472.30	180.04
	10562.00	88.69	178.65	7297.90	3567.28	-3567.28	-0.55	0.38	122.01R	-0.37	0.08	3567.26	180.01
	10656.00	88.59	179.02	7300.13	3661.22	-3661.22	1.19	0.20	80.32R	-0.11	0.17	3661.22	179.98
	10751.00	88.73	179.84	7302.35	3756.19	-3756.19	2.14	0.88	24.1L	0.15	0.88	3756.19	179.97
	10846.00	89.11	179.67	7304.14	3851.17	-3851.17	2.54	0.44	125.01L	0.40	-0.18	3851.17	179.96
	10941.00	88.55	178.87	7306.08	3946.14	-3946.14	3.76	1.03	81.71R	-0.59	-0.84	3946.15	179.95
	11036.00	88.62	179.35	7308.43	4041.10	-4041.10	5.23	0.51	85.17R	0.07	0.51	4041.11	179.93
	11130.00	88.75	181.00	7310.58	4135.07	-4135.07	4.94	1.78	99.56R	0.15	1.78	4135.08	179.93
	11225.00	88.56	182.19	7312.80	4230.01	-4230.01	2.30	1.27	78.59R	-0.21	1.25	4230.01	179.97
	11320.00	88.66	182.69	7315.10	4324.90	-4324.90	-1.75	0.54	4.76L	0.11	0.53	4324.90	180.02
	11415.00	89.38	182.63	7318.73	4419.78	-4419.78	-6.16	0.76	67.87L	0.76	-0.06	4419.78	180.06
	11509.00	89.86	181.45	7317.35	4513.72	-4513.72	-9.50	1.36	175.39R	0.51	-1.26	4513.73	180.12
	11567.00	89.24	181.50	7317.81	4571.70	-4571.69	-10.99	1.07	HS	-1.07	0.09	4571.71	180.14
Projection to Eut	11635.00	89.24	181.50	7318.71	4639.67	-4639.68	-12.77	0.00		0.00	0.00	4639.68	180.16

Survey Type: Non-Def Survey

Survey Error Model: ISQWSA Rev 0 *** 3-D 95.00% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EDU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	25.000	1/98.425	30.000	30.000	SLB_UNKNOWN-Depth Only	Original Borehole / Cimarex Federal 13 Com #8H Off to Update
	1	25.000	25.000	Act Sins	30.000	30.000	SLB_UNKNOWN-Depth Only	Original Borehole / Cimarex Federal 13 Com #8H Off to Update
	1	25.000	11635.000	Act Sins	30.000	30.000	SLB_UNKNOWN	Original Borehole / Cimarex Federal 13 Com #8H Off to Update