

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Tony Delfin
Deputy Cabinet Secretary

David Catanach, Director
Oil Conservation Division



Response Required - Deadline Enclosed

Field Inspection Program
"Preserving the Integrity of Our Environment"

18-Aug-16

AGUA SUCIA LLC
P.O. BOX 2081
LOVINGTON NM 88260

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

EAST SHUGART UNIT No.025				M-35-18S-31E	30-015-05690-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/18/2016	Routine/Periodic	Gilbert Cordero	Yes	No	11/21/2016	iGC1623144383
Comments on Inspection: No Well Sign (Rule 19.15.16.8).						

EAST SHUGART UNIT No.006				C-35-18S-31E	30-015-05696-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/18/2016	Routine/Periodic	Gilbert Cordero	Yes	No	11/21/2016	iGC1623138207
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (DEVON) IS NOT CORRECT						

EAST SHUGART UNIT No.005				D-35-18S-31E	30-015-05697-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/18/2016	Routine/Periodic	Gilbert Cordero	Yes	No	11/21/2016	iGC1623137811
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (ARCO) IS INCORRECT.						

EAST SHUGART WSW		No.001		F-35-18S-31E	30-015-22603-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
08/18/2016	Routine/Periodic	Gilbert Cordero	Yes	No	11/21/2016	iGC1623138450	
Comments on Inspection: No Well Sign (Rule 19.15.16.8).							

EAST SHUGART UNIT No.050				G-35-18S-31E	30-015-27944-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
08/18/2016	Routine/Periodic	Gilbert Cordero	Yes	No	11/21/2016	iGC1623138792	
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR (DEVON) IS NOT CORRECT							

EAST SHUGART UNIT No.056				G-35-18S-31E	30-015-27949-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
08/18/2016	Routine/Periodic	Gilbert Cordero	Yes	No	11/21/2016	iGC1623138944	
Comments on Inspection: No Well Sign (Rule 19.15.16.8).							

EAST SHUGART UNIT No.076				F-35-18S-31E	30-015-28201-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
08/18/2016	Routine/Periodic	Gilbert Cordero	Yes	No	11/21/2016	iGC1623138608	
Comments on Inspection: Well Sign (Rule 19.15.16.8). OPERATOR IS NOT CORRECT							

EAST SHUGART UNIT No.075				K-35-18S-31E	30-015-28204-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
08/18/2016	Routine/Periodic	Gilbert Cordero	Yes	No	11/21/2016	iGC1623133145	
Comments on Inspection: No Well Sign (Rule 19.15.16.8).							

EAST SHUGART UNIT No.069				C-35-18S-31E	30-015-28218-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
08/18/2016	Routine/Periodic	Gilbert Cordero	Yes	No	11/21/2016	iGC1623138115	
Comments on Inspection: No Well Sign (Rule 19.15.16.8).							

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,



Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.
 *Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.