

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELL CARLSBAD FIELD OFFICE**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.
OCD Artesia**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other		5. Lease Serial No. Multiple--See Attached
2. Name of Operator COG OPERATING LLC Contact: SANDY BALLARD E-Mail: sballard@concho.com		6. If Indian, Allottee or Tribe Name
3a. Address 600 W ILLINOIS AVENUE MIDLAND, TX 79701	3b. Phone No. (include area code) Ph: 432-685-4373	7. If Unit or CA/Agreement, Name and/or No. NMNM88525X
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Multiple--See Attached		8. Well Name and No. Multiple--See Attached
		9. API Well No. Multiple--See Attached
		10. Field and Pool or Exploratory Area Multiple--See Attached
		11. County or Parish, State EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Venting and/or Flaring
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletable horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletable in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Burch Keely East 18A Tank Battery
Burch Keely Unit 18A Battery
(Permit approval: Electronic Submission #341540)

Actual gas flared for this battery for 8/26/16 to 8/24/16 is as follows:

June
Total for Battery = 0 mcf
July
Total for Battery = 0 mcf
Aug
Total for Battery = 0 mcf
Sept

NM OIL CONSERVATION
ARTESIA DISTRICT

FEB 06 2017

RECEIVED

14. I hereby certify that the foregoing is true and correct. Electronic Submission #357351 verified by the BLM Well Information System For COG OPERATING LLC, sent to the Carlsbad Committed to AFMSS for processing by DEBORAH MCKINNEY on 11/08/2016 (17DLM0214SE)		Name (Printed/Typed) SANDY BALLARD		Title AUTHORIZED REPRESENTATIVE
Signature (Electronic Submission)		Date 11/08/2016		ACCEPTED FOR RECORD JAN 23 2017 BUREAU OF LAND MANAGEMENT CARLSBAD FIELD OFFICE
THIS SPACE FOR FEDERAL OR STATE OFFICE USE ACCEPTED		MUSTAFA HAQUE Title PETROLEUM ENGINEER Date 01/23/2017		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #357351 that would not fit on the form

5. Lease Serial No., continued

NMLC028784B
NMLC028784C
NMLC028793A
NMLC028793C

Wells/Facilities, continued

Agreement	Lease	Well/Fac Name, Number	API Number	Location
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 411	30-015-36263-00-S1	Sec 18 T17S R30E Lot 2 1910FNL 990FWL
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 412	30-015-36182-00-S1	Sec 18 T17S R30E SWNE 1940FNL 1363FEL 32.836557 N Lat, 104.007239 W Lon
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 417	30-015-36181-00-S1	Sec 18 T17S R30E SENW 1708FNL 2517FWL 32.837193 N Lat, 104.011426 W Lon
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 548	30-015-39442-00-S1	Sec 18 T17S R29E Lot 1 440FNL 460FWL
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 549	30-015-39522-00-S1	Sec 18 T17S R30E Lot 1 330FNL 1000FWL
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 550	30-015-39523-00-S1	Sec 18 T17S R30E NENW 330FNL 1650FWL
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 552	30-015-39443-00-S1	Sec 18 T17S R30E NENW 1120FNL 2480FWL
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 554	30-015-39755-00-S1	Sec 18 T17S R30E NENE 260FNL 1108FEL
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 555	30-015-39566-00-S1	Sec 18 T17S R30E NENE 330FNL 330FEL
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 556	30-015-39907-00-S1	Sec 18 T17S R30E Lot 1 1004FNL 457FWL
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 557	30-015-39316-00-S1	Sec 18 T17S R30E Lot 1 1050FNL 990FWL
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 559	30-015-39317-00-S1	Sec 18 T17S R30E NENW 1120FNL 2480FWL
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 561	30-015-39318-00-S1	Sec 18 T17S R30E NWNE 990FNL 1650FEL
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 563	30-015-39444-00-S1	Sec 18 T17S R30E NENE 940FNL 330FEL
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 564	30-015-39869-00-S1	Sec 18 T17S R30E Lot 2 1713FNL 355FWL
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 565	30-015-39568-00-S1	Sec 18 T17S R30E SENE 1650FNL 990FEL
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 566	30-015-39870-00-S1	Sec 18 T17S R30E SENW 1650FNL 1650FWL
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 570	30-015-40267-00-S1	Sec 18 T17S R30E NESE 2310FSL 990FEL
NMNM88525X	NMLC028784B	BURCH KEELY UNIT 572	30-015-40268-00-S1	Sec 18 T17S R30E SENW 2492FNL 2257FWL
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 573	30-015-40269-00-S1	Sec 18 T17S R30E SWNE 2120FNL 2310FEL
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 578	30-015-39539-00-S1	Sec 18 T17S R30E NWSE 2095FSL 2473FEL
NMNM88525X	NMLC028793A	BURCH KEELY UNIT 582	30-015-40272-00-S1	Sec 18 T17S R30E SWSE 1310FSL 2025FEL
NMNM88525X	NMLC028784C	BURCH KEELY UNIT 932H	30-015-42186-00-S1	Sec 18 T17S R30E Lot 2 1864FNL 323FWL 32.836549 N Lat, 104.018099 W Lon
NMNM88525X	NMLC028784C	BURCH KEELY UNIT 934H	30-015-42758-00-S1	Sec 13 T17S R29E NESE 2455FSL 210FEL 32.833911 N Lat, 104.019834 W Lon
NMNM88525X	NMLC028793C	BURCH KEELY UNIT 939H	30-015-39573-00-S1	Sec 18 T17S R30E Lot 1 1152FNL 497FWL

10. Field and Pool, continued

UNKNOWN

32. Additional remarks, continued

Total for Battery = 0 mcf

Number of wells flared: (24)

BURCH-KEELY UNIT #550 30-015-39523
BURCH-KEELY UNIT #565 30-015-39568
BURCH-KEELY UNIT #573 30-015-40269
BURCH-KEELY UNIT #559 30-015-39317
BURCH-KEELY UNIT #552 30-015-39443
BURCH-KEELY UNIT #570 30-015-40267
BURCH-KEELY UNIT #412 30-015-36182
BURCH-KEELY UNIT #561 30-015-39318
BURCH-KEELY UNIT #934H 30-015-42758
BURCH-KEELY UNIT #939H (FKA 18-2H) 30-015-39573
BURCH-KEELY UNIT #556 30-015-39907
BURCH-KEELY UNIT #572 30-015-40268
BURCH-KEELY UNIT #582 30-015-40272
BURCH-KEELY UNIT #932H 30-015-42186
BURCH-KEELY UNIT #564 30-015-39869
BURCH-KEELY UNIT #548 30-015-39442
BURCH-KEELY UNIT #555 30-015-39566
BURCH-KEELY UNIT #411 30-015-36263
BURCH-KEELY UNIT #417 30-015-36181
BURCH-KEELY UNIT #549 30-015-39522
BURCH-KEELY UNIT #554 30-015-39755
BURCH-KEELY UNIT #557 30-015-39316
BURCH-KEELY UNIT #566 30-015-39870
BURCH-KEELY UNIT #578 30-015-39539
BURCH-KEELY UNIT #563 30-015-39444

Reason for flare: Frontier shut in to replace main valve

Revisions to Operator-Submitted EC Data for Sundry Notice #357351

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	FLARE SR	FLARE SR
Lease:	NMLC028793A	NMLC028784B NMLC028784C NMLC028793A NMLC028793C
Agreement:	NMNM88525X	NMNM88525X (NMNM88525X)
Operator:	COG OPERATING LLC 600 W. ILLINOIS AVE MIDLAND, TX 79701 Ph: 432-685-4304	COG OPERATING LLC 600 W ILLINOIS AVENUE MIDLAND, TX 79701 Ph: 432.685.4385
Admin Contact:	SANDY BALLARD ADMINISTRATIVE ASSISTANT E-Mail: sballard@concho.com Ph: 432-685-4373	SANDY BALLARD AUTHORIZED REPRESENTATIVE E-Mail: sballard@concho.com Ph: 432-685-4373
Tech Contact:	SANDY BALLARD ADMINISTRATIVE ASSISTANT E-Mail: sballard@concho.com Ph: 432-685-4373	SANDY BALLARD AUTHORIZED REPRESENTATIVE E-Mail: sballard@concho.com Ph: 432-685-4373
Location:		
State:	NM	NM
County:	EDDY COUNTY	EDDY
Field/Pool:	BURCH KEELY, GLORIETA YESO	BURCH KEELY-GLORIETA-UPPER YES GRAYBURG JACKSON-SR-Q-GRBG-SA UNKNOWN
Well/Facility:	BURCH KEELY UNIT 411 Sec 18 T17S R30E 1910FNL 990FWL	BURCH KEELY UNIT 411 Sec 18 T17S R30E Lot 2 1910FNL 990FWL BURCH KEELY UNIT 412 Sec 18 T17S R30E SWNE 1940FNL 1363FEL 32.836557 N Lat, 104.007239 W Lon BURCH KEELY UNIT 417 Sec 18 T17S R30E SENW 1708FNL 2517FWL 32.837193 N Lat, 104.011426 W Lon BURCH KEELY UNIT 548 Sec 18 T17S R29E Lot 1 440FNL 460FWL BURCH KEELY UNIT 549 Sec 18 T17S R30E Lot 1 330FNL 1000FWL BURCH KEELY UNIT 550 Sec 18 T17S R30E NENW 330FNL 1650FWL BURCH KEELY UNIT 552 Sec 18 T17S R30E NENW 1120FNL 2480FWL BURCH KEELY UNIT 554 Sec 18 T17S R30E NENE 260FNL 1108FEL BURCH KEELY UNIT 555 Sec 18 T17S R30E NENE 330FNL 330FEL BURCH KEELY UNIT 556 Sec 18 T17S R30E Lot 1 1004FNL 457FWL BURCH KEELY UNIT 557 Sec 18 T17S R30E Lot 1 1050FNL 990FWL BURCH KEELY UNIT 559 Sec 18 T17S R30E NENW 1120FNL 2480FWL BURCH KEELY UNIT 561 Sec 18 T17S R30E NWNE 990FNL 1650FEL BURCH KEELY UNIT 563 Sec 18 T17S R30E NENE 940FNL 330FEL BURCH KEELY UNIT 564 Sec 18 T17S R30E Lot 2 1713FNL 355FWL BURCH KEELY UNIT 565 Sec 18 T17S R30E SENE 1650FNL 990FEL BURCH KEELY UNIT 566 Sec 18 T17S R30E SENW 1650FNL 1650FWL BURCH KEELY UNIT 570 Sec 18 T17S R30E NESE 2310FSL 990FEL BURCH KEELY UNIT 572 Sec 18 T17S R30E SENW 2492FNL 2257FWL BURCH KEELY UNIT 573 Sec 18 T17S R30E SWNE 2120FNL 2310FEL