District I 1625 N French Dr., Hobbs, NM 88240 <u>District 11</u> 811 S First St., Artesia, NM 88210 <u>District 111</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District LV</u> 1220 S St. Francis Dr., Santa Fe, NM 87505 NM OIL CONSERVATION

ARTESTA DISTRICT

State of New Mexico Energy Minerals and Natural Resources MAR 0 8 201/

Form C-129 Revised August 1,2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

RECEIVED to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

А.	Applicant Apache Corporation,		
	whose address is 1945 Bluestern Road, Artesia, NM 88210		
	hereby requests an exception to Rule 19.15.18.12 for 90 days or until		
	April 30, Yr, for the following described tank battery (or LACT):		
	Name of Lease NB Tween State Name of Pool Yeso		
	Location of Battery: Unit LetterHSectionTownshipRange		
	Number of wells producing into battery 30 (30-015-35915)		
B.	Based upon oil production ofbarrels per day, the estimated * volume		
	of gas to be flared isMCF; Value\$4000per day.		
C.	Name and location of nearest gas gathering facility: Frontier Empire Abo Unit		
D.	DistanceEstimated cost of connection		
E.	This is for an extension on the		
	previous one that will expire April 30, 20017.		
Division have been	hat the rules and regulations of the Ofl Conservation ten complied with and that the information given above lete to the best of my knowledge and belief.		
Signature	Jubel Houson By Amalia Parstamante		
Printed Name & Title	Isabel Hudson - Regulatory Analyst Title Paranes C. Sp.		
E-mail Addres	ssIsabel_hudson@apachecorp_comDate318/17		
Date 1/19/2	Telephone No. (432) 818-1142 * Please See attached C.D.A.		

* Gas-Oil ratio test may be required to verify estimated gas volume.

Submit 3 Copies To Appropriate Distri	^{ct} State of New Mexico	Form C-103
Office District 1	Energy Minerals and Natural Resource	es June 19, 2008
1625 N French Dr Hold NN 68240	PNSER GATES Minerals and Natural Resource	WELL API NO.
1301 W Grand Ave Artesia, NM 882	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	N 5. Indicate Type of Lease
District III 1000 Rio Brazos Rd., Aztec, NM 8741		STATE STATE
District IV	Santa Fe, NM 8/505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	ECEIVEL	X0-0647-0405
	OTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
	DPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A PLICATION FOR PERMIT" (FORM C-101) FOR SUCH	A N B Tween State Battery
1. Type of Well: XOil Well	Gas Well Other:	8. Well Number
2. Name of Operator Apache Corporation		9. OGRID Number 873
3. Address of Operator		10. Pool name or Wildcat
303 Veterans Airpark Lane, Suit	e 3000 Midland, TX 79705	Artesia; Glorieta-Yeso (96830)
4. Well Location		
Unit Letter H		ndfeet from theline
Section 25	Township 17S Range	NMPM 28E County Eddy
	11. Elevation (Show whether DR, RKB, RT, G	R, elc.)
š		an a
12. Chec	k Appropriate Box to Indicate Nature of No.	otice. Report or Other Data
		•
NOTICE OF PERFORM REMEDIAL WORK		SUBSEQUENT REPORT OF:
TEMPORARILY ABANDON		. WORK ALTERING CASING CE DRILLING OPNS P AND A
PULL OR ALTER CASING		
DOWNHOLE COMMINGLE		
OTHER: Flare Gas		D
13. Describe proposed or co	mpleted operations. (Clearly state all pertinent deta	ils, and give pertinent dates, including estimated date
13. Describe proposed or co of starting any proposed	mpleted operations. (Clearly state all pertinent deta	ils, and give pertinent dates, including estimated date ns: Attach wellbore diagram of proposed completion
 Describe proposed or co of starting any proposed or recompletion. 	ompleted operations. (Clearly state all pertinent deta work). SEE RULE 1103. For Multiple Completio	ns: Attach wellbore diagram of proposed completion
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permises 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1-	ns: Attach wellbore diagram of proposed completion
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 	ompleted operations. (Clearly state all pertinent detail work). SEE RULE 1103. For Multiple Completion to temporarily flare the NB Tween State wells 1- alls included in the above battery are as follows:	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 	ompleted operations. (Clearly state all pertinent detail work). SEE RULE 1103. For Multiple Completion to temporarily flare the NB Tween State wells 1- alls included in the above battery are as follows:	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-35917 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789 30-015-37592 30-015-37593 30-015-37597	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36627 30-015-36796 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-39070 30-015-38590	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
 13. Describe proposed or co of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-35916 30-015-36603 30-015-36626 30-015-36627 30-015-36627 30-015-36798 	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39747
13. Describe proposed or coordinating any proposed or recompletion. Apache is requesting permission measured prior to flaring. Wet 30-015-35915 30-015-35915 30-015-35916 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	and the second state	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39748
13. Describe proposed or coordinating any proposed or recompletion. Apache is requesting permission measured prior to flaring. Wet 30-015-35915 30-015-35915 30-015-35916 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	ompleted operations. (Clearly state all pertinent deta I work). SEE RULE 1103. For Multiple Completio sion to temporarily flare the NB Tween State wells 1- ells included in the above battery are as follows: 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38407 30-015-38590 30-015-38591	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39748
13. Describe proposed or coordinating any proposed or recompletion. Apache is requesting permission measured prior to flaring. Wet 30-015-35915 30-015-35915 30-015-35916 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	and the second state	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39745 30-015-39746 30-015-39748
13. Describe proposed or coordinating any proposed or recompletion. Apache is requesting permission measured prior to flaring. Wet 30-015-35915 30-015-35915 30-015-35916 30-015-35916 30-015-35917 30-015-36603 30-015-36626 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date:	and the second state	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38467 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748
13. Describe proposed or coordstarting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. Wet 30-015-35915 30-015-35915 30-015-35974 30-015-35916 30-015-35916 30-015-36603 30-015-36626 30-015-36626 30-015-36627 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: I hereby certify that the information of the second sec	ampleted operations. (Clearly state all pertinent detail work). SEE RULE 1103. For Multiple Completion alis included in the above battery are as follows: 30-015-36789 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38590 30-015-38591 Rig Release Date: Image: Rig Release D	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748 wledge and belief.
 13. Describe proposed or cool of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-36917 30-015-36626 30-015-36626 30-015-36626 30-015-366796 30-015-36798 Spud Date: I hereby certify that the information of the second seco	ampleted operations. (Clearly state all pertinent detail work). SEE RULE 1103. For Multiple Completion alis included in the above battery are as follows: 30-015-36789 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38590 30-015-38591 Rig Release Date: Image: Rig Release D	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748 wledge and belief.
13. Describe proposed or coordstarting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. Wet 30-015-35915 30-015-35915 30-015-35974 30-015-35916 30-015-35916 30-015-36603 30-015-36626 30-015-36626 30-015-36627 30-015-36627 30-015-36796 30-015-36797 30-015-36798 Spud Date: I hereby certify that the information of the second sec	ampleted operations. (Clearly state all pertinent detail work). SEE RULE 1103. For Multiple Completion alis included in the above battery are as follows: 30-015-36789 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38590 30-015-38591 Rig Release Date: Image: Rig Release D	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38593 30-015-39074 30-015-39744 30-015-39745 30-015-39746 30-015-39747 30-015-39748 wledge and belief.
 13. Describe proposed or cool of starting any proposed or recompletion. Apache is requesting permiss measured prior to flaring. We 30-015-35915 30-015-35974 30-015-35916 30-015-36917 30-015-36626 30-015-36626 30-015-36626 30-015-366796 30-015-36798 Spud Date: I hereby certify that the information of the second seco	ampleted operations. (Clearly state all pertinent detail work). SEE RULE 1103. For Multiple Completion alis included in the above battery are as follows: 30-015-36789 30-015-36789 30-015-37592 30-015-37593 30-015-37597 30-015-38405 30-015-38406 30-015-38590 30-015-38591 Rig Release Date: Image: Rig Release D	ns: Attach wellbore diagram of proposed completion 30. Intermittent flaring will occur and gas will be 30-015-38592 30-015-38593 30-015-39074 30-015-39075 30-015-39744 30-015-39746 30-015-39747 30-015-39748 wledge and belief.

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- **1.** Venting gas is absolutely not allowed.
- **2.** Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- **4.** Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- 6. No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. Flaring of gas is prohibited. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.
- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here

DATE: 3/8/17

Susana Martinez Governor

David Martin Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary David Catanach Division Director Oil Conservation Division



FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for any vegetation near structures.
- · Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <u>http://activefiremaps.fs.fed.us/current.php</u>

###

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies. Susana Martinez Governor

David Martin Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary David R. Catanach, Division Director Oil Conservation Division



NOTICE TO OPERATORS

The Oil Conservation Division ("OCD") has been tasked to study flaring and develop a gas capture plan by the end of the year with the ultimate goal to reduce natural gas emissions.

Current OCD reporting has no specific method to differentiate flared and vented volumes reported on C-115 reports. This prevents the OCD from having quantifiable flaring data per Rule 19.15.18.12.F NMAC.

Therefore, to collect flaring volumes and differentiate actual vented volumes going forward, NMOCD will implement a new "Non-Transported Disposition" Code (for gas) to be reported on the C-115 reports. The new code will be "F" for Flared. The new code "F" is to be used to report the volume of gas that is flared on a well basis, or total volume if flared at a common battery or gathering system and reported under one point of disposition. Operators must report vented and flared volumes separately to their respective "Non Transported Disposition" code ("V" for vented and "F" for flared).

The change will become effective for the November 2015 production month with reporting due by January 15, 2016.

The NMOCD will be conducting operator outreach training sessions in the Southeast and Northwest to provide information and answer questions regarding the process.

Meeting notices will be posted on NMOCD website at: http://www.emnrd.state.nm.us/OCD/announcements.html

The C-115 instructions are available on NMOCD website at: http://www.emnrd.state.nm.us/OCD/documents/eC115_FullInstructions.pdf

RULES

19.15.7.24 OPERATOR'S MONTHLY REPORT (Form C-115):

A. An operator shall file a form C-115 for each non-plugged well completion for which the division has approved a form C-104 and for each secondary or other enhanced recovery project or pressure maintenance project injection well or other injection well within the state, setting forth complete information and data indicated on the forms in the order, format and style the director prescribes. The operator shall estimate oil production from wells producing into common storage as accurately as possible on the basis of periodic tests.

19.15.18.12 CASINGHEAD GAS:

F. Pending connection of a well to a gas-gathering facility, or when a well has been excepted from the provisions of Subsection A of 19.15.18.12 NMAC, the operator shall burn all gas produced and not used, and report the estimated volume on form C-115.

Thank you for your assistance in this matter. If you have any questions please contact the appropriate OCD District Office.

Sincerely,

David R. Catanach Director, Oil Conservation Division