

MAR 06 2017

Form C-141  
Revised August 8, 2011

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

RECEIVED  
Submit to appropriate District Office in accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**NAB1706944236** OPERATOR  Initial Report  Final Report

Name of Company	WPX Energy Inc/RKI <i>246289</i>	Contact	Karolina Blaney
Address	5315 Buena Vista Dr.	Telephone No.	970 589 0743
Facility Name:	Longview 31-1	Facility Type:	Well Pad
Surface Owner:	BLM	Mineral Owner:	BLM
		API No.	30-015-42049

**LOCATION OF RELEASE**

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
C	6	23S	29E	140	FNL	1390	FEL	Eddy

Latitude: 32.3414022N Longitude: -104.0269557W

**NATURE OF RELEASE**

Type of Release: Produced Water	Volume of Release: 15 Bbls	Volume Recovered: 15 Bbls
Source of Release Equalizing line	Date and Hour of Occurrence 2/21/2017	Date and Hour of Discovery 2/21/2017 - 11:00 hrs MT
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom? NMOCD Crystal Weaver & Michael Bratcher, BLM Shelly Tucker	
By Whom? Karolina Blaney	Date and Hour: 2/21/2017 - 20:50 hrs MT	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	
If a Watercourse was Impacted, Describe Fully.* N/A		
Describe Cause of Problem and Remedial Action Taken.*  The cause is mechanical failure; 3" equalizing line failed due to corrosion. Approximately 15 bbls of produced water was spilled inside lined SPCC containment. Approximately 15 bbls of water was spilled inside lined SPCC containment which allowed for 100% fluid recovery. This spill did not impact the environment.		
Describe Area Affected and Cleanup Action Taken.*  The containment liner has been inspected immediately after the spill has occurred. Based on the inspection, there is no evidence that the spilled fluids have left the containment. Therefore, the environment was not impacted by this spill.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: <i>Karolina Blaney</i>	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Karolina Blaney	Signed By: <i>M. L. Bratcher</i> Approved by Environmental Specialist:	
Title: Environmental Specialist	Approval Date: 3/10/17	Expiration Date: N/A
E-mail Address: Karolina.blaney@wpxenergy.com	Conditions of Approval: It is OCD's understanding that the containment has been cleaned and the liner inspected for integrity. Attached <input type="checkbox"/>	
Date: 3/6/2017	Phone: 970-589-0743	

\* Attach Additional Sheets If Necessary

*2RP-4140*

MAR 07 2017

Form C-141  
Revised August 8, 2011

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

RECEIVED to appropriate District Office in  
accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

*NAB 1707232069*

<b>OPERATOR</b>		<input checked="" type="checkbox"/> Initial Report	<input type="checkbox"/> Final Report
Name of Company: COG Operating LLC <i>229137</i>	Contact: Robert McNeill		
Address: 600 West Illinois Avenue, Midland TX 79701	Telephone No. 432-683-7443		
Facility Name: Big Papi Federal Com #002H	Facility Type: Flowline		
Surface Owner: Federal	Mineral Owner:	API No. 30-015-37833	

**LOCATION OF RELEASE**

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
C	04	26S	29E	330	North	1980	West	Eddy

Latitude 32.077566 Longitude 103.986229

**NATURE OF RELEASE**

Type of Release: Produced Water	Volume of Release: 30 bbls	Volume Recovered: 0 bbls
Source of Release: Flowline	Date and Hour of Occurrence: February 28, 2017 10:00 am	Date and Hour of Discovery: February 28, 2017 10:00 am
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Ms. Weaver - NMOCD / Ms. Tucker - BLM	
By Whom? Robert Grubbs	Date and Hour: February 28, 2017 12:19 pm <i>pm</i>	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.*		
Describe Cause of Problem and Remedial Action Taken.* The release was caused by a check valve failure. The check valve was repaired.		
Describe Area Affected and Cleanup Action Taken.* The release was within a pasture. A vacuum truck was dispatched to remove all freestanding fluids. Concho will have the spill area sampled to delineate any possible impact from the release and we will present a remediation work plan to the NMOCD for approval prior to any significant remediation activities.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: <i>Rebecca Haskell</i>	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Rebecca Haskell	Signed By: <i>[Signature]</i>	
Title: Senior HSE Coordinator	Approved by Environmental Specialist:	
E-mail Address: rhaskell@concho.com	Approval Date: 3/10/17	Expiration Date: N/A
Date: March 7, 2017 Phone: 432-683-7443	Conditions of Approval: <i>See Attached</i>	Attached <input type="checkbox"/>

\* Attach Additional Sheets If Necessary

*2RP-4141*

Operator/Responsible Party,

The OCD has received the form C-141 you provided on 3/7/17 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 2RP-4141 has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

*The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]*

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. **As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 2 office in ACTESIA on or before 4/22/17. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.

- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.

- Nominal detection limits for field and laboratory analyses must be provided.

- Composite sampling is not generally allowed.

- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

**Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.**

**Jim Griswold**

OCD Environmental Bureau Chief

1220 South St. Francis Drive

Santa Fe, New Mexico 87505

505-476-3465

[jim.griswold@state.nm.us](mailto:jim.griswold@state.nm.us)