Office Energy Mi	ate of New Mexico	Form C-103 May 27, 2004
District I Energy, Minerals and Natural Resources 1625 N. French Dr., Hobbs, NM 88240		WELL API NO.
District II OIL CONCEDIATION DIVISION		30-015-34173
District III 1220 South St. Francis Dr.		5. Indicate Type of Lease
1000 Pio Prozos Pd. Aztas, NM 97410		STATE S FEE
District IV 1220 S. St. Francis Dr., Santa Fe, NM Santa Fe, NM S7505		6. State Oil & Gas Lease No.
87505		LG-1270
SUNDRY NOTICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A		7. Double 1 tanks of Cint 1 tgrooment 1 tanks
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		State JM Com
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other		8. Well Number
		3
2. Name of Operator		9. OGRID Number
Yates Petroleum Corporation 3. Address of Operator		025575 10. Pool name or Wildcat
105 S. 4 th Street, Artesia, NM 88210		Penasco Draw; Permo Penn
4. Well Location		
Unit Letter M: 660 feet from the South line and 1050 feet from the West line		
Section 25 Township 18S Range 24E NMPM Eddy County 11. Elevation (Show whether DR, RKB, RT, GR, etc.)		
11. Elevation (Show whether DR, RRB, R1, GR, etc.) 3673'GR		
Pit or Below-grade Tank Application or Closure		
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water		
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK ☐ ALTERING CASING ☐		
TEMPORARILY ABANDON		RILLING OPNS. PLUG AND ABANDON
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB		
OTHER: Plugback and recomplete		
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.		
2/0/06 Cat a CIDD at 95253 with 253 comment on ten. Danfarrate Atala, 92463 92523 (27), 92403 92403 (27), 92023 92063 (25), 1		
3/9/06 – Set a CIBP at 8525' with 35' cement on top. Perforate Atoka 8246'-8252' (37), 8342'-8348' (37), 8392'-8396' (25) and 8454'-8458'. Acidize Atoka 8454'-8458' with 625g 7-1/2% IC HCL. Acidize Atoka 8392'-8396' with 625g 7-1/2% IC HCL.		
Atoka 8342'-8348' with 925g 7-1/2% IC HCL. Acidize Atoka 8246'-8252' with 925g 7-1/2% IC HCL. Acidize Atoka 8342'-8348' with 925g 7-1/2% IC HCL. Acidize Atoka 8246'-8252' with 925g 7-1/2% IC HCL. Packer set at 7990'.		
3/20/06 – Frac Atoka with 40# CMHPG gel + 70% CO2 + 50,000# 18/40 Versaprop.		
RECEIVED		
ALLO O TORON		
		MAR 3 1 2006
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan.		
SIGNATURE TITLE Regulatory Compliance Supervisor DATE March 30, 2006		
Type or print name <u>Tina Huerta</u> For State Use Only FOR RECORDS C	E-mail address:tinah@ypcnm.c	<u>com</u> Telephone No. <u>505-748-1471</u>
APPROVED BY:	TITLE	DATE
Conditions of Approval (if any):		