Submit 3 Copies To Appropriate District State of New Mexico Form C-103 Office May 27, 2004 Energy, Minerals and Natural Resources District I WELL API NO. 1625 N. French Dr., Hobbs, NM 88240 30-015-34352 District II OIL CONSERVATION DIVISION 1301 W. Grand Ave., Artesia, NM 88210 5. Indicate Type of Lease District III 1220 South St. Francis Dr. STATE 🖂 FEE 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 6. State Oil & Gas Lease No. District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 VO-6902 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH Tuco BHE State Com PROPOSALS.) 8. Well Number 1. Type of Well: Oil Well ☐ Gas Well ☒ Other **HECEIVED** 9. OGRID Number 2. Name of Operator Yates Petroleum Corporation 025575 APR 0 3 2006 3. Address of Operator 10. Pool name or Wildcat 105 S. 4th Street, Artesia, NM 88210 OCU-MT TEBIA Eddy; Morrow 4. Well Location : 1100 feet from the feet from the Unit Letter North line and 660 East line Section Township 21S Range **NMPM** Eddy County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4063'GR Pit or Below-grade Tank Application 🔲 or Closure 🗌 Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water Below-Grade Tank: Volume Pit Liner Thickness: _bbls; Construction Material 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK □ PLUG AND ABANDON: REMEDIAL WORK ☐ ALTERING CASING ☐ TEMPORARILY ABANDON **CHANGE PLANS** COMMENCE DRILLING OPNS.□ \Box PLUG AND ABANDON MULTIPLE COMPL PULL OR ALTER CASING CASING/CEMENT JOB OTHER: OTHER: Completion Operations 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 2/27/06 - Perforate Morrow 9010'-9086' (76). Acidize with 1500g Isosol acid with 100 ball sealers. 3/3/06 - Set a CIBP at 8950' with 35' cement on top. Perforate Morrow 8866'-8874' (49). Acidize with 1000g Isosol system. 3/9/06 - Set cement retainer with wireline at 8840'. Test to 1500 psi for 15 min. 3/13/06 - Squeeze Morrow perfs 8866'-8874' with 50 sx "H" Neat cement at 4500 psi. 3/14/06 - Perforate Morrow 8810'-8814' (25), 8820'-8826' (37). Acidize with 1000g Isosol system. 3/17/06 - Set a CIBP at 8760' with 35' cement on top. Perforate Morrow 8698'-8708' (61). Acidize with 1000g Isosol system. Set packer at 8450'. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or belowgrade tank has been/will be constructed or closed according to NMOCD guidelines [], a general permit [] or an (attached) alternative OCD-approved plan []. SIGNATURE / TITLE Regulatory Compliance Supervisor DATE March 31, 2006 Type or print name Tina Huerta E-mail address: tinah@ypcnm.com Telephone No. 505-748-1471 FOR RECORDS ONLY For State Use Only APR 0 3 2006 APPROVED BY: TITLE DATE

Conditions of Approval (if any):