NM OIL CONSERVATION

ARTESIA DISTRICT

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resource Paran 2017

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

Santa Te, 1414 67505								
Date:	: 3-28-17		GAS CA	APTURE PL	AN			
	Original mended - Reason for	r Amendment	-	Operator & OGRID No.: Mewbourne Oil Company - 14744				
new (Note: Well	completion (new dril Form C-129 must be sa (s)/Production Faci	ll, recomplete ubmitted and ap	e to new zone, re-fra opproved prior to excee of facility	ac) activity.	llowed by Rul	e (Subsection A	a facility flaring/venting for	
	well(s) that will be lo Well Name	API	Well Location (ULSTR)	Footages	the table bel Expected MCF/D	Flared or Vented	Comments	
-	Speedwagon 27 W2PA Fee #1H	30-015-43097	A-34-23S-28E	260' FNL & 480' FEL	0	0	Online after frac	
Well	ering System and F (s) will be connected b. The gas produced	to a product	ion facility after fl				gas transporter system is in and will be connected to	
							Mexico. It will require	
2,28	31' of pipeline to	connect the	facility to low/high	n pressure ga	thering syst	em. <u>Mewbo</u>	urne Oil Company provides	

Flowback Strategy

Crestwood

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on Crestwood system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

(periodically) to <u>Crestwood</u> a drilling, completion and estimated first production date for wells that are scheduled to

conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at

Processing Plant located in Sec. 29, Twn. 24S, Rng. 28E, Eddy County, New Mexico.

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

be drilled in the foreseeable future. In addition, Mewbourne Oil Company and Crestwood

The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

- Power Generation On lease
 - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines