UNITED STATES

Carlsbad Field Office ORM APPROVED 1994 1917

(June 2015)		RTMENT OF THE IN		OCD	Artes	OMB Expires:	NO. 1004-0137 January 31, 2018
S	BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS					5. Lease Serial No. NMNM045276	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2						7. If Unit or CA/Ag	reement, Name and/or No.
Type of Well ☐ Gas Well ☑ Other: UNKNOWN OTH						8. Well Name and No. PRESTON FEDERAL 22	
Name of Operator Contact: TINA HUERTA EOG Y RESOURCES, INC. E-Mail: tina_huerta@eogresources.com						9. API Well No. 30-015-20168	
3a. Address 104 SOUTH FOURT ARTESIA, NM 8821	3b. Phone No. (include area code) Ph: 575-748-4168 Fx: 575-748-4585			10. Field and Pool or Exploratory Area DAGGER DRAW UPPER PENN,S			
4. Location of Well (Foot				11. County or Parish, State			
Sec 34 T20S R24E				EDDY COUNTY, NM			
12. CHECK	THE APPR	OPRIATE BOX(ES)	TO INDICA	TE NATURE OF	NOTICE,	REPORT, OR O	THER DATA
TYPE OF SUBMISS	SION	TYPE OF ACTION					· · · · · · · · · · · · · · · · · · ·
☐ Notice of Intent		☐ Acidize	□ Deepen		☐ Production (Start/Resume)		■ Water Shut-Off
_		☐ Alter Casing	☐ Hyd	raulic Fracturing	☐ Reclamation		■ Well Integrity
Subsequent Report		Casing Repair			☐ Recomp		☐ Other
☐ Final Abandonment Notice		☐ Change Plans				arily Abandon	
		Convert to Injection	☐ Plug Back ☐ V		☐ Water D	er Disposal	
Attach the Bond under w following completion of	en directionally of hich the work wi the involved oper ed. Final Abando	or recomplete horizontally, ill be performed or provide rations. If the operation resonment Notices must be file	give subsurface the Bond No. or sults in a multipl	locations and measur in file with BLM/BIA le completion or reco	red and true ve . Required sub impletion in a r	rtical depths of all pe osequent reports must new interval, a Form	rtinent markers and zones. the filed within 30 days 3160-4 must be filed once
500 psi to surface, to 5/2/17 - Spotted 35 cement from 3675 ft TOC. WOC. Did no bbls brine to load ho 5/3/17 - Tagged cen Pressure tested 7 in	P at 7685 ft. P at 7685 ft. est held. Spo sx Class C ce - 3434 ft calc ot tag cement. held to 7668 f ch casing to 5 ated to surfac	t. Loaded well with 80 600 psi, test held. CIB e. Continue to circula	ment from 76 601 ft calc TC Class C cem 2nd plug fron 0 bbls fresh w Pleaked and	85 ft - 7531 ft cal C. Spotted 35 s ent from 2360 ft - n 2360 ft - 2119 f vater to break circ d cement sealed (c TOC. x Class C - 2119 ft cal t. Pumped culation. off CIBP. M	DUE_c 100	LAMATION 11/2/2017 13 COSS
						/	IL CONSERVATION
14. I hereby certify that the	El	ectronic Submission #	ESOURCES,	NC., sent to the C	Carlsbad		JUN 06 2017
Name(Printed/Typed) TINA HUERTA					ATORY SPI		RECEIVED
Signature	(Electronic Subm	nission)	;	Date 05/16/20)17		
Acceptal fo	Recon	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE U	SE	
Approved By	Wt	yffu		Title Supe	vviso	OPE	6/1/2017 Date
Conditions of approval, if any certify that the applicant holds which would entitle the applic	legal or equitable	le title to those rights in the		Office C	FO	had f	ior record

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to metal states any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. of the United

Additional data for EC transaction #376291 that would not fit on the form

32. Additional remarks, continued

. .

5/4/17 - Tagged - no cement. Attempted to reverse circulate well. Casing pressures up to 1000 psi. RIH and tagged cement at 2454 ft. Perforated tubing drain holes. POOH with tubing. Laid down bottom 48 jts - 44 jts plugged with cement. RIH with tubing and set at 7668 ft. Loaded well with 22 bbls plugging mud to break circulation. Spotted 25 sx Class H cement from 7668 ft - 7514 ft.

5/5/17 - Tagged TOC at 7533 ft. 135 ft cement above CIBP. Notified BLM. Loaded hole and spotted 35 sx Class C cement from 5842 ft - 5601 ft calc TOC. Loaded hole and spotted 35 sx Class C cement from 3675 ft - 3434' calc TOC. Loaded hole and spotted 35 sx Class C cement from 2360 ft - 2119 ft calc TOC. WOC.

5/7/17 - Tagged TOC at 2181 ft. Michael Elliott with BLM witnessed tag. ND BOP. Spotted 50 sx Class C cement from 338 ft up to surface inside 6.5/8 inch persons. Tagged off with segment

5/7/17 - Tagged TOC at 2181 ft. Michael Elliott with BLM witnessed tag. ND BOP. Spotted 50 sx Class C cement from 328 ft up to surface inside 6-5/8 inch casing. Topped off with cement. 5/10/17 - Dug up cellar and cut off wellhead. Installed dry hole marker and covered cellar. WELL IS PLUGGED AND ABANDONED.