
 Suothit I Copy To Appropriate District Office 	State of New Mex			Form C-103 Revised July 18, 2013
District I – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748 1382			WELL API NO.	
District II - (575) 748-1283 811 S. First St., Artesia, NM 88210 OIL CONSERVATION DIVISION			30- 015- 27168 5. Indicate Type of L	
District III - (505) 334-6178 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505		cis Dr.	6. State Oil & Gas L	FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa i C, NWI 67.		E 1006	
87505 SUNDRY NOTICES AI	ND REPORTS ON WELLS		7. Lease Name or Ur	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		G BACK TO A	Indian Hills	State (on
1. Type of Well: Oil Well Gas Well Other				3
2. Name of Operator OXY USA WTP Limited Partnership			9. OGRID Number	192463
3. Address of Operator	1idland, TX 79710		10. Pool name or Wi	ldcat
4. Well Location	(r			_1
Unit Letter D : 660			feet from th	— • •
Section 36	Township 205 Ran levation (Show whether DR, 1		NMPM C	ounty Eddy
· · · · · · · · ·	3631			en a lanena tradicio de la composición de
12. Check Approp NOTICE OF INTENT	riate Box to Indicate Na		leport or Other Da	
PERFORM REMEDIAL WORK 🔲 PLUG	AND ABANDON	REMEDIAL WORK	🗌 AL	TERING CASING
		COMMENCE DRILL		AND A
		OAGING/OLMENT		
CLOSED-LOOP SYSTEM		OTHER:		L -1
13. Describe proposed or completed op			give pertinent dates, in	ncluding estimated date
of starting any proposed work). SE proposed completion or recompletion		For Multiple Com	pletions: Attach wellt	pore diagram of
TD-7988′ F	PB-7938' Perf-7570-7770'			
	36# csg @ 1198' w/ 1250sx, :			
	:6# csg @ 7987', DVT @ 5560 : CIBP @ 7520', M&P 40sx cm			
	x cmt @ 6120-5960'	•		
	x cmt @ 5610-5455' WOC-Ta	g	10 1250 ¹	
	x cmt @ 4250-4105' 🖉 🖉 🖉 x cmt @ 2310-2185'	E ADD A PL	46 C 3350 NI	M OIL CONSERVATION ARTESIA DISTRICT
PERF- 6. MER 25s	x cmt @ 1250-1135' (WOC-Ta x cmt @ 350' to surface	D- PERF259		JUL 1 4 2017
	between plugs - Above grou	nd steel tanks will b	e utilized	
				RECEIVED
Spud Date:	Rig Release Date	2:		aly. sceipt
WELL MUST BE PLUBAE	A AV 7/14	12018	well be	pending receipter
Lhereby certify that the information above is	true and complete to the bes	ϕ $0/0$	and betterfusions of realiner	Well Fall Unite
I hereby certify that the information above is			Tryed under bund at OCI	m.uslocd.
SIGNATURE	– TITLE <u>Sr. H</u>	Regulatory Advisor	and better with and is realised proved in the found is realised proved in the found is realised proved in the found at OCT is the found at OCT which may be found at OCT which	1/12/17
Type or print name <u>David Stewart</u>	E-mail address:	david_stewart@c	DXXECT PHONE:	432-685-5717
For State Use Only				
APPROVED BY: flatut 2 Byre Conditions of Approval (if any):		Anile office	DATEDATE	7/14/2017
SEE ATT	ACHED COA-S	5		



OXY USA WTP LP - Current Indian Hills State Com #3 API No. 30-015-27168

> 12-1/4" hole @ 1200' 9-5/8" csg @ 1198' w/ 1250sx-TOC-Surf

8-3/4" hole @ 7988' 7" csg @ 7987' w/ 1275sx-TOC-Surf-Circ DVT @ 5560' _____ Perfs @ 7570-7680' = Perfs @ 7712-7770' Ξ -----PB-7938' _ TD-7988'