(June 2015)		UNITED STATES PARTMENT OF THE D	NTERIOR	NM	IOCD	FORM OMB N Expires: 1	APPROVED O. 1004-0137 anuary 31, 2018
		BUREAU OF LAND MANAGEMENT Artesia BUNDRY NOTICES AND REPORTS ON WELLS not use this form for proposals to drill or to re-enter an doned well. Use form 3160-3 (APD) for such proposals.			<ol> <li>Lease Serial No. NMNM02862</li> <li>If Indian, Allottee or Tribe Name</li> </ol>		
l al	Do not use thi						
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agre	ement, Name and/or No.	
1. Type of Well	Gas Well 🔲 Oth				8. Well Name and No. POKER LAKE CVX JV BS COM 28H		
2. Name of Operator Contact:			PATTY R URIAS JRIAS@XTOENERGY.COM			9. API Well No. 30-015-42393	
3a. Address 500 W. ILLINOIS, SUITE 100 MIDLAND, TX 79701			3b. Phone No. (include area code) Ph: 432-620-4318 Fx: 432-618-3530			10. Field and Pool or Exploratory Area WILDCAT G-06 S243026M;BS	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description		, R., M., or Survey Description				11. County or Parish, State	
Sec 23 T24S R30E Mer NMP 590FNL 1060FEL						EDDY COUNTY COUNTY, NM	
12. CH	IECK THE AP	PROPRIATE BOX(ES)	TO INDICATE NA	TURE OI	F NOTICI	E, REPORT, OR OTI	HER DATA
TYPE OF SUB	MISSION	TYPE OF ACTION					
Notice of Inter	nt	🗖 Acidize	🗖 Deepen		🗖 Produ	ction (Start/Resume)	U Water Shut-Off
□ Subsequent Re		Alter Casing	🗖 Hydraulic F	U	🗖 Recla		U Well Integrity
		Casing Repair	New Constr		Recor		Other Venting and/or Fla
Final Abandonment Notice		<ul> <li>Change Plans</li> <li>Convert to Injection</li> </ul>	Plug and Abandon Plug Back			orarily Abandon · Disposal	ng
Attach the Bond un following completi- testing has been con determined that the	deepen directiona der which the wor on of the involved mpleted. Final Ab site is ready for fi	Ily or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil nal inspection.	give subsurface location the Bond No. on file wit sults in a multiple comple ed only after all requirem	s and measu h BLM/BIA etion or reco nents, includ	red and true Required s impletion in ing reclamat	subsequent reports must be a new interval, a Form 316 ion, have been completed	nent markers and zones. e filed within 30 days 60-4 must be filed once
Attach the Bond un following completi testing has been con determined that the XTO Energy Inc Other methods	<ul> <li>deepen directional der which the word on of the involved mpleted. Final Ab- site is ready for final c. had a venting to avoid venting</li> </ul>	ally or recomplete horizontally, will be performed or provide operations. If the operation re bandonment Notices must be fil	give subsurface location the Bond No. on file wit sults in a multiple comple ed only after all requirem ng rig work to repair oduction, are infeasit	s and measur h BLM/BIA etion or reco nents, includ the rods of	red and true Required s impletion in ing reclamat on this wel	vertical depths of all perti- subsequent reports must be a new interval, a Form 310 ion, have been completed	nent markers and zones. e filed within 30 days 60-4 must be filed once
Attach the Bond un following completi testing has been co determined that the XTO Energy Inc Other methods	<ul> <li>deepen directional der which the wor on of the involved mpleted. Final Ab site is ready for fi c. had a venting to avoid ventin duction requirir</li> </ul>	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil inal inspection. g event on 03/31/17, durin g, such as plunger lift pro ng rod pump artificial lift n	give subsurface location the Bond No. on file with sults in a multiple comple ed only after all requirem ng rig work to repair oduction, are infeasith nethod.	s and measure th BLM/BIA etion or reco- nents, include the rods c ple on this SEE	red and true Required s impletion in ing reclamat on this wel well due t C ATTA	vertical depths of all pertin subsequent reports must be a new interval, a Form 310 ion, have been completed l. O	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
Attach the Bond un following completi testing has been con determined that the XTO Energy Inc Other methods	<ul> <li>deepen directional der which the wor on of the involved mpleted. Final Ab site is ready for fi c. had a venting to avoid ventin duction requirir</li> </ul>	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil inal inspection. g event on 03/31/17, duri g, such as plunger lift pro ig rod pump artificial lift n	give subsurface location the Bond No. on file wit sults in a multiple comple ed only after all requirem ng rig work to repair oduction, are infeasit nethod.	s and measure th BLM/BIA etion or reco- nents, include the rods c ple on this SEE	red and true Required s impletion in ing reclamat on this wel well due t C ATTA	vertical depths of all perti subsequent reports must be a new interval, a Form 310 ion, have been completed l. 0	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
Attach the Bond un following completi testing has been con determined that the XTO Energy Inc Other methods	<ul> <li>deepen directional der which the wor on of the involved mpleted. Final Ab site is ready for fi c. had a venting to avoid ventin duction requirir</li> </ul>	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil nal inspection. g event on 03/31/17, duri g, such as plunger lift pro ng rod pump artificial lift n <b>NM OIL CONSERV</b> ARTESIA DISTRIC	give subsurface location the Bond No. on file wit sults in a multiple comple ed only after all requirem ng rig work to repair oduction, are infeasit nethod.	s and measure th BLM/BIA etion or reco- nents, include the rods c ple on this SEE	red and true Required s impletion in ing reclamat on this wel well due t C ATTA	vertical depths of all pertin subsequent reports must be a new interval, a Form 310 ion, have been completed l. O	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
Attach the Bond un following completi testing has been co determined that the XTO Energy Inc Other methods	a deepen directiona der which the wor on of the involved mpleted. Final At site is ready for fi c. had a venting to avoid ventin duction requirir	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil nal inspection. g event on 03/31/17, durin g, such as plunger lift pro- ng rod pump artificial lift n <b>NM OIL CONSERV.</b> ARTESIA DISTRIC JUL 19 2017 RECEIVED true and correct. Electronic Submission #	give subsurface location the Bond No. on file wit sults in a multiple comple ed only after all requirem ng rig work to repair oduction, are infeasit nethod. ATION T 377156 verified by the BOPCO LP. sent to th	s and measure th BLM/BIA etion or reco nents, include the rods c ble on this SEE COP e BLM Weft ne Carlsbar	red and true Required s impletion in ing reclamat on this wel well due t VDITI	vertical depths of all pertin subsequent reports must be a new interval, a Form 310 ion, have been completed I. to ACHED FOR ONS OF APP	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
Attach the Bond un following completi testing has been con determined that the XTO Energy Inc Other methods high liquids prov	a deepen directiona der which the wor on of the involved mpleted. Final At site is ready for fi c. had a venting to avoid ventin duction requirir	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil nal inspection. g event on 03/31/17, durii g, such as plunger lift pro- ng rod pump artificial lift n <b>NM OIL CONSERV.</b> ARTESIA DISTRIC JUL 19 2017 C RECEIVED true and correct. Electronic Submission # For F	give subsurface location the Bond No. on file wit sults in a multiple comple ed only after all requirem ng rig work to repair oduction, are infeasit nethod. ATION T 377156 verified by the BOPCO LP. sent to th	s and measur h BLM/BIA etion or reco nents, includ: the rods c ble on this SEE COI e BLM Wef ne Carlsba RAH MCKI	red and true Required s impletion in ing reclamat on this wel well due t VDITI	vertical depths of all pertinus beauter reports must be a new interval, a Form 310 ion, have been completed 1	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
Attach the Bond un following completi testing has been con determined that the XTO Energy Inc Other methods high liquids prov	a deepen directiona der which the wor on of the involved mpleted. Final At site is ready for fi c. had a venting to avoid ventin duction requirir	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil nal inspection. g event on 03/31/17, durit g, such as plunger lift pro- ng rod pump artificial lift n <b>NM OIL CONSERV.</b> ARTESIA DISTRIC JUL 19 2017 C RECEIVED true and correct. Electronic Submission # For F Committed to AFMSS for URIAS	give subsurface location the Bond No. on file wit sults in a multiple compli- ed only after all requirent oduction, are infeasit nethod. ATION T 377156 verified by the BOPCO LP, sent to the processing by DEBOI Title	s and measure the BLM/BIA etion or reco- the rods of the rods of	red and true Required s impletion in ing reclamat on this wel well due t VDITI Informati d NNEY on C ATORY A	vertical depths of all pertinus subsequent reports must be a new interval, a Form 310 ion, have been completed I. ONS OF APP ONS OF APP	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
Attach the Bond un following completi testing has been con determined that the XTO Energy Inc Other methods high liquids prov 14. I hereby certify th Name ( <i>Printed/Type</i> )	edeepen directiona oder which the wor on of the involved mpleted. Final At site is ready for fi c. had a venting to avoid ventin duction requirir at the foregoing is ed) PATTY R	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil nal inspection. g event on 03/31/17, durit g, such as plunger lift pro- ng rod pump artificial lift n <b>NM OIL CONSERV.</b> ARTESIA DISTRIC JUL 19 2017 C RECEIVED true and correct. Electronic Submission # For F Committed to AFMSS for URIAS	give subsurface location the Bond No. on file wit sults in a multiple compli- ed only after all requirent oduction, are infeasit nethod. ATION T 377156 verified by the BOPCO LP, sent to th processing by DEBOI Title	s and measure the BLM/BIA etion or reco- the rods of the rods of	red and true Required s impletion in ing reclamat on this wel well due t VDITI Informati d NNEY on C ATORY A	vertical depths of all pertinus subsequent reports must be a new interval, a Form 310 ion, have been completed I. ONS OF APP ONS OF APP	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
Attach the Bond un following completi testing has been con determined that the XTO Energy Inc Other methods high liquids prov 14. 1 hereby certify th Name ( <i>Printed/Typ</i> , Signature	edeepen directiona oder which the wor on of the involved mpleted. Final At site is ready for fi c. had a venting to avoid ventin duction requirir at the foregoing is ed) PATTY R	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil nal inspection. g event on 03/31/17, durit g, such as plunger lift pro- ng rod pump artificial lift n <b>NM OIL CONSERV.</b> ARTESIA DISTRIC JUL 19 2017 C RECEIVED true and correct. Electronic Submission # For F Committed to AFMSS for URIAS	give subsurface location the Bond No. on file wit sults in a multiple compli- ed only after all requirent oduction, are infeasit nethod. ATION T 377156 verified by the BOPCO LP, sent to the processing by DEBOI Title	s and measure the BLM/BIA etion or reco- the rods of the rods of	red and true Required s impletion in ing reclamat on this wel well due t CATTA VDITI Informati d NNEY on C ATORYA 0 0 0 0 0 0 0 0 0 0 0 0 0	vertical depths of all pertinuse a new interval, a Form 310 ion, have been completed 1. 00 ACHED FOR ONS OF APP 00 System 05/24/2017 00 NALYST PROVED	nent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
Attach the Bond un following completi testing has been con determined that the XTO Energy Inc Other methods high liquids prov 14. I hereby certify th Name ( <i>Printed/Typ</i> Signature 	e deepen directiona oder which the wor on of the involved mpleted. Final At site is ready for fi c. had a venting to avoid ventin duction requirir at the foregoing is ed) PATTY R (Electronic S if any, are attached holds legal or equ	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil- inal inspection. g event on 03/31/17, durit g, such as plunger lift pro- ing rod pump artificial lift n <b>NM OIL CONSERV.</b> ARTESIA DISTRIC JUL 19 2017 C RECEIVED true and correct. Electronic Submission # For the Committed to AFMSS for URIAS Submission) THIS SPACE FO	give subsurface location the Bond No. on file wit sults in a multiple compl- ed only after all requirem oduction, are infeasit nethod. ATION T MAD 377156 verified by the BOPCO LP, sent to the processing by DEBOI Title Date DR FEDERAL OR	s and measure h BLM/BIA etion or reco- nents, includ: the rods c cole on this SEE CON e BLM Wef he Carlsbar RAH MCKI REGUL 05/24/20	red and true Required s impletion in ing reclamat on this wel well due t CATTA VDITI Informati d NNEY on C ATORYA 0 0 0 0 0 0 0 0 0 0 0 0 0	vertical depths of all pertinus subsequent reports must be a new interval, a Form 310 ion, have been completed I. ONS OF APP ONS OF APP	PROVAL
Attach the Bond un following completi testing has been con determined that the XTO Energy Int Other methods high liquids prov 14. I hereby certify th Name ( <i>Printed/Typ</i> , Signature Approved By Conditions of approval, certify that the applicant which would entitle the a	e deepen directiona der which the wor on of the involved mpleted. Final At site is ready for fi c. had a venting to avoid venting duction requirir at the foregoing is ed) PATTY R (Electronic S if any, are attacher holds legal or equ applicant to condu 1001 and Title 43	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fil- inal inspection. g event on 03/31/17, durit g, such as plunger lift pro- ing rod pump artificial lift n <b>NM OIL CONSERV.</b> ARTESIA DISTRIC JUL 19 2017 C RECEIVED true and correct. Electronic Submission # For the Committed to AFMSS for URIAS Submission) THIS SPACE FO	give subsurface location the Bond No. on file with sults in a multiple compli- ed only after all requirem oduction, are infeasite nethod. ATION T MAD 377156 verified by the BOPCO LP, sent to the processing by DEBOI Title Date DR FEDERAL OR Title Date OR FEDERAL OR Title Continue for any person known	s and measure h BLM/BIA etion or reco- nents, includi the rods of cole on this SEE COI e BLM Wef e Carlsba RAH MCKI REGUL 05/24/20 STATE (	red and true Required s impletion in ing reclamat on this wel well due to ATTA VDITI Information NNEY on C ATORYA BUREAU CAF	vertical depths of all pertinubsequent reports must be a new interval, a Form 310 ion, have been completed 1. o ACHED FOR ONS OF APP on System 05/24/2017/0 NALYST PPROVED	PROVAL

. •

## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## Pursuant to, 43 CFR 3179

Lessees or operators are hereby authorized to vent or flare gas on a short-term basis <u>without incurring a</u> <u>royalty</u> obligation in the following circumstances:

- A. 43 CFR 3179.105 Emergencies (a) An operator may flare or, if flaring is not feasible given the emergency, vent gas royalty-free under §3179.4 (a) (vi) of this subpart during an emergency. For purposes of this subpart, an "emergency" is a temporary, infrequent and unavoidable situation in which the loss of gas or oil is uncontrollable or necessary to avoid risk of an immediate and substantial adverse impact on safety, public health, or the environment. For purposes of royalty assessment, an "emergency" is limited to a short-term situation of 24 hours or less (unless the BLM agrees that the emergency conditions necessitating venting or flaring extend for a longer period) caused by an unanticipated event or failure that is out of the operator's control and was not due to operator negligence.
- B. 43 CFR 3179.4 Determining when the loss of oil or gas is avoidable or unavoidable.
  (2) Avoidably lost oil or gas means: Lost oil or gas that is not "unavoidably lost," as defined in paragraph (a) of this section; waste oil that became waste oil through operator negligence; and, any "excess flared gas," as defined in §3179.7.
- C. 43 CFR 3179.5 When lost production is subject to royalty.
  (a) Royalty is due on all avoidably lost oil or gas.
  (b) Royalty is not due on any unavoidably lost oil or gas.

## **Condition of Approval to Flare Gas**

- 1. The first 24 hours of a <u>temporary emergency flare</u> is considered "unavoidably lost" and is therefore royalty free. Flared volumes that are considered unavoidably lost are not to be included in Sundry Notice (Form 3160-5). These Volumes are not royalty bearing and shall be reported on OGOR "B" as either disposition code "21" or "22".
- Flared volumes considered to be "avoidably lost": These flare events will require prior approval via Notice of Intent- Sundry Notice (Form 3160-5). Volumes flared beyond limits defined in 43 CFR 3179.7 are considered "avoidably lost" and will require payment of royalties, unless an exception is granted in accordance with 43 CFR 3179. Volumes for avoidably lost gas shall be reported on OGOR "B" reports as disposition code "08".

If the operator believes that the flared volumes were "unavoidably lost" and the BLM determines them to be "avoidably lost", the operator can submit a more detailed request via Sundry Notice (Form 3160-5) for an exception in accordance with 43 CFR 3179.4, 3179.103 - 3179.105. As an alternative to producing oil and flaring gas the operator may choose to shut the well in and avoid paying royalties on otherwise avoidably lost gas.

3. Approval not to exceed 90 days, if flaring is still required past 90 days submit new request for approval.

- 4. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a Sundry Notice (Form 3160-5). <u>Include method for volume determination and duration</u>. <u>Report unavoidably lost (first 24 hrs. of unexpected event) and avoidably lost (exceeding the first 24 hrs. or flared gas that has been approved as avoidably lost by the Authorized Officer) volumes and durations on the Subsequent Report.</u>
- 5. In determining the volumes of gas to be reported, shall be in accordance with 43 CFR 3179.4, 43 CFR 3179.5, 43 CFR 3179.9 and 43 CFR 3179.10
- 6. The operator must estimate or measure all volumes of gas vented or flared gas by one of the following methods.
  - i. Measure the flare gas by a meter. The meter shall meet all requirements for a sales meter as per Federal Regulations, 43 CFR 3175 (due to volume of gas being flared). Include meter serial number on Sundry Notice (Form 3160-5).
  - Calculate the volume of the flared gas based on the results of a regularly performed GOR test and measured values for the volumes of oil production and gas sales, so as to allow BLM to independently verify the volume, rate, and heating value of the gas flared.

Regulation Ref: Link to 43 CFR 3179 Waste Prevention and Resources Conservation; <u>https://www.ecfr.gov/cgi-</u>

bin/retrieveECFR?gp=1&SID=dbd49eda8cdc488870172ed096d47be9&ty=HTML&h=L&mc=true &n=sp43.2.3170.3179&r=SUBPART