



May 1, 2017

New Mexico Energy, Minerals and Natural Resources Department
Attn: Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Attn: Jackie Lathan

Re: Mewbourne Oil Company
Yardbirds 3 WOAP Fee #002H
Purple Sage; Wolfcamp(Gas)
Eddy County, New Mexico
API# 30-015-43949

Enclosed please find the original and one (1) copy of the survey performed on the reference well by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C. Other information required by your office is as follows:

<u>Name & Title</u>	<u>Drainhole No.</u>	<u>Survey Depths</u>	<u>Dates Performed</u>	<u>Type Survey</u>
David Calabrese	Original Hole	200ft. to 14,220ft.	03-28-17 to 04-13-17	MWD Survey

A certified plat on which the bottom-hole location is oriented to both surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.


Todd Estes

Enclosures

CC:

Mewbourne Oil Company
Attn: Frosty Lathan
P.O. Box 5720
Hobbs, NM 88241

Mewbourne Oil Company
Attn: Robin Terrell
P.O. Box 5720
Hobbs, NM 88241

NMEMaNRD\Mewbourne Oil Company\Yardbirds 3 WOAP Fee #2H\M171014

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.

P.O. Box 1250

Montgomery, TX 77356

Office (936) 582-7296 * Fax (936)-588-4163



May 1, 2017

Survey Certification Report

STATE OF TEXAS

COUNTY OF Montgomery

I, Todd Estes, certify that I am employed by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C., and that I did on the day(s) of March 28, 2017. through April 13, 2017 conduct or supervise the taking of a SEDS Original Hole MWD Survey from a depth of 200 feet to a depth of 14,220 feet; that I am authorized and qualified to make this report; that this survey was conducted at the request of Mewbourne Oil Company, for the Yardbirds 3 WOAP #002H well, API # **30-015-43949** in Eddy County, New Mexico; and that I have reviewed this report and find that it conforms to the principles as set forth by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.

Todd Estes

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.

P.O. Box 1250

Montgomery, TX 77356

Office (936) 582-7296 * Fax (936)-588-4163



Microsoft MWD Surveys



Company: Mewbourne Oil Company
Project: Eddy County, New Mexico
Site: Section 3-24S-28E Yardbirds 3 W0AP Fee 2H
Well: Yardbirds 3 W0AP Fee #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference: Well Yardbirds 3 W0AP Fee #2H
TVD Reference: 3018 +27 @ 3045.0usft (Patterson 242)
MD Reference: 3018 +27 @ 3045.0usft (Patterson 242)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: Stryker_EDM

Project	Eddy County, New Mexico	System Datum:	Mean Sea Level
Map System:	US State Plane 1927 (Exact solution)		
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site Section 3-24S-28E Yardbirds 3 W0AP Fee 2H

Site Position: Northing: 456,087.20 usft Latitude: 32° 15' 13.036 N
From: Easting: 582,151.60 usft Longitude: 104° 4' 3.324 W
Position Uncertainty: Map Slot Radius: 13-3/16 " Grid Convergence: 0.14 °

Well Yardbirds 3 W0AP Fee #2H

Well Position +N/-S 0.0 usft Latitude: 32° 15' 13.036 N
+E/-W 0.0 usft Longitude: 104° 4' 3.324 W
Position Uncertainty 0.0 usft Wellhead Elevation: 27.0 usft Ground Level: 3,018.0 usft

Wellbore Original Hole

Magnetics **Model Name** IGRF2015 **Sample Date** 2/22/2017 **Declination (°)** 7.22 **Dip Angle (°)** 60.01 **Field Strength (nT)** 47,937.75530042

Design Original Hole

Audit Notes: Version: 1.0 **Phase:** ACTUAL **Tie On Depth:** 0.0
Vertical Section: **Depth From (TVD) (usft)** 0.0 **+N/-S (usft)** 0.0 **+E/-W (usft)** 0.0 **Direction (°)** 275.18

Survey Program **From (usft)** 200.0 **To (usft)** 14,275.0 **Date** 4/13/2017 **Survey (Wellbore)** MWD Survey Vertical (Original Hole) **Tool Name** MWD **Description** MWD v3-standard declination



Microsoft
MWVD Surveys



Company: Mewbourne Oil Company
Project: Eddy County, New Mexico
Site: Section 3-24S-28E Yardbirds 3 W0AP Fee 2H
Well: Yardbirds 3 W0AP Fee #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference:
TVD Reference: Well Yardbirds 3 W0AP Fee #2H
MD Reference: 3018 +27 @ 3045.0usft (Patterson 242)
North Reference: 3018 +27 @ 3045.0usft (Patterson 242)
Survey Calculation Method: Grid
Database: Minimum Curvature
Stryker_EDM

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	Closure Distance (usft)	Closure Azimuth (°)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00
200.0	1.00	298.40	200.0	0.8	-1.5	1.7	298.40
381.0	1.20	302.50	381.0	2.6	-4.5	5.2	299.89
565.0	1.10	300.80	564.9	4.5	-7.7	8.9	300.63
758.0	1.10	269.00	757.9	5.5	-11.1	12.4	296.16
948.0	2.10	291.30	947.8	6.7	-16.2	17.5	292.46
1,138.0	1.50	246.40	1,137.7	7.0	-21.7	22.8	287.78
1,328.0	2.50	257.70	1,327.6	5.1	-28.0	28.5	280.27
1,518.0	2.90	265.30	1,517.4	3.8	-36.9	37.1	275.89
1,613.0	3.00	274.40	1,612.3	3.8	-41.7	41.9	275.20
1,803.0	3.20	283.60	1,802.0	5.4	-51.9	52.1	275.97
1,990.0	2.20	275.00	1,988.8	7.0	-60.5	60.9	276.57
2,177.0	1.70	236.90	2,175.7	5.8	-66.4	66.6	274.96
2,365.0	3.50	171.30	2,363.5	-1.4	-67.9	67.9	268.79
2,510.0	5.50	170.00	2,508.1	-12.7	-66.0	67.2	259.14
2,646.0	6.50	176.40	2,643.3	-26.8	-64.4	69.7	247.43
2,833.0	4.20	177.90	2,829.5	-44.2	-63.5	77.3	235.16
3,020.0	0.70	121.20	3,016.3	-51.6	-62.2	80.8	230.33
3,208.0	0.70	117.40	3,204.3	-52.7	-60.2	80.0	228.80
3,395.0	0.70	145.80	3,391.3	-54.2	-58.6	79.8	227.22
3,582.0	0.50	150.90	3,578.3	-55.9	-57.5	80.2	225.85
3,769.0	0.40	185.70	3,765.3	-57.2	-57.2	80.9	224.99
3,956.0	0.40	219.60	3,952.3	-58.4	-57.7	82.1	224.66
4,143.0	1.30	241.60	4,139.2	-59.9	-60.0	84.7	225.04
4,330.0	1.00	246.20	4,326.2	-61.5	-63.3	88.3	225.81
4,517.0	2.30	339.70	4,513.1	-58.7	-66.1	88.4	228.41
4,704.0	2.10	323.10	4,700.0	-52.4	-69.5	87.0	232.96



Microsoft MWD Surveys



Company: Mewbourne Oil Company
Project: Eddy County, New Mexico
Site: Section 3-24S-28E Yardbirds 3 W0AP Fee 2H
Well: Yardbirds 3 W0AP Fee #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference: Well Yardbirds 3 W0AP Fee #2H
TVD Reference: 3018 +27 @ 3045.0usft (Patterson 242)
MD Reference: 3018 +27 @ 3045.0usft (Patterson 242)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: Stryker_EDM

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	Closure Distance (usft)	Closure Azimuth (°)
4,891.0	2.00	306.70	4,886.9	-47.7	-74.2	88.2	237.23
5,078.0	1.60	345.60	5,073.8	-43.3	-77.4	88.7	240.80
5,265.0	1.70	328.70	5,260.7	-38.4	-79.5	88.3	244.24
5,451.0	1.30	331.10	5,446.7	-34.2	-82.0	88.8	247.38
5,638.0	3.00	1.60	5,633.5	-27.4	-82.8	87.3	251.70
5,825.0	2.10	1.30	5,820.3	-19.1	-82.6	84.8	256.99
6,012.0	1.40	357.10	6,007.2	-13.4	-82.7	83.7	260.81
6,200.0	1.10	318.90	6,195.2	-9.7	-84.0	84.5	263.39
6,293.0	2.50	333.50	6,288.2	-7.2	-85.5	85.8	265.16
6,387.0	2.40	332.10	6,382.1	-3.7	-87.3	87.4	267.59
6,480.0	2.00	1.80	6,475.0	-0.3	-88.2	88.2	269.79
6,574.0	3.00	13.10	6,568.9	3.7	-87.6	87.6	272.43
6,667.0	2.70	339.00	6,661.8	8.1	-87.8	88.2	275.29
6,761.0	3.70	358.90	6,755.7	13.2	-88.6	89.6	278.49
6,947.0	1.70	327.50	6,941.5	21.6	-90.2	92.8	283.43
7,041.0	3.20	5.30	7,035.4	25.3	-90.7	94.2	285.60
7,134.0	6.40	11.10	7,128.0	33.0	-89.5	95.4	290.25
7,228.0	5.50	20.10	7,221.5	42.4	-86.9	96.7	295.99
7,321.0	3.90	23.60	7,314.2	49.5	-84.2	97.6	300.45
7,415.0	2.70	16.50	7,408.1	54.5	-82.2	98.7	303.54
7,508.0	4.50	6.60	7,500.9	60.3	-81.2	101.1	306.57
7,602.0	5.30	12.80	7,594.5	68.1	-79.8	105.0	310.49
7,695.0	6.80	16.00	7,687.0	77.6	-77.3	109.6	315.10
7,789.0	6.30	18.60	7,780.4	87.9	-74.2	115.0	319.83
7,883.0	5.40	21.20	7,873.9	96.9	-70.9	120.1	323.79
7,976.0	5.10	9.50	7,966.5	105.0	-68.7	125.5	326.83
8,070.0	4.40	358.60	8,060.2	112.8	-68.1	131.7	328.89



Microsoft
MWD Surveys



Company: Mewbourne Oil Company
Project: Eddy County, New Mexico
Site: Section 3-24S-28E Yardbirds 3 W0AP Fee 2H
Well: Yardbirds 3 W0AP Fee #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference: Well Yardbirds 3 W0AP Fee #2H
TVD Reference: 3018 +27 @ 3045.0usft (Patterson 242)
MD Reference: 3018 +27 @ 3045.0usft (Patterson 242)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: Stryker_EDM

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	Closure Distance (usft)	Closure Azimuth (°)
8,163.0	5.40	355.80	8,152.9	120.7	-68.5	138.8	330.44
8,257.0	5.20	357.90	8,246.4	129.4	-68.9	146.6	331.94
8,350.0	4.70	351.70	8,339.1	137.3	-69.6	154.0	333.11
8,444.0	3.10	351.70	8,432.9	143.7	-70.6	160.1	333.84
8,537.0	5.00	2.90	8,525.6	150.2	-70.7	166.0	334.78
8,631.0	3.30	27.80	8,619.4	156.7	-69.3	171.3	336.15
8,724.0	3.30	25.40	8,712.3	161.5	-66.9	174.8	337.51
8,818.0	2.30	5.50	8,806.1	165.8	-65.5	178.3	338.44
8,911.0	1.50	341.50	8,899.1	168.8	-65.7	181.2	338.73
8,957.0	1.10	335.10	8,945.1	169.8	-66.1	182.2	338.73
9,012.1	1.23	152.94	9,000.2	169.7	-66.1	182.1	338.73
BB Yardbirds 3 W0AP Fee 2H							
9,028.0	1.90	153.30	9,016.1	169.3	-65.9	181.7	338.75
9,059.0	5.50	153.20	9,047.0	167.6	-65.0	179.7	338.81
9,090.0	9.60	155.20	9,077.7	163.9	-63.2	175.7	338.91
9,121.0	13.40	155.80	9,108.1	158.3	-60.7	169.5	339.03
9,152.0	14.90	153.00	9,138.2	151.4	-57.4	161.9	339.25
9,184.0	17.10	147.10	9,168.9	143.8	-52.9	153.3	339.79
9,215.0	20.60	143.10	9,198.2	135.6	-47.2	143.6	340.81
9,246.0	22.20	143.70	9,227.1	126.5	-40.5	132.9	342.27
9,277.0	25.20	147.10	9,255.5	116.3	-33.4	121.0	343.98
9,308.0	29.50	150.10	9,283.0	104.1	-26.0	107.3	345.98
9,339.0	33.80	152.30	9,309.4	89.9	-18.2	91.7	348.56
9,371.0	37.00	154.20	9,335.5	73.3	-9.9	74.0	352.34
9,402.0	38.60	153.90	9,360.0	56.2	-1.5	56.2	358.43
9,433.0	41.10	154.20	9,383.8	38.4	7.1	39.0	10.56
9,464.0	45.80	156.50	9,406.3	19.0	16.0	24.8	40.16



Microsoft MWD Surveys



Company: Mewbourne Oil Company
Project: Eddy County, New Mexico
Site: Section 3-24S-28E Yardbirds 3 W0AP Fee 2H
Well: Yardbirds 3 W0AP Fee #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference: Well Yardbirds 3 W0AP Fee #2H
TVD Reference: 3018 +27 @ 3045.0ust (Patterson 242)
MD Reference: 3018 +27 @ 3045.0ust (Patterson 242)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: Stryker_EDM

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	Closure Distance (usft)	Closure Azimuth (°)
9,495.0	48.70	159.00	9,427.3	-2.1	24.6	24.7	94.84
9,526.0	50.50	160.90	9,447.4	-24.3	32.7	40.7	126.56
9,558.0	53.60	162.10	9,467.1	-48.2	40.7	63.1	139.81
9,589.0	57.50	165.00	9,484.6	-72.7	47.9	87.1	146.60
9,620.0	61.30	167.50	9,500.4	-98.6	54.3	112.6	151.18
9,651.0	65.00	168.70	9,514.4	-125.7	60.0	139.2	154.49
9,682.0	67.60	170.60	9,526.9	-153.6	65.1	166.8	157.04
9,713.0	69.10	172.70	9,538.3	-182.1	69.2	194.8	159.18
9,745.0	70.90	175.30	9,549.2	-212.0	72.4	224.0	161.15
9,776.0	73.90	178.00	9,558.6	-241.5	74.1	252.6	162.94
9,807.0	77.50	181.70	9,566.3	-271.5	74.2	281.5	164.72
9,894.0	84.00	184.20	9,580.3	-357.2	69.7	364.0	168.95
9,987.0	89.20	182.40	9,585.8	-449.9	64.4	454.5	171.85
10,019.9	88.92	182.19	9,586.3	-482.7	63.1	486.8	172.56
LP Yardbirds 3 W0AP Fee 2H							
10,081.0	88.40	181.80	9,587.7	-543.8	61.0	547.2	173.60
10,175.0	88.20	181.80	9,590.5	-637.7	58.0	640.3	174.80
10,268.0	91.20	182.70	9,591.0	-730.6	54.4	732.6	175.75
10,361.0	90.30	182.20	9,589.8	-823.5	50.4	825.1	176.50
10,455.0	89.80	182.60	9,589.7	-917.4	46.4	918.6	177.10
10,549.0	89.70	183.30	9,590.1	-1,011.3	41.6	1,012.2	177.64
10,642.0	89.40	183.00	9,590.9	-1,104.2	36.5	1,104.8	178.11
10,736.0	89.30	183.60	9,591.9	-1,198.0	31.1	1,198.4	178.51
10,829.0	89.80	184.30	9,592.7	-1,290.8	24.7	1,291.0	178.90
10,923.0	91.60	185.50	9,591.5	-1,384.3	15.8	1,384.4	179.34
11,017.0	88.30	184.50	9,591.6	-1,477.9	6.8	1,477.9	179.74
11,111.0	88.40	185.10	9,594.3	-1,571.5	-1.0	1,571.5	180.04



Microsoft
MWD Surveys



Company: Mewbourne Oil Company
Project: Eddy County, New Mexico
Site: Section 3-24S-28E Yardbirds 3 W0AP Fee 2H
Well: Yardbirds 3 W0AP Fee #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference: Well Yardbirds 3 W0AP Fee #2H
TVD Reference: 3018 +27 @ 3045.0ust (Patterson 242)
MD Reference: 3018 +27 @ 3045.0ust (Patterson 242)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: Stryker_EDM

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	Closure Distance (usft)	Closure Azimuth (°)
11,204.0	88.50	185.00	9,596.8	-1,664.1	-9.2	1,664.2	180.32
11,298.0	90.40	181.50	9,597.7	-1,758.0	-14.6	1,758.0	180.47
11,391.0	90.20	180.90	9,597.2	-1,850.9	-16.5	1,851.0	180.51
11,485.0	89.80	181.40	9,597.2	-1,944.9	-18.4	1,945.0	180.54
11,579.0	94.20	182.00	9,593.9	-2,038.8	-21.2	2,038.9	180.59
11,672.0	91.20	183.30	9,589.6	-2,131.6	-25.5	2,131.7	180.68
11,766.0	88.50	183.70	9,589.8	-2,225.4	-31.2	2,225.6	180.80
11,860.0	88.50	184.10	9,592.3	-2,319.1	-37.6	2,319.4	180.93
11,953.0	89.80	186.20	9,593.7	-2,411.7	-45.9	2,412.2	181.09
12,047.0	90.20	186.40	9,593.7	-2,505.2	-56.3	2,505.8	181.29
12,141.0	92.00	188.00	9,591.9	-2,598.4	-68.0	2,599.3	181.50
12,234.0	89.80	186.70	9,590.4	-2,690.6	-79.9	2,691.8	181.70
12,328.0	89.00	186.20	9,591.4	-2,784.0	-90.5	2,785.5	181.86
12,421.0	88.60	186.60	9,593.3	-2,876.4	-100.9	2,878.2	182.01
12,515.0	88.40	184.40	9,595.8	-2,970.0	-109.9	2,972.0	182.12
12,608.0	88.00	184.70	9,598.7	-3,062.6	-117.2	3,064.9	182.19
12,702.0	88.50	183.50	9,601.6	-3,156.3	-123.9	3,158.8	182.25
12,795.0	90.20	182.30	9,602.6	-3,249.2	-128.7	3,251.7	182.27
12,889.0	90.60	185.30	9,602.0	-3,343.0	-134.9	3,345.7	182.31
12,982.0	92.00	186.60	9,599.9	-3,435.5	-144.5	3,438.5	182.41
13,076.0	87.40	182.20	9,600.4	-3,529.1	-151.7	3,532.4	182.46
13,170.0	93.10	182.50	9,599.9	-3,623.0	-155.6	3,626.3	182.46
13,263.0	90.80	181.50	9,596.8	-3,715.9	-158.8	3,719.3	182.45
13,357.0	90.50	182.40	9,595.7	-3,809.8	-162.0	3,813.3	182.44
13,450.0	90.40	183.00	9,595.0	-3,902.7	-166.4	3,906.3	182.44
13,544.0	89.50	180.40	9,595.1	-3,996.7	-169.2	4,000.3	182.42
13,637.0	83.60	178.70	9,600.7	-4,089.5	-168.5	4,092.9	182.36



Microsoft
MWD Surveys



Company: Mewbourne Oil Company
Project: Eddy County, New Mexico
Site: Section 3-24S-28E Yardbirds 3 W0AP Fee 2H
Well: Yardbirds 3 W0AP Fee #2H
Wellbore: Original Hole
Design: Original Hole

Local Co-ordinate Reference: Well Yardbirds 3 W0AP Fee #2H
TVD Reference: 3018 +27 @ 3045.0usft (Patterson 242)
MD Reference: 3018 +27 @ 3045.0usft (Patterson 242)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: Stryker_EDM

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	Closure Distance (usft)	Closure Azimuth (°)
13,730.0	87.70	177.60	9,607.7	-4,182.1	-165.5	4,185.4	182.27
13,824.0	92.20	178.40	9,607.8	-4,276.0	-162.2	4,279.1	182.17
13,918.0	90.50	178.60	9,605.6	-4,370.0	-159.7	4,372.9	182.09
14,011.0	89.60	177.40	9,605.5	-4,462.9	-156.5	4,465.7	182.01
14,105.0	93.10	179.10	9,603.3	-4,556.8	-153.6	4,559.4	181.93
14,199.0	90.80	178.80	9,600.1	-4,650.8	-151.9	4,653.2	181.87
14,220.0	88.40	177.80	9,600.2	-4,671.7	-151.3	4,674.2	181.85
14,275.0	88.40	177.80	9,601.8	-4,726.7	-149.2	4,729.0	181.81
14275' MD Projected to Bit - PBHL Yardbirds 3 W0AP Fee 2H							

Survey Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates +N/-S (usft)	+E/-W (usft)	Comment
14,275.0	9,601.8	-4,726.7	-149.2	14275' MD Projected to Bit



COMPANY: Mewbourne Oil Company
WELL: Yardbirds 3 W0AP Fee #2H
COUNTY: Eddy County, New Mexico
DATUM: NAD 1927 (NADCON CONUS)
RIG: Patterson 242




Grid Conventions: Map 2 to convert a Magnetic Declination to Grid Direction: 7.08°

OFFICE: 936.582.7296

GEODETIC ZONE: New Mexico East 3001							Slot
3018 +27 @ 3045.0usft (Patterson 242)							
GROUND ELEVATION: 3018.0							
+N/-S	+E/-W	Northing	Easting	Latitude	Longitude		
0.0	0.0	456087.20	582151.60	32° 15' 13.036 N	104° 4' 3.324 W		

PLAN SECTIONS										
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dieg	TFace	VSeet	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	6400.0	0.00	0.00	6400.0	0.0	0.0	0.00	0.00	0.0	
3	6688.6	4.33	0.94	6688.3	10.9	0.2	1.50	0.94	-10.9	
4	8717.8	4.33	0.94	8711.7	164.0	2.7	0.00	0.00	-164.0	
5	9006.3	0.00	0.00	9000.0	174.9	2.9	1.50	180.00	-174.9	BB Yardbirds 3 W0AP Fee 2H
6	9116.8	0.00	0.00	9110.5	174.9	2.9	0.00	0.00	-174.9	
7	9865.8	89.87	180.92	9588.0	-301.4	-4.8	12.00	180.92	301.4	PBHL Yardbirds 3 W0AP Fee 2H
8	14299.5	89.87	180.92	9588.0	-4734.5	-76.2	0.00	0.00	4735.1	Yardbird 34 PA Fee #1H



SHL 185 FNL; 400' FEL
Section 3-24S-28E PBHL
330' FSL 400' FEL
Section 3-24S-28E

