

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-23005
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 648
7. Lease Name or Unit Agreement Name Eddy AV State Com
8. Well Number 1
9. OGRID Number 26460
10. Pool name or Wildcat Burton Flat Wolfcamp N. Gas 87760 <i>Winchester</i>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3357

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
SABRE OPERATING, INC.

3. Address of Operator
P.O. BOX 4848 WICHITA FALLS, TX 76308-0848

4. Well Location
 Unit Letter L : 1980 feet from the South line and 660 feet from the West line
 Section 27 Township 19S Range 28E NMPM County Eddy

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <u>Plug back to recomplete Wolfcamp</u> <input checked="" type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Propose to plug back the Morrow and recomplete in the Burton Flat Wolfcamp N. Gas. Below is the planned procedure.

1. Release packer trip out of hole.
2. GIH set cast iron bridge plug at approximately 10,500', Dump 20' of cement on top.
3. Run cement bond log to check cement, top of cement, and locate hole in casing.
4. RIH tubing, set packer at approximately 8800'.
5. Perforate 8886' - 8910' and W/4 SPF.
6. Acidize with 2500 gallons 15% NEFE HCL acid.
7. Swab test.

NM OIL CONSERVATION
 ARTESIA DISTRICT
 OCT 03 2017

RECEIVED

Spud Date: 10-9-2017 Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Denise Field TITLE Secretary DATE 10-3-2017
 Type or print name Denise Field E-mail address: dfe@sabreop.com PHONE: 940-696-8077
For State Use Only
 APPROVED BY: [Signature] TITLE Staff mgr DATE 10-3-17
 Conditions of Approval (if any):

RP 10-3-17

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-23005	² Pool Code 73520 87760	³ Pool Name Winchester Barton Flat Wolfcamp, North (Gas)
⁴ Property Code 14431	⁵ Property Name Eddy AV State Com	
⁷ OGRID No. 014431	⁸ Operator Name Sabre Operating, Inc.	
		⁶ Well Number 1
		⁹ Elevation 3357

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	27	19S	28E		1980	South	660	West	Eddy

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 320	¹³ Joint or Infill 160	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	--------------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	<p>¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p>Denise Field 10-3-17 Signature Date</p> <p>Denise Field Printed Name</p> <p>df@sabreop.com E-mail Address</p>
	<p>¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>Date of Survey Signature and Seal of Professional Surveyor</p> <p>Certificate Number</p>

Sabre Operating Inc

Well Name: Eddy A V State
 State: New Mexico
 TD: 11020'

Field: Winchester
 County: Eddy
 Survey: Sec 27-T19S-R28E

Csg.	O.D.	Grade	WT/FT	Top	Btm	Its	Bit size	Sx-Cmt.	Toc
Surface	13 3/8	H-40	48#	0	370				475 cir-surf
Interm.	8 5/8	K-55,S-80	24,28,32#	0	2950				1000 500' fs
Prod	5 1/2	K-55,N-80	17#	0	11300				800 7810'fs

PROPOSED WORKOVER IN RED

SET PACKER 8800'

● ← PERFORATE 8886-8910 WITH 4 SPF ACIDIZE WITH 2500 GALLONS 15% NEFE HCL

← SET CAST IRON BRIDGE PLUG DUMP BAIL 20' CEMENT ON TOP AT APPROXIMATELY 10,500'

EOT @
10654.62'

⊗ ← 5 1/2 x 2 3/8 lock set packer at 10878'

○ ← Perf 10904-10'

○ ← Perf 10954-59

○ ← Perf 10970-75'

← May 1980 set cibp at 11,020'

○ ← 11067-73

○ ← 11098-100

5 1/2 @
11,300'