N.M. Oil Cons. DIV-Dist. 2 1301 W. Grand Avenue

Artesia, NM 88210

Form 3160-3 (August 1999)

*(Instructions on reverse)

Previously Approved

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

0
OMB No. 1004-0136
Expires November 30, 2000

5. Lease Serial No.

		NM-28171
T 2	If Indian	Allattes or Triba Nama

Ю.	if indian, Anottee of Tribe Name
	Not Applicable

APPLICATION FOR PERMIT TO D	PRILL OR	REENTER	l	Not Appl	icable	
1a. Type of Work: X DRILL R	7. If Unit or CA Agreement, Name and No.					
Tall Type of World	J.J. VILDIC			Not Appi	icable	
— — —	r			8. Lease Name and Well l	<i>;</i> \	
b. Type of Well: Oil Well Gas Other Well	L	Single Zone	Multiple Zone		ederal #5	
2. Name of Operator				9. API Well No.	12/11	
Yates Petroleum Corporation				30-005		
3A. Address 105 South Fourth Street	3b. Phone N	No. (include area code)	Field and Pool, or Exp	•	
Artesia, New Mexico 88210	1	(505) 748-147	1	Floor Ranch; F		
4. Location of Well (Report location clearly and in accordance with an			i	11. Sec., T., R., M., or Blk	c, and Survey or Area	
At surface 990' FNL and 1		, Unit C			TOO DOOF	
	as above	<u> </u>		Section 15,		
14. Distance in miles and direction from nearest town or post office*				12. County or Parish	13. State	
Approximately twenty (20) miles northeast of Ros 15. Distance from proposed*		Mexico Acres in lease	17 Cassing I la	Chaves County	NM NM	
location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any)			17. Spacing On	nit dedicated to this well		
18. Distance from proposed location*	19. Propos	399.95	20. DI M/DIA 1	320 acres - W/2 Bond No. on file	<u></u>	
to nearest well, drilling, completed, applied for, on this lease, ft.	15. 110pos	6390'	ZU. BLW/BIA	NM-2811		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Арргол	imate date work will	start*	23. Estimated duration		
3795' GL		ASAP		30 Days		
	24. At	tachments				
The following, completed in accordance with the requirements of Onshe	ore Oil and Ga	s Order No. 1, shall be	attached to this	form:		
Well plat certified by a registered surveyor. RECE!	VED	4. Bond to cove	r the onerations	unless covered by an existin	g hand an file (see	
2. A Drilling Plan.		Item 20 above	•	and the second s	.g 00:10 01: 11:0 (000	
3. A Surface Use Plan (if the location is on National Forest System Lar	4 2006 ids, the	5. Operator certi	•			
SUPO shall be filed with the appropriate Forest Service Control	MESIA	l •		nation and/or plans as may be	required by the	
		authorized off	-	, ,	, required by the	
25. Signature	Na	me (Printed/Typed)		Date		
Dallie S. Callo	1	bbie Caffall			3/14/2006	
email: debbiec@ypcnm.com						
Title: Regulatory Agent/Land Department Approved by (Signature)	. No	me (Printed/Typed)		Date		
ORIG. SGD. DAVID B. GLASS Title & Assistant Field Manager,		ine (1 runeu/1ypeu)		Date	APR 1 3 2006	
Lands And Minerals	Off	ROSWELL F	ELD OFFIC	E APPRO	VED FOR 1 YEAR	
Application approval does not warrant or certify that the applicant hold	s legal or equit	able title to those righ	ts in the subject	lease which would entitle the	applicant to conduct	
operations thereon. Conditions of approval, if any, are attached.						
Title 18 U.S.C. Section 1001and Title 43 U.S.C. Section 1212, make it States any false, fictitious or fraudulent statements or representations as			d willfully to ma	ake to any department or age	ncy of the United	

If earthen pits are used in association with the drilling of this well, an OCD pit permit must be obtained prior to pit construction.

C-144 Attached

State of New Mexico

Form C-102

Energy, Minerals & Natural Resources Department

Revised August 15, 2000

811 South First, Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

1625 N. French Dr., Hobbs, NM 88240

Submit to Appropriate District Office

OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

State Lease - 4 Copies

District III

Santa Fe, NM 87505

Fee Lease - 3 Copies

District IV										
1220 S. St. Francis	Dr., Santa F	e, NM 87505							AM	TENDED REPORT
		V	VELL LO	OCATIO	N AND ACR	EAGE DEDIC	CATION PLA	TT		
1 /	PI Number			2 Pool Cod			³ Pool Na	me		
				1673	0	Ur	designated .	Foor Ra	nch 🕻 (ne-Perma
⁴ Property C	ode				⁵ Property	Name				Well Number
	l				Spear OA	Federal				5
OGRID N	ło.				⁵ Operator	Name				'Elevation
02557	5			Yat	es Petroleum	leum Corporation			3795'	
					10 Surface	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/W	est line	County
С	15	95	26E	·	990	North	1980	We	est	Chaves
			¹¹ B	ottom He	ole Location l	f Different From	n Surface			
UL or lot no.	Section	Township Range Lot Idn Feet from the North/South line Feet from the East/West line							County	
¹² Dedicated Acres	15 Joint or Infill Consolidation Code 15 Order No.									
320	1									
NO ALLOW	ABLE W	TLL BE AS	SSIGNED	TOTHIS	COMPLETION	UNTIL ALL INT	ERESTS HAVE	BEEN C	ONSOI	LIDATED OR A

NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION ¹⁷ OPERATOR CERTIFICATION hereby certify that the information contained herein is 980 rue and complete to the best of my knowledge and 1980' <u>Robert Asher</u> NM-28171 Regulatory Agent 03/23/2004 SURVEYOR CERTIFICATION hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by ne or under my supervision, and that the same is true and correct to the best of my belief. REFER TO ORIGINAL PLAT Date of Survey Signature and Seal of Professional Surveyor. Certificate Number

DISTRICT II .811 South First, Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410 DISTRICT IV 2010 South Pacheco, Santa Fe, NM 87505

API Number

DISTRICT III

Energy, Minerals and Natural Resources Departm

Revised March 17, 1999 instruction on back Submit to Appropriate District Office

Pool Name

State Lease - 4 Copies Fee Lease - 3 Copies

OIL CONSERVATION DIVISION P.O. Box 2088 Santa Pe, New Mexico 87504-2088

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

Pool Code

						Undesignat	ed Foor Ranc	h	
Property Code		Property Name Well Nu SPEAR "OA" FEDERAL 5					umber		
OGRID No.				_	tor Ner		- 12 - 17 - 17 - 17 - 17 - 17 - 17 - 17 	Bleve	tion
_73025575	L		YATES	PETROL	EUM C	ORPORATION		3795	
- 				Surfac	e Loc	ation			
UL or lot No. Section	Township	Range	Lot Ida	Peet fro		North/South line	Peet from the	East/Vest line	County
C 15	9\$	26E	<u> </u>	99	10	NORTH	1980	WEST	CHAVES
	Bottom Hole Location If Different From Surface								
UL or lot No. Section	Township	Range	Lot Idn	Peet fro	m the	North/South line	Feet from the	East/West line	County
Dedicated Acres Joint o	r Infill Co	nsolidation	Code Or	der No.	. •	<u> </u>	<u> </u>	<u> </u>	<u> L.</u>
320									
NO ALLOWABLE W								EN CONSOLID	ATED
	OR A	NON-STAN	DAKH UN	HAS	RERN	APPROVED BY	LHR DIAISTON		
							OPERATO	R CERTIFICAT	пои
	ا خ	l •	1				I hereby	y certify the the in	formation
	060				·		. 1 1	s is true and compl dedge and belief.	lete to the
	3796	3799	l		İ				l
1980' —		,	l		ļ		II COL	ER. M	. 1
	3790_	3794					Signature	~ 11. // 14	4
			<u> </u>	 			Clifton	R. May	/
	N.33°3; W.104°;	2 14.2" 17 14. 2"	l				Printed Nam		<u>-</u>
NM-28171			•				Regulato	ry Agent	
, , , , , , , , , , , , , , , , , , , ,			1		- }	•	12/20/01	_	, †
			1				Date	<u> </u>	
							SURVEYO	R CERTIFICAT	MON
							I hereby certify	that the well local	tion shown
1							on this plat w	es plotted from field made by me or	d notes of
							supervison, an	d that the same to	true and
							correct to th	e best of my belts	a.
			l				<u> </u>	12/12/2001	
							Date Surveye	d	
							Signature & Professional		
6			1		1		URS	MEXICA	
l I]				11/3/47	~~~~~V	' <u>]</u>
			I				1 3 Vas	ENCY NEL	
					[distribute in	-Hosechel L. Sane	s RLS 3640
			Į				TO SPEAK	5 108	
			<u> </u>				C MORAL	SURVENING COMPA	NY

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

	or below-grade tank xx Closure of a pit or below-grade	
Operator: Yates Petroleum Corporation Telephone: (505) 748- Address: 105 South 4th Street, Artesia, New Mexico 88210 Facility or well name: Spear OA Federal Com. #5 API #: 30-005-63666 U/County: Chaves Latitude Longitude	/L or Qtr/Qtr <u>C</u> Sec <u>15</u> T <u>9S</u> R <u>26E</u>	
Pit Type: Drilling Production Disposal Workover Emergency Lined Vullined Liner type: Synthetic xx Thickness 12 mil Clay Volume bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	e, explain why not.
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) MAY 1 9 2005 (10 points) OOD-AFTEBLA
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)
	Ranking Score (Total Points)	10 points
If this is a pit closure: (1) attach a diagram of the facility showing the pit's consite offsite. If offsite, name of facility date. (4) Groundwater encountered: No Yes If yes, show depth below diagram of sample locations and excavations. I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline. Date: March 23, 2005	(3) Attach a general description of remedial actions we ground surfaceft. and attach sample to f my knowledge and belief. I further certify that the ses, a general permit xxx, or an (attached) alternation	on taken including remediation start date and enderesults. (5) Attach soil sample results and a the above-described pit or below-grade tank ative OCD-approved plan .
Printed Name/Title Debbie L. Caffall/Regulatory Technician/Land Departmail: debbiec@ypcnm.com Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations. Approval AY 19 2005 Date: Printed Name/Title	not relieve the operator of liability should the contents	s of the pit or tank contaminate ground water or
Suld Bed &	3 Signature VS	

YATES PETROLEUM CORPORATION Spear "OA" Federal #5

990' FNL and 1980' FWL Section 15-T9S-R26E Chaves County, New Mexico

1. The estimated tops of geologic markers are as follows:

San Andres	990'
Glorieta	2065'
Yeso	2165'
Tubb	3605'
Abo	4365'
Wolfcamp	5115'
Cisco	5640'
Penn Clastics	5750'
Mississipian	5925'
Ordovician	5965'
Basement-Granite	6290'
TD	6390'

2. The estimated depths at which anticipated water, oil or gas formations are expected to be encountered:

Water:

150'-200'

Oil or Gas: All potential zones.

3. Pressure Control Equipment: BOPE will be installed on the 8 5/8" casing and rated for 2000 BOP systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout Preventor controls will be installed prior to drilling the surface plug and will remain in use until the well is completed or abandoned. Preventors will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. See Exhibit B.

Auxiliary Equipment:

- A. Auxiliary Equipment: Kelly cock, pit level indicators, flow sensor equipment and a sub with full opening valve to fit the drill pipe and collars will be available on the rig floor in the open position at all times for use when kelly is not in use.
- 4. THE PROPOSED CASING AND CEMENTING PROGRAM:
 - A. Casing Program: (All New)

Hole Size	Casing Size	Wt./Ft	<u>Grade</u>	Coupling	Interval
12 1/4"	9 5/8"	36#	J-55	ST&C	0-1100'
8 3/4"	7"	23 & 26#	J-55	ST&C	0-6390'

- 1. Minimum Casing Design Factors: Collapse 1.125, Burst 1.0, Tensile Strength 1.8
- 2. Yates Petroleum Corporation requests that a variance be granted in requiring the casing and BOPE to be tested to 2000 PSI to testing the casing and BOPE to 1000 PSI. The rig pumps will be used to test the casing and BOPE. Rig pumps used in this area cannot safely test above 1000 PSI. We would have to go to the greater expense of hiring an independent service to do the testing. Also, the maximum shut-in bottom hole pressure is 1100 PSI. Pressure at the surface is much less. We feel that a 1000psi test will demonstrate that the BOPE is functioning properly and in the unlikely event of a gas in flux that the BOPE would be sufficient to control the well.

Spear "OA" Federal #5 Page 2

A. CEMENTING PROGRAM:

Surface Casing: 250 sx Lite "C" (YLD 2.0 WT 12.5). Tail in with 200 sx "C" + 2% CaCL2 (YLD 1.33 WT 15.6).

Production Casing: 500 sx Pecos Valley Lite (YLD 1.34 WT 13.0). TOC 3800'.

5. MUD PROGRAM AND AUXILIARY EQUIPMENT:

Interval	<u>Type</u>	<u>Weight</u>	Viscosity	Fluid Loss
0-1100'	FW GEL, Paper, LCM	8.6 - 9.6	32-36	N/C
1100'-4290'	Brine	10.0 –10.2	28	N/C
4290'-6390'	Starch/Salt Gel	9.3 -10.2	32-40	<10/cc

Sufficient mud material(s) to maintain mud properties, control lost circulation and contain a blow out will be available at the well site during drilling operations. Mud will be checked hourly by rig personnel.

6. EVALUATION PROGRAM:

Samples: 10' samples out from under surface casing.

Logging: CNL/LDT, W/NGT TD-Surf csg; with CNL/GR up to Surf; DLL/MSFL

TD-Surf csg: Long Spaced Sonic TD-SURF CSG

Coring: None

DST's: As warranted.

7. ABNORMAL CONDITIONS, BOTTOM HOLE PRESSURE, AND POTENTIAL HAZARDS:

Anticipated BHP:

From: 0 TO: 1100' Anticipated Max. BHP: 400 PSI From: 1100' TO: 6390' Anticipated Max. BHP: 3000 PSI

Abnormal Pressures Anticipated: None

Lost Circulation Zones Anticipated: None.

H2S Zones Anticipated: None Anticipated

Maximum Bottom Hole Temperature: 145 F

8. ANTICIPATED STARTING DATE:

Plans are to drill this well as soon as possible after receiving approval. It should take approximately 25 days to drill the well with completion taking another 20 days.

MULTI-POINT SURFACE USE AND OPERATIONS PLAN YATES PETROLEUM CORPORATION

Spear "OA" Federal #5 990' FNL and 1980' FWL

Section 15-T9S-R26E Chaves County, New Mexico

This plan is submitted with Form 3160-3, Application for Permit to Drill, covering the above described well. The purpose of this plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of the surface disturbance involved and the procedures to be followed in rehabilitating the surface after completion of the operations, so that a complete appraisal can be made of the environmental effect associated with the operations.

1. EXISTING ROADS:

Exhibit A is a portion of the BLM map showing the well and roads in the vicinity of the proposed location. The proposed well site is located approximately 20 miles northeast of Roswell, New Mexico and the access route to the location is indicated in red and green on Exhibit A.

DIRECTIONS:

Go northeast of Roswell on Hwy 70 for approximately 14 miles to Magdalena Road. Turn right (south) and follow main road approximately 5.2 miles. Turn left on lease road. Go approx. 0.2 of a mile and turn right. Go approximately 0.5 miles and new access will start here. Go approximately 0.1 mile to the SW corner of pad.

2. PLANNED ACCESS ROAD:

- A. The proposed new access will be approximately 500' in length from the point of origin to the southwest corner of the drilling pad. The road will lie in a north to south direction.
- B. The new road will be 14 feet in width (driving surface) and will be adequately drained to control runoff and soil erosion.
- C. Existing roads will be maintained in the same or better condition.
- D. Ramp over existing surface pipeline at start of new road.

LOCATION OF EXISTING WELL:

- A. There is drilling activity within a one-mile radius of the well site.
- B. Exhibit D shows existing wells within a one-mile radius of the proposed well site.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES:

- A. There are production facilities on this lease at the present time.
- B. In the event that the well is productive, the necessary production facilities will be installed on the drilling pad. If the well is productive oil, a gas or diesel self-contained unit will be used to provide the necessary power. No power will be required if the well is productive of gas.

5. LOCATION AND TYPE OF WATER SUPPLY:

A. It is planned to drill the proposed well with a fresh water system. The water will be obtained from commercial sources and will be hauled to the location by truck over the existing and proposed roads shown in Exhibit A.

Spear "OA" Federal #5 Page 2

6. SOURCE OF CONSTRUCTION MATERIALS:

Dirt contractor will locate nearest pit and obtain any permits and materials needed for construction.

7. METHODS OF HANDLING WASTE DISPOSAL:

A. Drill cuttings will be disposed of in the reserve pits.

B. Drilling fluids will be allowed to evaporate in the reserve pits until the pits are dry.

C. Water produced during operations will be collected in tanks until hauled to an approved disposal system, or separate disposal application will be submitted.

D. Oil produced during operations will be stored in tanks until sold.

E. Current laws and regulations pertaining to the disposal of human waste will be complied with.

F. All trash, junk, and other waste materials will be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not approved.

8. ANCILLARY FACILITIES: NONE

9. WELLSITE LAYOUT:

- A. Exhibit C shows the relative location and dimensions of the well pad, the reserve pits, the location of the drilling equipment, rig orientation and access road approach.
- B. The reserve pits will be plastic lined.
- C. A 400' x 400' area has been staked and flagged.
- D. The topsoil will be stockpiled at the SE corner of pad.

10. PLANS FOR RESTORATION:

- A. After finishing drilling and/or completion operations, all equipment and other material not needed for further operations will be removed. The location will be cleaned of all trash and junk to leave the well site in as aesthetically pleasing a condition as possible.
- B. Unguarded pits, if any, containing fluids will be fenced until they have dried and been leveled.
- C. If the proposed well is non-productive, all rehabilitation and/or vegetation requirements of the Bureau of Land Management will be complied with and will be accomplished as expeditiously as possible. All pits will be filled level after they have evaporated and dried.
- 11. SURFACE OWNERSHIP: Split Estate with surface belonging to Meredith Revocable Trust, Melrose, New Mexico. Yates has reached an agreement as to our operations to be conducted on this well.

12. OTHER INFORMATION:

- A. Topography: Refer to the existing archaeological report for a description of the topography, flora, fauna, soil characteristics, dwellings, historical and cultural sites.
- B. The primary surface use is for grazing.

Spear "OA" Federal #5 Page 3

13. OPERATOR'S REPRESENTATIVE:

A. Through A.P.D. Approval: B. Debbie Caffall, Regulatory Agent Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471

Through Drilling, Completions & Prod. Pinson McWhorter, Operations Manager Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471

14. CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Yates Petroleum Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.


3/14/2006

Regulatory Agent

Yates Petroleum Corporation

Typical 2,000 psi Pressure System Schematic

Double Ram Preventer Stack



Typical 2,000 psi choke manifold assembly with at least these minimum features

