NM OIL CONSERVATION ARTESIA DISTRICT

Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

NOV 1 6 2017

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter and converted.

5. Lease Serial No. NMLC065914A

abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agreement, Name and/or No. 891000326X	
1. Type of Well Soli Well Gas Well □ Other				8. Well Name and No. BIG EDDY UNIT DI 5 24H	
Name of Operator BOPCO LP	CIE J CHERRY et.com	9. API Well No. 30-015-43444-00-X1			
3a. Address P O BOX 2760 MIDLAND, TX 79702	Phone No. (include area code) 432-683-2277		10. Field and Pool or Exploratory Area WC WILLIAMS SINK-BONE SPRING		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, S	State
Sec 27 T20S R31E SWNE 2000FNL 1873FEL 32.324529 N Lat, 103.511447 W Lon				EDDY COUNTY, NM	
12. CHECK THE AF	PPROPRIATE BOX(ES) TO I	NDICATE NATURE OF	F NOTICE, I	REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)		☐ Water Shut-Off
1 Notice of Intent	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclama	tion	□ Well Integrity
Subsequent Report	☐ Casing Repair	☐ New Construction	□ Recompl	ete	Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	☐ Tempora	rily Abandon	Drilling Operations
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		
testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. BOPCO, LP respectfully submits this sundry notice to report the drilling operations on the referenced well. 05/23/2017 - 05/25/2017 Spud 17-1/2" hole. TD @ 859'. Run total 23 jts 16 84# J55 Surface csg to 859'. LEAD CMT: 310 sx ?C? (92bbl). TAIL CMT: 135 sx ?C? (32 bbls). Bump plug. Circ 95 sx to surf. WOC 05/26/2017 Pressure test annular; 250 psi low, 3000 high (good). Test csg to 1500 psi for 30 min (good). Drill 14-3/4" hole. 05/29/2017					
14. I hereby certify that the foregoing is	Electronic Submission #38236	O LP, sent to the Carlsbac	d	-	
Name (Printed/Typed) TRACIE J CHERRY Title REGULATORY ANALYST					
Signature (Electronic Submission) Date 07/25/2017					
	THIS SPACE FOR F	EDERAL OR STATE (OFFICE US	5E	
Approved By ACCEPT	(BLM Appr	(BLM Approver Not Specified)		Date 10/18/2017	
Conditions of approval, if any, are attache certify that the applicant holds legal or eq which would entitle the applicant to condu	ect lease	Office Carlsbad			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent			willfully to ma	ke to any department or	agency of the United

Additional data for EC transaction #382361 that would not fit on the form

32. Additional remarks, continued

TD hole @ 2810'. Run to total 66 jts 13-3/8" 68# HCL80 csg to 2810'. LEAD CMT: 435 Econocem (149 bbls) TAIL CMT: 180 sx Halcem ?C? (43 bbls). Bump plug. Circ 90 sxs (27 bbls) to surf. WOC

05/31/2017 - 06/01/2017 Install BOP. Test 250 low, 5000 high. Test annular 250 low, 3000 high (good). Test csg to 1000, held for 30 min (good). Drill float equipment and 12-3/4" hole, TD hole @ 3509'.

Run total 80 jts 9-5/8" 40# J55 & L80 csg to 3502', DV tool @ 2930'. LEAD CMT: 50 sx (16.5 bbls) ?C?. TAIL CMT: 210 sx (46 bbls) ?C?. Bump plug, set pkr. Drop DV bomb. No cmt circ off DV tool. 2nd STAGE LEAD CMT: 540 sx ?C? (178 bbls). Bump plug. Circ 12 sx (4 bbls) to surf. WOC

Tag DV. Test csg t 1500 psi for 30 min (good). Drill DV tool ad ECP, float equip and 10 formation. Drill 8-3/4" hole.

06/08/2017

TD hole @ 9812'. Log and core well.

06/15/2017

Set KOP plug w/245 sx (45 bbl) ?H? cmt. Top of plug 9262'. Set second plug 290 sx (49 bbls) ?H? cmt. Tag plug @ 8590'. Drill cmt to 8720'. Drill 8-3/4" hole

TD hole @ 9895'. Switch to 8-1/2" bit. Drill ahead.

06/26/2017

Test BOPs, floor vlaves choke manifold 250 low, 5000 high. Test annular 250 low, 3000 high, test choke line 5000 psi (good). Drill ahead.

07/13/2017

TD hole @ 21,406' MD/9,565' TVD

Run total 532 its 5-1/2" CYP110 csg to 21,406", LEAD CMT: 725 sx (362 bbls) Halcem, TAIL CMT: 2340 sx Neocem (634 bbls). Bump plug returned 50 sx (25 bbls) to surf

07/18/2017

Release rig.

Revisions to Operator-Submitted EC Data for Sundry Notice #382361

Operator Submitted

BLM Revised (AFMSS)

Sundry Type:

DRG NOI

Lease:

NMLC065914A

Agreement:

NMNM68294X

Operator:

BOPCO LP

6401 HOLIDAY HILL RD BLDG 5 SUITE 200 MIDLAND, TX 79707 Ph: 432-683-2277

Admin Contact:

TRACIE J CHERRY REGULATORY ANALYST E-Mail: tracie_cherry@xtoenergy.com

Ph: 432-683-2277

Tech Contact:

TRACIE J CHERRY REGULATORY ANALYST E-Mail: tracie_cherry@xtoenergy.com

Ph: 432-683-2277

Location:

State:

NM EDDY County:

Field/Pool:

WC-15 G-06 S203127G;BS

Well/Facility:

BIG EDDY UNIT DI5 024H

Sec 27 T20S R31E Mer NMP SWNE 2000FNL 1873FEL

DRG SR

NMLC065914A

891000326X (NMNM68294X)

BOPCO LP P O BOX 2760 MIDLAND, TX 79702 Ph: 432.683.2277

TRACIE J CHERRY REGULATORY ANALYST E-Mail: tjcherry@basspet.com

Ph: 432-683-2277

TRACIE J CHERRY REGULATORY ANALYST E-Mail: tjcherry@basspet.com

Ph: 432-683-2277

NM EDDY

WC WILLIAMS SINK-BONE SPRING

BIG EDDY UNIT DI 5 24H Sec 27 T20S R31E SWNE 2000FNL 1873FEL 32.324529 N Lat, 103.511447 W Lon