District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes X No

	ne: 432. 484. 3714 e-mail address: 5					
	× 79702	01 2 / 2 / 2				
Facility or well name: Donnabe 14 For Con #1 API #:		Sec 14 T 17 R 24				
		55 5 7 NAD: 1927 🗆 1983 🗀				
Surface Owner: Federal State Private Indian						
Pit	Below-grade tank					
Type: Drilling X Production Disposal	Volume: bbl Type of fluid:					
Workover Emergency	Construction material:					
Lined LUnlined	Double-walled, with leak detection? Yes [] If no	t, explain why not.				
Liner type: Synthetic Thickness 12 mil Clay						
Pit Volume bbl		RECEIVED				
Do she as a second water (see she she she she she she she she she	Less than 50 feet	(20 points)				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) APR 1 0 2006				
high water elevation of ground water.)	000 feet or more	O points OCU-MITESIA				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points) ·				
water source, or less than 1000 feet from all other water sources.)	No	( 0 points				
Trace source, or less aims root lost from an outer trace sources,	Less than 200 feet	(20 points)				
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more)	( 0 points)				
<u> </u>		( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )				
	Ranking Score (Total Points)	0 * .				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's your are burying in place) onsite of offsite. If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No 1 \( \text{\text{No}} \) \(	. (3) Attach a general d	escription of remedial action taken including				
Additional Comments: Trench bureau plantling in treach with 20 m	into excavate transh 12 mil platic, put co	adjacant to- valente of dr. Ving				
Notify OCD + BIM before stand	us and file sundry	die atten clisino				
Will tagin soon of ten approu	Site closed as	approved 4/06				
I hereby certify that the information above is true and complete to the best of has been/will be constructed or closed according to NMOCD guidelines	of my knowledge and belief. Murther eertify that the R. a general permit or an (attached) alternat	e above-described pit or below-grade tank ive OCD-approved plan 1.				
Date: 1/26/04 Printed NamerTitle Eddie W Sany Agent	Signature Ell					
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	ot relieve the operator of liability should the contents of the operator of its responsibility for compliance with an	of the pit or tank contaminate ground water or y other federal, state, or local laws and/or				
Approval: Accepted for record - NMO	CD APR 1 1 2000					
Printed Name/Title		Post.				
	Signature	Date:				
* Verbal received from Mik	WBratcher 1/27	······································				

## New Mexico Office of the State Engineer POD Reports and Downloads

	Township:	178	Range:	24E	Sections:	14			
	NAD27 X:		<b>Y</b> :		Zone:		Search Radiu	s:	
County:			Basin:			Numbe	эт:	Suffix:	
Owner Nan	ne: (First)			(Las	ıt)	(	Non-Domest	tic O Domest	ic 🕲 All
POD / Surface Data Report Avg			vg Depth t	Depth to Water Report Water Column			mn Report		
		ſ	Clear	orm	iWAT	ERS Menu	Help		

## AVERAGE DEPTH OF WATER REPORT 01/24/2006

 Bsn
 Tws
 Rng
 Sec
 Zone
 X
 Y
 Wells
 Min
 Max
 Avg

 RA
 17S
 24E
 14
 19
 280
 360
 303

Record Count: 19

**NMOCD** 

Attn: Mike Bratcher 1301 W. Grand Avenue Artesia, NM 88210 RECEIVED

APR 1 0 2006

OCU-MI I EDM

RE: EOG Resources

Danube 14 Fed Com #1, API-30-015-34198

Drilling Pit Closure C-144

Mr. Bratcher,

EOG has finished the drilling pit at the above listed site. TFH Construction conducted the closure activities, and all went according to C-144.

If you have any questions please call.

Thanks,

Eddie W. Seay Agent

601 W. Illinois

Hobbs, NM 88242

(505) 392-2236

seay04@leaco.net