Form 3160-5 (June 2015)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NMOCD Artesia

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS	
Do not use this form for proposals to drill or to re-enter an	ì
shandoned well. Use form 3160-3 (APD) for such proposals	c

6. If Indian, Allottee or Tribe Name

	NMLC046250B
_	

abandoned we	III. Use form 3160-3 (AP	D) for such pro	oposais.		,				
SUBMIT IN	7. If Unit or C	CA/Agreement, Name and/or No.							
1. Type of Well  Gas Well Ot		8. Well Name and No. WILLIAMS B FEDERAL 10							
Name of Operator     VANGUARD OPERATING, L	Contact: LC E-Mail: MIKE@PII		9. API Well No. 30-015-41778						
3a. Address C/O MIKE PIPPIN 3104 N. SI FARMINGTON, NM 87401	3b. Phone No. ( Ph: 505-327	include area code) -4573		10. Field and Pool or Exploratory Area RED LAKE,SAN ANDRES 97253					
4. Location of Well (Footage, Sec., 7	T., R., M., or Survey Description			11. County or	Parish, State				
Sec 29 T17S R28E SENW 16		EDDY COUNTY, NM							
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA									
TYPE OF SUBMISSION			ТҮРЕ ОГ	ACTION					
□ Notice of Intent	☐ Acidize	☐ Deepe	□ Deepen □ Produ		ion (Start/Resu	ume) 🔲 Water Shut-Off			
	☐ Alter Casing	☐ Hydra	ulic Fracturing	□ Reclama	ation	☐ Well Integrity			
Subsequent Report	☐ Casing Repair	☐ New 0	Construction	Recomp	lete	☐ Other			
☐ Final Abandonment Notice	Change Plans	🗖 Plug a	nd Abandon	□ Tempor	arily Abandon	ı			
	☐ Convert to Injection	🗖 Plug I	Back	☐ Water D	isposal				
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.  THIS IS FOR A RECOMPLETION FROM YESO TO THE SAN ANDRES.  On 11/20/17, MIRUSU. TOH w/rods, pump, & tbg. On 12/9/17, set a 5-1/2" CBP @ 3300' & PT CBP & 5-1/2" csg to 3500 psi-OK. (Existing Yeso perfs are at 3350'-3510'). On 12/9/17, PT 5-1/2" csg to 700 psi w/certified chart recorder for 30 min as per COA from the BLM (see the attached chart).  Perfed lower SA @ 2740'-3101' w/36 holes. On 12/11/17, treated new perfs w/1000 gal 15% HCL & frac w/30,233# 100 mesh & 313,825# 40/70 white sand in slick water. Spotted 500 gal 15% HCL over next stage.  Set a 5-1/2" CBP @ 2700' & PT to 3500 psi-OK. Perfed middle SA @ 2390'-2661' w/32 holes. Treated new perfs w/1000 gal 15% HCL & frac w/30,642# 100 mesh & 266,746# 40/70 white sand in slick water.  Spotted 500 gal 15% HCL across next stage.  Set a 5-1/2" CBP @ 2340' & PT to 3500 psi-OK. Perfed upper SA @ 2024'-2281' w/33 holes. Treated new PEFFIVED.  Accepted for record NMOCD									
14. I hereby certify that the foregoing in Name (Printed/Typed) MIKE Pl	II Information le Carlsbad CHEZ on 12/2 LEUM ENG	0/2017 ()							
				<del>/</del>		RECAPAT			
Signature (Electronic	Submission)					RECORD /			
	THIS SPACE FO	OR FEDERAL	OR STATE	OFFICE U	SE /	/ \			
Approved By			Title	/D	EC /	7017			
Conditions of approval, if any, are attach certify that the applicant holds legal or ec which would entitle the applicant to cond	uitable title to those rights in th luct operations thereon.	e subject lease	Office		OF LAND MA SBAD FILLD				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	3 U.S.C. Section 1212, make it a statements or representations as	crime for any pers s to any matter with	on knowingly and in its jurisdiction.	willfully to ma	ike to any/depart	tment or agence of the United			
(Instructions on page 2)				7		<del></del>			

## Additional data for EC transaction #398576 that would not fit on the form

## 32. Additional remarks, continued

perfs w/1500 gal 15% HCL & frac w/29,485# 100 mesh & 178,369# 40/70 white sand in slick water. On 12/13/17, MIRUSU. CO after frac & drilled out CBPs @ 2340' & 2700', & CO to CBP @ 3300'. Landed 2-7/8" 6.5# J-55 production tbg @ 3115'. Ran pump & rods. Released workover rig on 12/19/17. Completed as a single San Andres oil well with Yeso perfs SI below CBP @ 3300'. Following a test of the SA alone the CBP @ 3300' will be removed and the well DHC as per the approved BLM DHC application and State order DHC-4745.




Figure 1

3050,640-32,000 25 19A