

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**Carlsbad Field Office**
OCD ArtesiaFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
Multiple--See Attached

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 27. If Unit or CA/Agreement, Name and/or No.
Multiple--See Attached

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.
Multiple--See Attached

2. Name of Operator

BURNETT OIL COMPANY INC

Contact: LESLIE GARVIS

E-Mail: lgarvis@burnettoil.com

9. API Well No.
Multiple--See Attached

3a. Address

801 CHERRY STREET UNIT 9
FORT WORTH, TX 76102-6881

3b. Phone No. (include area code)

Ph: 817.583.8730

10. Field and Pool or Exploratory Area
Multiple--See Attached

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Multiple--See Attached

11. County or Parish, State

EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ Notice of Intent☐ Subsequent Report☐ Final Abandonment Notice☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Hydraulic Fracturing☐ New Construction☐ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Reclamation☐ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☒ Other
Surface Commingling

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

This sundry is to notify the BLM that Burnett intends to submit a surface commingling and pool commingling request sundry for the Gissler B 5 battery. We are in the process of gathering the information necessary to submit the request including documentation to support an approval based on economics.

Below are the details of the battery and the wells associated with this battery:

The Gissler B 5 battery is located at:
T17S, R 30 E, SECTION 8, UNIT O; SWSE
330 FSL, 1650' FEL
LEASE: NMNM-2748 & NMNM 05067

BC 1-16-18
Accepted for record - NMOCBBLM OIL CONSERVATION
ARTESIA DISTRICT

JAN 16 2018

RECEIVED

Submit commingling request within 20 days or by 1/29/2018

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #397160 verified by the BLM Well Information System

For BURNETT OIL COMPANY INC, sent to the Carlsbad

Committed to AFMS for processing by DUNCAN WHITLOCK on 12/07/2017 (18DW0028SE)

Name (Printed/Typed) LESLIE GARVIS

Title REGULATORY MANAGER

Signature (Electronic Submission)

Date 12/06/2017

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTED

DUNCAN WHITLOCK
Title TECHNICAL LEAD PET

Date 01/09/2018

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #397160 that would not fit on the form

5. Lease Serial No., continued

NMNM05067
NMNM2748

Wells/Facilities, continued

Agreement	Lease	Well/Fac Name, Number	API Number	Location
NMNM2748	NMNM2748	GISSLER B 41	30-015-36271-00-S1	Sec 8 T17S R30E SWSE 330FSL 1650FEL
NMNM2748	NMNM2748	GISSLER B 13	30-015-21104-00-S1	Sec 8 T17S R30E SWSW 660FSL 660FWL
NMNM2748	NMNM2748	GISSLER B 42	30-015-36443-00-S1	Sec 8 T17S R30E SESW 330FSL 330FEL
NMNM2748	NMNM2748	GISSLER B 45	30-015-36476-00-S1	Sec 8 T17S R30E SESE 330FSL 350FEL
NMNM2748	NMNM2748	GISSLER B 48	30-015-36787-00-S1	Sec 8 T17S R30E NWSE 1650FSL 1650FEL
NMNM2748	NMNM2748	GISSLER B 58	30-015-37596-00-S1	Sec 8 T17S R30E NESE 1650FSL 330FEL
NMNM2748	NMNM2748	GISSLER B 63	30-015-37975-00-S1	Sec 8 T17S R30E SESW 530FSL 2310FWL
NMNM2748	NMNM2748	GISSLER B 67	30-015-38383-00-S1	Sec 8 T17S R30E NWSE 2310FSL 430FEL
NMNM2748	NMNM2748	GISSLER B 72	30-015-39247-00-S1	Sec 8 T17S R30E SESE Lot P 990FSL 890FEL
NMNM2748	NMNM2748	GISSLER B 78	30-015-39216-00-S1	Sec 8 T17S R30E SESW 2310FNL 1650FWL
NMNM2748	NMNM2748	GISSLER B 79	30-015-39215-00-S1	Sec 8 T17S R30E NWSE Lot J 1550FSL 2310FEL
NMNM2748	NMNM2748	GISSLER B 81	30-015-39218-00-S1	Sec 8 T17S R30E NESE Lot I 1650FSL 990FEL
NMNM2748	NMNM2748	GISSLER B 92	30-015-40394-00-S1	Sec 8 T17S R30E NWSW 1650FSL 330FWL
NMNM05067	NMNM05067	GISSLER B 39	30-015-36575-00-S1	Sec 8 T17S R30E SWNE 2310FNL 2310FEL
NMNM05067	NMNM05067	GISSLER B 56	30-015-37244-00-S1	Sec 8 T17S R30E SWNE 2160FNL 2310FEL
NMNM05067	NMNM05067	GISSLER B 76	30-015-40252-00-S1	Sec 8 T17S R30E SENE 2260FNL 330FEL
NMNM05067	NMNM05067	GISSLER B 80	30-015-39217-00-S1	32.849987 N Lat, 103.986128 W Lon
NMNM05067	NMNM05067	GISSLER B 94	30-015-41002-00-S1	Sec 8 T17S R30E SWNE 2160FNL 990FEL
NMNM05067	NMNM05067	GISSLER B 98	30-015-41368-00-S1	Sec 8 T17S R30E SENE 1750FNL 990FEL
NMNM2748	NMNM2748	GISSLER B 46	30-015-36819-00-S1	Sec 8 T17S R30E NENE 1160FNL 330FEL
				32.853010 N Lat, 103.986128 W Lon
				Sec 8 T17S R30E SENW 1780FNL 1764FWL
				32.851526 N Lat, 103.997026 W Lon

10. Field and Pool, continued

GRAYBURG JACKSON
LOCO HILLS-GLORIETA-YESO
LOCO HILLS-QU-GB-SA
UNKNOWN

32. Additional remarks, continued

The following wells are associated with this battery;

Gissler B 13 - 30-015-21104
Gissler B 39 - 30-015-36575
Gissler B 41 - 30-015-36271
Gissler B 42 - 30-015-36443
Gissler B 45 - 30-015-36476
Gissler B 46 - 30-015-36819
Gissler B 48 - 30-015-36787
Gissler B 56 - 30-015-37244
Gissler B 58 - 30-015-37596
Gissler B 63 - 30-015-37975
Gissler B 67 - 30-015-38383
Gissler B 72 - 30-015-39247
Gissler B 76 - 30-015-40252
Gissler B 78 - 30-015-39215
Gissler B 79 - 30-015-39215
Gissler B 80 - 30-015-39217
Gissler B 81 - 30-015-39218
Gissler B 92 - 30-015-40394
Gissler B 93 - 30-015-40522 - *IS WAPD NOT ASSOCIATED TO THIS REQUEST*
Gissler B 94 - 30-015-41002
Gissler B 98 - 30-015-41368

A current battery site security diagram is also attached.


UPDATED: 12/6/2017

FLARE: 258' FSL, 1986' FEL
TOPSOIL: WEST

150' X 150 PAD SIZE

EDDY COUNTY, NM
GISSLER B 5 BATTERY
T 17S, R 30E, SEC 8, UNIT O, SWSE
330' FSL, 1650' FEL
Federal Lease: NMINM-2748
API# 30-015-36271
Gissler B 41

PRODUCED WATER IS
TRANSFERRED TO LOCO HILLS
PUBLIC DISPOSAL



SITE LEGEND

- 500 BBL STEEL OIL SALES TANK # 63607
- 500 BBL STEEL OIL SALES TANK # 63608
- 500 BBL STEEL OIL SALES TANK # 63609
- 210 BBL STEEL OIL SKIM TANK

VALVE LEGEND

- LOAD LINE VALVE
- FILL LINE VALVE
- EQUALIZER LINE VALVE
- COMBUSTOR GAS METER Meter # FMS200F-15
- COMBUSTOR
- EMERGENCY FLARE
- FLARE GAS METER
- FLARE LINE

- 2 PHASE SEP
- FWKO
- HEATER TREATER
- WATER LINE
- OIL LINE
- GAS LINE
- FENCED FIREWALL

BURNETT OIL CO., INC. 1/6/1900

EDDY COUNTY, NM
GISSLER B 5 BATTERY
T 175, R 30E, SEC 8, UNIT O ,SWSE
330' FSL,1650' FEL
Federal Lease: MNM-2748

ATTACHMENT TO SITE FACILITY DIAGRAM

General sealing of valves, sales by tank guage

Production Phase:

Load Line Valves sealed closed. Fill valve to tank that is in production will be open.
Equalizer valve to tank that is in production will be open. Circulation valves will be opened as necessary, then resealed.
BS&W Load Line valve will be sealed at all times, unless cleaning tanks, then resealed once tank maintenance is complete.

Sales Phase:

The tank from which sales are being made will be isolated by sealing closed the fill line valve, circulating valve, and the equalizer valve during sales and opening the sales valve. Upon completion of the sale, the sales valve will be resealed. Sales by truck will be by tank gauge. Sales by LACT will be by LACT meter.

GISSLER B5 BATTERY

GISSLER B 13
GISSLER B 39
GISSLER B 41
GISSLER B 42
GISSLER B 45
GISSLER B 46
GISSLER B 48
GISSLER B 56
GISSLER B 58
GISSLER B 63
GISSLER B 67
GISSLER B 72
GISSLER B 76
GISSLER B 78
GISSLER B 79
GISSLER B 80
GISSLER B 81
GISSLER B 92
GISSLER B 94
GISSLER B 98

	VALVE	PRODUCTION PHASE	SALES PHASE	CIRCULATING	NOTE
	LOAD LINE VALVE	CLOSED	OPEN	CLOSED	
	PRODUCTION FILL LINE VALVE	OPEN OR CLOSED	CLOSED	CLOSED OR OPEN	
	EQUALIZER LINE VALVE	OPEN	CLOSED	CLOSED OR OPEN	
	CIRCULATING LINE VALVE	OPEN OR CLOSED	CLOSED	OPEN	RE-SEALED ONCE CIRCULATING IS COMPLETE
	BS&W LOAD LINE VALVE	CLOSED	CLOSED	CLOSED	OPEN FOR TANK MAINTENANCE, RESEALED ONCE MAINTENANCE IS COMPLETE
	WATER LINE VALVE	OPEN	NA	NA	WATER TANKS ARE ISOLATED FROM OIL PRODUCTION TANKS