

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

Ken McQueen
Cabinet Secretary

Matthias Sayer
Deputy Cabinet Secretary

David Catanach
Division Director



Response Required - Deadline Enclosed

Field Inspection Program
"Preserving the Integrity of Our Environment"

13-Feb-18

BOPCO, L.P.

6401 Holiday Hill Rd Bldg 5, Ste 200
Midland TX 79707-9707

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

POKER LAKE UNIT No.251H				I-30-24S-30E	30-015-34404-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/13/2018	Routine/Periodic	Tony Morales	Yes	No	5/19/2018	iTM1804438836
Violations						
Absent Well Identification Signs (Rule 103)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ POWER OFF. 15MO						
POKER LAKE UNIT CVX JV BS				M-26-24S-30E	30-015-37031-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/13/2018	Routine/Periodic	Tony Morales	Yes	No	5/19/2018	iTM1804435358
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD 19.15.10.8						

POKER LAKE UNIT		No.343H	P-22-24S-30E		30-015-38667-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/13/2018	Routine/Periodic	Tony Morales	Yes	No	5/19/2018	iTM1804433900
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. STAINING AROUND WELLHEAD POLYPIPE STORED ON LOCATION OLD FLOWLINE ON LOCATION 19.15.10.8						

POKER LAKE UNIT		No.326H	A-27-24S-30E		30-015-39479-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/13/2018	Routine/Periodic	Tony Morales	Yes	No	5/19/2018	iTM1804434452
Violations						
Absent Well Identification Signs (Rule 103)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ WRONG SECTION ON LOCATION SIGN SHOULD BE "27" LOCATION SIGN DAMAGED 19.15.16.8						

POKER LAKE UNIT No.346H			L-35-24S-30E		30-015-39480-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/13/2018	Routine/Periodic	Tony Morales	Yes	No	5/19/2018	iTM1804436244
Violations						
Absent Well Identification Signs (Rule 103)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. LOCATION SIGN NOT VISIBLE 19.15.16.8						

POKER LAKE UNIT CVX JV PC No.015H			O-19-24S-30E		30-015-41195-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/13/2018	Routine/Periodic	Tony Morales	Yes	No	5/19/2018	iTM1804441414
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD 19.15.10.8						

POKER LAKE UNIT CVX JV PC No.016H			O-19-24S-30E		30-015-41198-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
02/13/2018	Routine/Periodic	Tony Morales	Yes	No	5/19/2018	iTM1804441376
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD 19.15.10.8						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,


Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.
*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.