

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

Ken McQueen
Cabinet Secretary

Matthias Sayer
Deputy Cabinet Secretary

Heather Riley
Division Director



Response Required - Deadline Enclosed

Field Inspection Program
"Preserving the Integrity of Our Environment"

11-Apr-18

LEGACY RESERVES OPERATING, LP
P. O. Box 10848
Midland TX 79702-9702

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

BARBARY 17 COM No.001				C-17-16S-28E	30-015-31427-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/10/2018	Routine/Periodic	Tony Morales	Yes	No	7/14/2018	iTM1810037636
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. TANK BATTERIES OK. WINSOCK NEEDS REPLACING 19.15.10.8						
DONNER 30 FEDERAL COM No.004				B-30-16S-28E	30-015-35715-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/10/2018	Routine/Periodic	Tony Morales	Yes	No	7/14/2018	iTM1810033984
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO STAINING AROUND WELLHEAD 19.15.10.8						

DONNER 30 FEDERAL No.003

G-30-16S-28E

30-015-35807-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/10/2018	Routine/Periodic	Tony Morales	Yes	No	7/14/2018	iTM1810033728
Violations General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD.
TANK BATTERIES NO PLACARDS. WINDSOCK NEEDS REPLACING 19.15.10.8

CARIBOU 19 FEDERAL COM No.002

I-19-16S-28E

30-015-36539-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/10/2018	Routine/Periodic	Tony Morales	Yes	No	7/14/2018	iTM1810035360
Violations General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ. STAINING AROUND WELL HEAD
FRESH OIL 19.15.10.8 OLD TUBING ON LOCATION

CARIBOU 19 FEDERAL COM No.001

P-19-16S-28E

30-015-36540-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/10/2018	Routine/Periodic	Tony Morales	Yes	No	7/14/2018	iTM1810035040
Violations General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ. STAINING AROUND WELL HEAD
FRESH OIL 19.15.10.8 OLD TUBING SUCKER RODS ON LOCATION

RAPTOR 12 STATE COM

No.002H

I-12-16S-28E

30-015-39860-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/10/2018	Routine/Periodic	Tony Morales	Yes	No	7/14/2018	iTM1810047453
Violations General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELLHEAD
19.15.10.8

BLACKHAWK 11 FEDERAL COM No.002H

K-11-16S-28E

30-015-39887-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
04/10/2018	Routine/Periodic	Tony Morales	Yes	No	7/14/2018	iTM1810045323
Violations General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELLHEAD
TANK BATTERIES NO PLACARDS 19.15.10.5

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,


Artesia OGD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.
*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.