

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
NMNM69369

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

8. Well Name and No.  
SUNDANCE 1 FED 4

9. API Well No.  
30-015-28176-00-S1

10. Field and Pool or Exploratory Area  
MESAVERDE *Delaware*

11. County or Parish, State  
EDDY COUNTY, NM

1. Type of Well  
 Oil Well  Gas Well  Other

2. Name of Operator **CHEVRON USA INCORPORATED** Contact: **NICK GLANN**  
E-Mail: **nglann@chevron.com**

3a. Address **6301 DEAUVILLE BLVD  
MIDLAND, TX 79706** 3b. Phone No. (include area code)  
Ph: **661-599-5062**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description) **NM OIL CONSERVATION  
ARTESIA DISTRICT**  
**Sec 1 T24S R31E SESE 740FSL 330FEL**  
**MAY 23 2018**

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	RECEIVED TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

04/27/18: MIRU.  
04/30/18: POH w/rods. TIH & shot holes @ 8170'.  
05/01/18: ND wellhead, NU BOP. POH w/tbg. RIH & test to 500 psi for 10 min. TIH w/CIBP & set @ 8098'.  
05/02/18: Tag CIBP @ 8076'. Fill csg w/95 bbls of 10# brine & 12 bbls to fill tbg up. Press csg up to 600 psi & hold for 10 mins, test good. Jim w/BLM waived the tag on btm plug. Pmpd 27 bbls salt gel plug, then pmp 25 sx Cl H cmt f/ 8076' t/ 7773', mix water 2.5 bbls, 16.8 ppg displace w/30 bbls of 10# brine, cmt plug f/ 8076' t/ 7773' & salt gel plug f/ 7773' t/ 6070'. Tbg tail @ 6070', rev 50 bbls of 10# brine, saw little cmt. Pmpd @ 2.0 bpm @ 200 to 500 psi.  
05/03/18: Pmpd 132 sx Cl C cmt f/ 6076' t/ 4260', in two stages, first one 70 sx, second 62 sx, displace first plug w/19 bbls, second 16 bbls, yield 1.32 & 14.8 ppg. Tbg tail @ 4250', rev 50 bbls of 10# brine @ 2.0 bpm @ 200 to 400 psi, saw cmt twice. ETOC 4260'. Tbg tail @ 849'. TIH & perf @

*GC 5-24-18  
Accepted for record - NMOCD*

14. I hereby certify that the foregoing is true and correct.  
**Electronic Submission #420596 verified by the BLM Well Information System  
For CHEVRON USA INCORPORATED, sent to the Carlsbad  
Committed to AFMSS for processing by DEBORAH MCKINNEY on 05/21/2018 (17PP0835SE)**

Name (Printed/Typed) **NICK GLANN** Title **WELL ABANDONMENT ENGINEER**

Signature (Electronic Submission) Date **05/18/2018**

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By **ACCEPTED** Title **JAMES A AMOS  
SUPERVISORY PET** Date **05/23/2018**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office **Carlsbad**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Additional data for EC transaction #420596 that would not fit on the form

### 32. Additional remarks, continued

1038', 6 holes per foot. Fill csg w/20 bbls of 10# brine water, got rtns back in between 5-1/2" & 8-5/8" csg. Pmpd 10 bbls @ 2.5 bpm @ 200 psi, got back clean water. Tag TOC @ 4450'. Gabriel Beneway w/BLM said to upgrade plug. Pmpd 25 sx CI C cmt f/ 4450' t/ 4197', mix water 3.75 bbl, displace w/16 bbls, yield 1.32 & 14.8 ppg. Tbg tail @ 4257', rev circ 35 bbls @ 2.0 bpm @ 200 psi, saw little cmt. Tbg tail @ 3838'.  
05/04/18: Tag TOC @ 3966', Gabriel Beneway w/ BLM witnessed tag, ok. Pmpd 70 bbls salt gel plug f/ 3966' t/ 1038'. ND BOP, NU WH. Pmpd 300 sx CI C cmt f/ 1038' t/ surface, between 4-1/2" & 8-5/8" to surface & fill 4-1/2" csg f/ 1038' t/ surface, 45 bbls mix water, yield 1.32, 14.8 ppg. RDMO.

## Revisions to Operator-Submitted EC Data for Sundry Notice #420596

	<b>Operator Submitted</b>	<b>BLM Revised (AFMSS)</b>
Sundry Type:	ABD SR	ABD SR
Lease:	NMNM69369	NMNM69369
Agreement:		
Operator:	CHEVRON USA INC 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432-687-7786	CHEVRON USA INCORPORATED 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432 687 7100
Admin Contact:	NICK GLANN WELL ABANDONMENT ENGINEER E-Mail: nglann@chevron.com  Ph: 432-687-7786	NICK GLANN WELL ABANDONMENT ENGINEER E-Mail: nglann@chevron.com  Ph: 661-599-5062
Tech Contact:	NICK GLANN WELL ABANDONMENT ENGINEER E-Mail: nglann@chevron.com  Ph: 432-687-7786	NICK GLANN WELL ABANDONMENT ENGINEER E-Mail: nglann@chevron.com  Ph: 661-599-5062
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	DELAWARE	MESAVERDE
Well/Facility:	SUNDANCE 1 FEDERAL 4 Sec 1 T24S R31E 740FSL 660FWL	SUNDANCE 1 FED 4 Sec 1 T24S R31E SESE 740FSL 330FEL